				R WELL RECORD	Form WWC-5		2a-1212		1
		ER WELL:	Fraction	SE 1/ N	Sec	ction Numbe	· · · · · · · · · · · · · · · · · · ·	-	Range Number
County: S				address of well if locate		19	TZ	S	R / (E)W
		N. Senec		tch.Ha	ed within city?				
	705	NO. DOA		renita	ALLTSP	Carl			
		NEN: SDA	1 Craigshilre	onmental / C	OLN:M	Fun RA	, Board o	f Agriculture	Division of Water Resource
City, State,		# 100C	oute MA		Tuisa, OK			ion Number:	Division of Water Hesodroc
1									
	N SECTION	BOX:	Depth OF (15.8	·· II. ELEN	2 ATION: 1.2.1	5.40.105 # *	3
- –		· · · · · · · · · · · · · · · · · · ·	NELL'S STATIC		.79	s	urface measured	on mo/day/yr	1-12-95
1	i		VVELL S STATIC	vertien Level	ers gan an in s	NA 4	offer	boure p	umping gpm
	- NW	NE	For Viold	apm: Woll wat		A	after	. nours pu	umping
		! X							n. to
.≓ w				TO BE USED AS:	5 Public wate		8 Air condition		Injection well
	i	i	1 Domestic					-	Other (Specify below)
	- SW	SE	2 Irrigation						.Z
									, mo/day/yr_sample was su
		J	mitted	Succession group campio			/ater Well Disinfe		GN
5 TYPE OF	F BLANK C	ASING USED:		5 Wrought iron	8 Concr	· · ·			d Clamped
1 Stee		3 RMP (S	R)	6 Asbestos-Cement		(specify bel	ow)	Weld	led
2PVC		4 ABS	,	7 Fiberglass				Thre	aded
			.in. to) ft., Dia			ft., Dia		in. to ft
									10. 40
		R PERFORATIO			Ô			sbestos-cem	
1 Stee	el	3 Stainles	s steel	5 Fiberglass	8 RM	AP (SR)	11 (Other (specify)
2 Bras	ss	4 Galvaniz	zed steel	6 Concrete tile	9 AB	IS	12 1	None used (op	pen hole)
SCREEN O	R PERFOR	RATION OPENIN		5 Gau	zed wrapped		8 Saw cut		11 None (open hole)
1 Con	ntinuous slo	t (3)•	Aill slot	6 Wire	wrapped		9 Drilled hole	s	
2 Louv	vered shut	er 4 K	key punched	7 Torc	h cut		10 Other (spe	cifv)	
SCREEN-P					· · · ·				
	ERFORATI	ED INTERVALS:			<i>l</i> O.		rom	ft .	toft
			From	ft. to .		ft., F	rom	ft.	toft
		ED INTERVALS: CK INTERVALS	From From			ft., Fi	rom	ft. ft.	toft toft
GI	RAVEL PA	CK INTERVALS	From From From		01 2,5	tt., Fl., Fl. tt., Fl., Fl., Fl., Fl.	rom	ft. ft. ft. ft.	toft toft to ft
GR 6 GROUT	RAVEL PA	CK INTERVALS	From From From cement		7.5	ft., F ft., F <u>ft., F</u> onite	rom	ft. ft. ft. ft.	toft toft to ft
GF 6 GROUT Grout Interv	RAVEL PA MATERIAL vals: Fro	CK INTERVALS	From From From cement .ft. to		7.5	ft., F ft., F <u>ft., F</u> onite to 7 .	rom rom rom rom 4 Other f S ft., From	ft. ft. ft. 	toft toft toft
GF 6 GROUT Grout Interv What is the	MATERIAL vals: From mearest sc	CK INTERVALS	From From From cement ft. to		7.5	ft., F ft., F ft., F to7.	rom rom rom 4 Other f S ft., From estock pens	ft. ft. ft. ft. 	toft toft toft ft. toft Abandoned water well
GF 6 GROUT Grout Interv What is the 1 Sep	RAVEL PA MATERIAL vals: From mearest sc ottic tank	CK INTERVALS	From From cement ft. to contamination: ral lines		(0) 7,5 0 Bento	ft., F ft., F ft., F onite to7. 10 Liv.	rom rom rom 4 Other f S ft., From estock pens el storage	ft. ft. ft. tt. 14 Å 15 C	to
GF 6 GROUT Grout Interv What is the 1 Sep 2 Sew	RAVEL PA MATERIAL vals: From nearest sc otic tank ver lines	CK INTERVALS	From From cement . ft. to contamination: ral lines s pool	ft. to ft. t	(0) 7,5 0 Bento		rom	ft. ft. ft. tt. 14 Å 15 C	toft toft toft ft. toft Abandoned water well
GF 6 GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat	RAVEL PA MATERIAL vals: From nearest sc btic tank ver lines tertight sew	CK INTERVALS	From From cement .ft. to contamination: ral lines s pool page pit		(0) 7,5 0 Bento		rom	ft. ft. ft. ft. 14 A 15 C 16 C	to
GF GROUT Grout Interv What is the 1 Sep 2 Sew	RAVEL PA MATERIAL vals: From nearest sc btic tank ver lines tertight sew	CK INTERVALS	From From cement . ft. to contamination: ral lines s pool	 ft. to ft. t	(0) 7 r 5		rom		toft toft to ft to ft to ft to ft to ft to ft to ther (specify below) INTERVALS
GF GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM	RAVEL PA MATERIAL vals: Fro nearest sc tic tank ver lines tertight sew om well?	CK INTERVALS 1 Neat n	From From cement .ft. to contamination: ral lines s pool page pit	 ft. to ft. t	(0 , 5 (3) Bento ft. goon		rom		toft toft to ft to ft to ft to ft to ft to ft to ther (specify below) INTERVALS
GF GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro	RAVEL PA MATERIAL vals: Fro nearest sc tic tank ver lines tertight sew om well? TO	CK INTERVALS 1 Neat n	From From cement .ft. to contamination: ral lines s pool page pit LITHQLOGIC	 ft. to ft. t	(Ů) , , S , , , , Bento t. ft. goon	to	rom		toft toft to ft to ft to ft to ft to ft to ft to ther (specify below) INTERVALS
GF GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM	RAVEL PA MATERIAL vals: From nearest sc totic tank ver lines tertight sew om well? TO Ø:5	CK INTERVALS 1 Neat n	From From cement .ft. to contamination: ral lines s pool page pit LITHQLOGIC	 ft. to ft. t	(Ů) , , S , , , , Bento t. ft. goon	to	rom		toft toft to ft to ft to ft to ft to ft to ft to ther (specify below) INTERVALS
GF Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM	RAVEL PA MATERIAL vals: From nearest sc btic tank ver lines tertight sew om well? TO Ø:5 Z.5	CK INTERVALS 1 Neat n	From From cement .ft. to contamination: ral lines s pool page pit LITHQLOGIC	 ft. to ft. t	(Ů) , , S , , , , Bento t. ft. goon	to	rom		toft toft to ft to ft to ft to ft to ft to ft to ther (specify below) INTERVALS
GF Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM	RAVEL PA MATERIAL vals: From nearest sc btic tank ver lines tertight sew om well? TO O:5 Z.5	CK INTERVALS 1 Neat n	From From cement .ft. to contamination: ral lines s pool page pit LITHQLOGIC	 ft. to ft. t	(Ů) , , S , , , , Bento t. ft. goon	to	rom		toft toft to ft to ft to ft to ft to ft to ft to ther (specify below) INTERVALS
GF Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM	RAVEL PA MATERIAL vals: From nearest sc btic tank ver lines tertight sew om well? TO O:5 Z.5	CK INTERVALS 1 Neat n	From From cement .ft. to contamination: ral lines s pool page pit LITHQLOGIC	 ft. to ft. t	(Ů) , , S , , , , Bento t. ft. goon	to	rom		toft toft to ft to ft to ft to ft to ft to ft to ther (specify below) INTERVALS
GF Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM	RAVEL PA MATERIAL vals: From nearest sc btic tank ver lines tertight sew om well? TO O:5 Z.5	CK INTERVALS 1 Neat n	From From cement .ft. to contamination: ral lines s pool page pit LITHQLOGIC	 ft. to ft. t	(Ů) , , S , , , , Bento t. ft. goon	to	rom		toft toft to ft to ft to ft to ft to ft to ft to ther (specify below) INTERVALS
GF Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM	RAVEL PA MATERIAL vals: From nearest sc btic tank ver lines tertight sew om well? TO O:5 Z.5	CK INTERVALS 1 Neat n	From From cement .ft. to contamination: ral lines s pool page pit LITHQLOGIC	 ft. to ft. t	(Ů) , , S , , , , Bento t. ft. goon	to	rom		toft toft to ft to ft to ft to ft to ft to ft to ther (specify below) INTERVALS
GF Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM	RAVEL PA MATERIAL vals: From nearest sc btic tank ver lines tertight sew om well? TO O:5 Z.5	CK INTERVALS 1 Neat n	From From cement .ft. to contamination: ral lines s pool page pit LITHQLOGIC	 ft. to ft. t	(Ů) , , S , , , , Bento t. ft. goon	to	rom		toft toft to ft to ft to ft to ft to ft to ft to ther (specify below) INTERVALS
GF Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM	RAVEL PA MATERIAL vals: From nearest sc btic tank ver lines tertight sew om well? TO O:5 Z.5	CK INTERVALS 1 Neat n	From From cement .ft. to contamination: ral lines s pool page pit LITHQLOGIC	 ft. to ft. t	(Ů) , , S , , , , Bento t. ft. goon	to	rom		toft toft to ft to ft to ft to ft to ft to ft to ther (specify below) INTERVALS
GF Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM	RAVEL PA MATERIAL vals: From nearest sc btic tank ver lines tertight sew om well? TO O:5 Z.5	CK INTERVALS 1 Neat n	From From cement ft. to contamination: ral lines s pool page pit LITHQLOGIC	 ft. to ft. t	(Ů) , , S , , , , Bento t. ft. goon	to	rom		toft toft to ft to ft to ft to ft to ft to ft to ther (specify below) INTERVALS
Gf GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM	RAVEL PA MATERIAL vals: From nearest sc btic tank ver lines tertight sew om well? TO O:5 Z.5	CK INTERVALS 1 Neat n	From From cement ft. to contamination: ral lines s pool page pit LITHQLOGIC	 ft. to ft. t	(Ů) , , S , , , , Bento t. ft. goon	to	rom		toft toft to ft to ft to ft to ft to ft to ft to ther (specify below) INTERVALS
Gf GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM Ø 5	RAVEL PA MATERIAL vals: From nearest sc btic tank ver lines tertight sew om well? TO O:5 Z.5	CK INTERVALS 1 Neat n	From From cement ft. to contamination: ral lines s pool page pit LITHQLOGIC	 ft. to ft. t	(Ů) , , S , , , , Bento t. ft. goon	to	rom		toft toft to ft to ft to ft to ft to ft to ft to ther (specify below) INTERVALS
GF Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM	RAVEL PA MATERIAL vals: From nearest sc btic tank ver lines tertight sew om well? TO O:5 Z.5	CK INTERVALS 1 Neat n	From From cement ft. to contamination: ral lines s pool page pit LITHQLOGIC	 ft. to ft. t	(Ů) , , S , , , , Bento t. ft. goon	to	rom		toft toft to ft to ft to ft to ft to ft to ft to ther (specify below) INTERVALS
GF GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM 0 5 2.55	RAVEL PA MATERIAL vals: From nearest sc btic tank ver lines tertight sew om well? TO 0:5 2.5 7.0	CK INTERVALS 1 Neat 1 Neat 1 Late 5 Cess er lines 6 Seep	From From cement ft. to contamination: ral lines s pool page pit LITHOLOGIC Contant Contamination: ral lines s pool page fit Contamination: ral lines s pool page fit Contamination: ral lines s pool page fit Contamination: ral lines s pool page fit Contamination: ral lines s pool contamination: ral lines s pool contamination: ral lines s pool contamination: ral lines s pool contamination: ral lines s pool contamination: ral lines s pool contamination: contamination: ral lines s pool contamination: contaminatio	<pre>ft. to . ft. tot</pre>	(Ů) 7,5 ØBento ft. goon FROM Ø	ft., F ft., F tt., F 7. 10 Liv. 10 Liv. 12 Fer 13 Ins How n TO ZO	om	ft. ft. ft. 14 A 15 C 16 C PLUGGING	to
Gf GROUT Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM 0 2 S 2 S 2 S 2 S 2 S 2 S 2 S 2 S 2 S 2 S	RAVEL PA MATERIAL vals: From nearest sc btic tank ver lines tertight sew om well? TO 0.5 Z.5 ZO	CK INTERVALS 1 Neat 1 Neat 1 Late 5 Cess er lines 6 Seep	From From cement ft. to contamination: ral lines s pool page pit LITHOLOGIC Matt Contamination: ral lines s pool page pit LITHOLOGIC Matt Contamination: R'S CERTIFICAT	<pre>ft. to . ft. to</pre>	(O) → C r S → Bento → T r S → Bento → T r S → Bento → T r S → Bento → T r S → Bento + C		constructed, or	tt. tt. tt. tt. tt. tt. tt. tt.	to
GF Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM 2 5 2.5 7 CONTR/ completed of	RAVEL PA MATERIAL vals: From nearest sc btic tank ver lines tertight sew om well? TO 0:5 2.5 7.0 ACTOR'S (on (mo/day)	CK INTERVALS 1 Neat 1 Neat 1 Late 5 Cess er lines 6 Seep CR LANDOWNE year) 5	From From cement ft. to contamination: ral lines s pool page pit LITHOLOGIC Contamination: ral lines s pool page pit LITHOLOGIC Contamination: R'S CERTIFICAT	<pre>ft. to . ft. to</pre>	I O		constructed, or (constructed, or (constructed, or constructed,	tt. tt. tt. tt. tt. tt. tt. tt.	to
GF Grout Interv What is the 1 Sep 2 Sew 3 Wat Direction fro FROM 2 5 2.5 7 CONTR/ completed of	RAVEL PA MATERIAL vals: From nearest sc otic tank ver lines tertight sew om well? TO 0:5 7.5 7.0 ACTOR'S (on (mo/day Contractor	CK INTERVALS 1 Neat 1 Neat 1 Late 5 Cess er lines 6 Seep CR LANDOWNE year) 5 License No.	From From cement ft. to contamination: ral lines s pool page pit LITHOLOGIC Contamination: ral lines s pool page pit LITHOLOGIC Contamination: R'S CERTIFICAT	TION: This water well v	I O		constructed, or (Coord is true to the d on (mo/day/yr)	tt. tt. tt. tt. tt. tt. tt. tt.	to