1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-S	KSA 82a-1212 Section Number	Township Number	Range Number
	NW 1/4	NW 1/4 I	NE 1/4	16		1 170
Sedgwick			NE 1/4	1.0	т 27 s	R 1E E/W
Distance and direction frem nearest town or city street address of well if located within city?						
13th N. & Ohio		Wic	<u>:hita,</u>	<u>Kansas</u>		
WATER WELL OWNER: WICH	HITA, CITY	OF				
RR#, ST. ADRESS, BOX#: 455 N. Main Board of Agriculture, Divivsion of Water Resource						ivivsion of Water Resource
CITY, STATE, ZIP CODE: Wichita, Kansa		s . 6720		67202	Application Number: 990003	
LOCATE WELL'S LOCATION WITH	4 DEPTH OF	MAR BAVELL	40	ft, ELI	EVATION:	· · · · · · · · · · · · · · · · · · ·
AN "X" IN SECTION BOX:	Depth(s) groundw	3 4	1	ſt.	2 ft.	3 ft.
t 	WELL'S STATIC W				RFACE MEASURED ON mo/day/yr	08/18/2000
	Pump tes		•			•
NWNE	•		water was	n.	after hours pum	. o er
ا ا ا ا ا ا	Est. Yield	gpm: Well	water was	ſt.	after hours pum	ping gpm
e W W E	Bore Hole Diameter	e in.	to	ft.	and in.	to ft.
	WELL WATER	USED AS:	5 Public wate	r supply	8 Air conditioning 11 I	njection well
	1 Domestic	3 Feedlot	6 Oil field wa	iter supply	9 Dewatering 12 (Other (Specify below)
SWSE	2 Irrigation	4 Industrial	7 Lawn and g	garden only	10 Monitoring well	
		wiological sample s	hmittad ta D	•	•	oo/day/yw sample was
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was						
submitted Water Well Disinfected? Yes X No						
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped						
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded						
2 PVC 4 ABS		7 Fiberglass			Т	hreaded
Blank casing Diameter 8	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height above land surface 3	6 in.,	weight		lbs. / ft.	Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORA			7 PVC	10 Asbestos-cement		
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify) N / N) 37/3
2 Brass 4 Galvanized stee	S I	6 Concrete tile		O ABS	12 None used (or	M/W
				ADS	8 Saw cut	*
SCREEN OR PERFORATION OPE			zed wrapped			11 None (open hole)
1 Continous siot 3 Mill sl	6 Wire	e wrapped 9 Drilled holes				
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) N/A					/A	
CODEEN PEDEODATION INTERVALS.						ft.
	from			•		
		ft. to		ft., Fron		ft.
GRAVEL PACK INTERVALS: from		ft. to		ft., Fron	+	n.
1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	from		. to	ft., Fron		ft
6 GROUT MATERIAL: 1 Neat	cement 2 (Cement grout	3 Be	ntonite	^{4 Other} bentonite	hole plug
Grout Intervals: From 3	ft. to 9	ft. From	ft.	to	ft. From 9	ft. to 17 ft.
What is the nearest source of possible contamination:				10 Livesto	stock pens 14 Abandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy 11 Fue		11 Fuel st	l storage 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon 12 F		12 Fertili	rtilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent						
Direction from well?	-P. h					Apparent
Direction from well? How many feet?						
			0		surface clay an	
				1		u siit
l			_ 3		cement grout	. 7
			9		bentonite hole	
<u> </u>			17	40	chlorinated san	d and gravel
				1		
						· · · · · · · · · · · · · · · · · · ·
				<u> </u>		
						
 			-		*	
						
<u></u>						
7 CONTRACTOR'S OR LANDOWNE	DIS CENTING LT.C. TL	is water well	1\ oone4	ad /2\ =====	uotod or (2) minera di mad	l
CONTRACTOR SOR LANDOWNER	KSCERTIFICATION: IN Ω/12/	is water well was (N N	i) construct	eu, (2) reconstr	ucted, or (3) plugged under n	ny jurisdiction and
was completed on (mo/day/year)						
Well Contractor's License No. 23.6 This Water Well Record was completed on (mo/day/yr) 08/21/00						
Under the business name of Harp Well & Pump Service. Inc by (signature) Todd S. Harp						
Under the business name of AAAA	rp Well &	Pump Serv	iceII	ໄຊ by (sign	ature)	