			Water Well Reco	rd Form WWC-	5 KSA 82a-1212			
1 LOCATION C	OF WATER WELL:	FRACTION			Section Number	Township Number	Range Number	
Sec	dgwick	SW 1/4	SW 1/4	SE 1/4	9	т 27 s	R 1E E/W	
Distance and dir	ection frem nearest town or c	ity street address of well if loo	rated within city?					
13th	N. & Ohio			chita,	Kansas			
Ш		HITA, CITY	OF					
		N. Main					Divivsion of Water Resource	
		hita, Kansa			67202	Application Numb	er: 990004	
AN "X" IN SE	LL'S LOCATION WITH CTION BOX:		ANG PERWELL vater Encountered	40 1	ft. EI ft.	LEVATION: 2 ft.	3 ft.	
t [WELL'S STATIC V		_		URFACE MEASURED ON mo/day/yr	08/18/2000	
		Pump tes		water was	ft.	after hours pur		
	NW NE	Est. Yield		water was	ft.	after hours pur		
w Wile	E	Bore Hole Diameter	in.	to	ſt.	and in.	-	
£ "		WELL WATER	BE USED AS:	5 Public water	er supply	8 Air conditioning 11	Injection well	
,	edvsae	1 Domestic	3 Feedlot	6 Oil field w		9 Dewatering 12	Other (Specify below)	
		2 Irrigation	4 Industrial	7 Lawn and	garden only	10 Monitoring well		
+	X	Was a chemical/bact	eriological sample s	ubmitted to D	epartment? Yes	No X; If yes, 1	no/day/yr sample was	
		submitted			W	ater Well Disinfected? Yes	X No	
	F CASING USED:		5 Wrought iron		8 Concrete tile		Glued Clamped	
1 Steel	3 RMP (SR)		6 Asbestos-Cem	ent 9	Other (Specify	,	Welded	
2 PVC	4 ABS		7 Fiberglass				Threaded	
Blank casing I	iameter 8	in. to	ft., Dia	in	- -	ft., Dia in.	to ft.	
	REEN OR PERFORA		weight		lbs. / ft. 7 PVC	Wall thickness or gauge No. 10 Asbestos-cem	ent	
1 Steel	3 Stainless Steel	5 Fiberglass	Fibergless 9 DMD (SD)			y) N/A		
2 Brass	4 Galvanized ste	eel	6 Concrete tile	6 Concrete tile 9 ABS			12 None used (open hole)	
SCREEN OR	PERFORATION OP	ENING ARE:	5 Gauzed wrapped			8 Saw cut 11 None (open hole)		
1 Continous s	lot 3 Mill s	slot	6 Wire wrapped		9 Drilled holes			
2 Louvered sh	utter 4 Key p	punched	7 Tore	ch cut		10 Other (specify)	/A	
SCREEN-PE	REFORATION INTER	VALS: from	fi	t. to	ft., Fro		ft.	
		from		t. to	ft., Fro		ft.	
GRAVEL PACK INTERVALS: from				ft. to ft., From				
		from	f	t. to	ft., Fro	m ft, to	<u> </u>	
6 GROUT M		cement 2 (Cement grout	3 Be	ntonite	4 Other bentonite	e hole plug	
Grout Interval	-	ft. to 8	ft. From	ft.	to	ft. From 8	st. to 14 st.	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines							Abandon water well	
					11 Fuel s	- 13	Oil well/Gas well	
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit					ticlde storage	Other (specify below)		
Direction fron		page pit	> recuyaru			How many feet?	Apparent	
FROM TO		LITHOLOGIC LOG		FROM	то	PLUGGING INTE	RVALS	
				0	3	surface clay ar		
				3	8	cement grout		
				8	14	bentonite hole	plug	
				14	40	chlorinated sar	nd and gravel	
	<i>E</i> .							
						· region		
						74-24		
7 CONTRA	CTOP'S OF LANDOWS	EDIS CEDITIFICATION. Th	ie water well was	(1) construc	led (2) recons	ructed, or (3) plugged under	my jurisdiction and	
Comme						the best of my knowledge and		
Well Contra	ctor's License No	236	This Water Well I	Record was	completed on (mo/day/yr)		
Under the b	usiness name of.H	arp Well &	Pump Serv	ice, I	ດຕ by (sig	natura)	_	
						'10ad ,	S. Harp	