## **CORRECTION TO WATER WELL RECORD (WWC-5)**

-

The following correction(s) was made to the attached WWC-5 log, in order to file the item or to rectify lacking or incorrect information.

Fraction ( 1/4 1/4 1/4) Section-Township-Range changed:
listed as SE NW NW, /E
changed to <u>NW NW SE</u> , $4 - 275 - IE$
Other changes: Initial statements:
Changed to:
Comments:
verification method: Written description, Wichita city map, and Wichita East 1:24,000 tope, map, initials: OFL date: 5/4/2001
submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment Bureau of Water Industrial Programs, Bldg 283, Forbes Field, KS 66620

$\frac{5 \times (2 \text{ gw}) \text{ CK}}{773^{\prime} \text{ S}} = \frac{5 \text{ E}}{29^{44}} \frac{1}{5 \text{ K}} \frac{1}{73} \frac{1}{5} \frac{1}{29^{44}} \frac{1}{57} $	ion Number			
and direction from nearest town or city street address of well if located within city? 773'S d 29 <sup>+4</sup> St. N and 57'E d Emporie		Township N	-	Range Number
773'S & 29th St. N and ST'E & Emporie		T	S	R ØW
773'S a 29" St. N and ST E & Emporie				
	Court	Withi	he Ks	Wnc-110
ER WELL OWNER: C.L. OK WICHIG			/	
. Address, Box # : 1900 E. 91 A STREET		Board of A	griculture, D	ivision of Water Resource
ate. ZIP Code : wichita, KS 67214		Application	Number:	
TE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL. 43.7	# ELEVATIO	N.		
(" IN SECTION BOX: Depth(s) Groundwater Encountered 1. /2.3				
WELL'S STATIC WATER LEVEL				
Xi I Pump test data: Well water was				
Est. Yield . M.A				
Bore Hole Diameter. 2/18in. to	n. aner		nours pur	mping
WELL WATER TO BE USED AS: 5 Public water		Air conditioning		
				Other (Specify below)
i I Was a chemical/bacteriological sample submitted to De				
S mitted	Water	Well Disinfecte		
E OF BLANK CASING USED: 5 Wrought iron 8 Concre		CASING JO	INTS: Glueo	Clamped
Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (	specify below)		Welde	ed
PVCA ABS 7 Fiberglass			Threa	ided X .
asing diameter		.ft., Dia		in. to
height above land surface. Flush	lbs./ft.	Wall thickness	or gauge No	SCH &
SCREEN OR PERFORATION MATERIAL:			cestos-ceme	
Steel 3 Stainless steel 5 Fiberglass 8 RMI	P (SR)		ner (specify)	
Brass 4 Galvanized steel 6 Concrete tile 9 ABS			ne used (op	
N OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped		Saw cut	. ,	11 None (open note)
Continuous slot 3 Mill slot 6 Wire wrapped		Drilled holes		
C FFF				
22 / /- 4		) Other (specif		
From		•••••	Π. ti	D
GRAVEL PACK INTERVALS: From				
From ft. to				<u> </u>
UT MATERIAL: 1 Neat cement 2 Cement grout 3 Eentor		her		
$\mathfrak{A}$ there are a second sec	0			
the pearest source of possible contamination:	10 Livestoc	k pens	14 A	bandoned water weil
Septic tank 4 Lateral lines 7 Pit privy	11 Fuel sto	rage	15 O	il well/Gas wet
Sewer lines 5 Cess pcol 8 Sewage lagoon	12 Fertilize	r storage	16 O	ther (specify telow)
Watertight sewer lines 6 Seepage pit 9 Feedyard	13 Insectici	de storage		
n from well?	How many	feet?		
TO LITHOLOGIC LOG FROM	TO	P	LUGGING I	NTERVALS
> 3 Silly Sand				
44 Sand				
	· · · · ·			
	cted. (2) recons	tructed, or (3)		fer my jurisciction and w
ITEACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was to construct ed co. (mo/dav/war)				
ed cn (mo/day/year)	and this record	is true to the b	est of my kn	owledge and belief. Kansa
ed on (mo/day/year)	and this record s completed on	is true to the b (morday yr)	est of my kn	
ed cn (mo/day/year)	and this record s completed on by (signatur	is true to the b (morday yr)	est of my kn	owledge and belief. Kansa