

LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
Sedgwick	NW 1/4 SE 1/4 SW 1/4	4	T 27 S	R 1 E
Distance and direction from nearest town or city street address of well if located within city?				
760' N. of 21 st N. and 1010' W. of Mosley Wichita, KS NWL-010				
WATER WELL OWNER: City of Wichita				
St. Address, Box # : 1900 E. 9 th STREET			Board of Agriculture, Division of Water Resources	
State, ZIP Code : Wichita, KS 67214			Application Number:	

TH 4 DEPTH OF COMPLETED WELL: 42.4 ft. ELEVATION: _____

Depth(s) Groundwater Encountered 1. 14.5 ft. 2. _____ ft. 3. _____ ft.

WELL'S STATIC WATER LEVEL _____ ft. below land surface measured on mo/day/yr _____

Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm

Est. Yield 11.4 gpm; Well water was _____ ft. after _____ hours pumping _____ gpm

Bore Hole Diameter 2 1/8 in. to 43.0 ft., and _____ in. to _____ ft.

E WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	11 Injection well
2 Irrigation	4 Industrial	7 Lawn and garden only	10 Monitoring well	12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes _____ No X _____ If yes, mo/day/yr sample was sub-
mitted _____

Type of Blank Casing Used:		5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued	Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded	
2 PVC	4 ABS	7 Fiberglass		Threaded	X

Casing diameter $\frac{3}{4}$ in. to 32.3 ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.

Rig height above land surface Flush in., weight _____ lbs./ft. Wall thickness or gauge No. SCH 80

1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
				12 None used (open hole)

OPEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	③ Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify) _____	

PERFORATED INTERVALS: From 32.3 ft. to 42.4 ft. From _____ ft. to _____ ft.

GRAVEL BACK INTERVALS: From 30.5 ft. to 42.2 ft. From _____ ft. to _____ ft.

GRAVEL PACK INTERVALS: From: 20.0 ft. to 21.0 ft. From: 21.0 ft. to 22.0 ft. From: 22.0 ft. to 23.0 ft. From: 23.0 ft. to 24.0 ft. From: 24.0 ft. to 25.0 ft. From: 25.0 ft. to 26.0 ft. From: 26.0 ft. to 27.0 ft. From: 27.0 ft. to 28.0 ft. From: 28.0 ft. to 29.0 ft. From: 29.0 ft. to 30.0 ft. From: 30.0 ft. to 31.0 ft. From: 31.0 ft. to 32.0 ft. From: 32.0 ft. to 33.0 ft. From: 33.0 ft. to 34.0 ft. From: 34.0 ft. to 35.0 ft. From: 35.0 ft. to 36.0 ft. From: 36.0 ft. to 37.0 ft. From: 37.0 ft. to 38.0 ft. From: 38.0 ft. to 39.0 ft. From: 39.0 ft. to 40.0 ft. From: 40.0 ft. to 41.0 ft. From: 41.0 ft. to 42.0 ft. From: 42.0 ft. to 43.0 ft. From: 43.0 ft. to 44.0 ft. From: 44.0 ft. to 45.0 ft. From: 45.0 ft. to 46.0 ft. From: 46.0 ft. to 47.0 ft. From: 47.0 ft. to 48.0 ft. From: 48.0 ft. to 49.0 ft. From: 49.0 ft. to 50.0 ft. From: 50.0 ft. to 51.0 ft. From: 51.0 ft. to 52.0 ft. From: 52.0 ft. to 53.0 ft. From: 53.0 ft. to 54.0 ft. From: 54.0 ft. to 55.0 ft. From: 55.0 ft. to 56.0 ft. From: 56.0 ft. to 57.0 ft. From: 57.0 ft. to 58.0 ft. From: 58.0 ft. to 59.0 ft. From: 59.0 ft. to 60.0 ft. From: 60.0 ft. to 61.0 ft. From: 61.0 ft. to 62.0 ft. From: 62.0 ft. to 63.0 ft. From: 63.0 ft. to 64.0 ft. From: 64.0 ft. to 65.0 ft. From: 65.0 ft. to 66.0 ft. From: 66.0 ft. to 67.0 ft. From: 67.0 ft. to 68.0 ft. From: 68.0 ft. to 69.0 ft. From: 69.0 ft. to 70.0 ft. From: 70.0 ft. to 71.0 ft. From: 71.0 ft. to 72.0 ft. From: 72.0 ft. to 73.0 ft. From: 73.0 ft. to 74.0 ft. From: 74.0 ft. to 75.0 ft. From: 75.0 ft. to 76.0 ft. From: 76.0 ft. to 77.0 ft. From: 77.0 ft. to 78.0 ft. From: 78.0 ft. to 79.0 ft. From: 79.0 ft. to 80.0 ft. From: 80.0 ft. to 81.0 ft. From: 81.0 ft. to 82.0 ft. From: 82.0 ft. to 83.0 ft. From: 83.0 ft. to 84.0 ft. From: 84.0 ft. to 85.0 ft. From: 85.0 ft. to 86.0 ft. From: 86.0 ft. to 87.0 ft. From: 87.0 ft. to 88.0 ft. From: 88.0 ft. to 89.0 ft. From: 89.0 ft. to 90.0 ft. From: 90.0 ft. to 91.0 ft. From: 91.0 ft. to 92.0 ft. From: 92.0 ft. to 93.0 ft. From: 93.0 ft. to 94.0 ft. From: 94.0 ft. to 95.0 ft. From: 95.0 ft. to 96.0 ft. From: 96.0 ft. to 97.0 ft. From: 97.0 ft. to 98.0 ft. From: 98.0 ft. to 99.0 ft. From: 99.0 ft. to 100.0 ft. From: 100.0 ft. to 101.0 ft. From: 101.0 ft. to 102.0 ft. From: 102.0 ft. to 103.0 ft. From: 103.0 ft. to 104.0 ft. From: 104.0 ft. to 105.0 ft. From: 105.0 ft. to 106.0 ft. From: 106.0 ft. to 107.0 ft. From: 107.0 ft. to 108.0 ft. From: 108.0 ft. to 109.0 ft. From: 109.0 ft. to 110.0 ft. From: 110.0 ft. to 111.0 ft. From: 111.0 ft. to 112.0 ft. From: 112.0 ft. to 113.0 ft. From: 113.0 ft. to 114.0 ft. From: 114.0 ft. to 115.0 ft. From: 115.0 ft. to 116.0 ft. From: 116.0 ft. to 117.0 ft. From: 117.0 ft. to 118.0 ft. From: 118.0 ft. to 119.0 ft. From: 119.0 ft. to 120.0 ft. From: 120.0 ft. to 121.0 ft. From: 121.0 ft. to 122.0 ft. From: 122.0 ft. to 123.0 ft. From: 123.0 ft. to 124.0 ft. From: 124.0 ft. to 125.0 ft. From: 125.0 ft. to 126.0 ft. From: 126.0 ft. to 127.0 ft. From: 127.0 ft. to 128.0 ft. From: 128.0 ft. to 129.0 ft. From: 129.0 ft. to 130.0 ft. From: 130.0 ft. to 131.0 ft. From: 131.0 ft. to 132.0 ft. From: 132.0 ft. to 133.0 ft. From: 133.0 ft. to 134.0 ft. From: 134.0 ft. to 135.0 ft. From: 135.0 ft. to 136.0 ft. From: 136.0 ft. to 137.0 ft. From: 137.0 ft. to 138.0 ft. From: 138.0 ft. to 139.0 ft. From: 139.0 ft. to 140.0 ft. From: 140.0 ft. to 141.0 ft. From: 141.0 ft. to 142.0 ft. From: 142.0 ft. to 143.0 ft. From: 143.0 ft. to 144.0 ft. From: 144.0 ft. to 145.0 ft. From: 145.0 ft. to 146.0 ft. From: 146.0 ft. to 147.0 ft. From: 147.0 ft. to 148.0 ft. From: 148.0 ft. to 149.0 ft. From: 149.0 ft. to 150.0 ft. From: 150.0 ft. to 151.0 ft. From: 151.0 ft. to 152.0 ft. From: 152.0 ft. to 153.0 ft. From: 153.0 ft. to 154.0 ft. From: 154.0 ft. to 155.0 ft. From: 155.0 ft. to 156.0 ft. From: 156.0 ft. to 157.0 ft. From: 157.0 ft. to 158.0 ft. From: 158.0 ft. to 159.0 ft. From: 159.0 ft. to 160.0 ft. From: 160.0 ft. to 161.0 ft. From: 161.0 ft. to 162.0 ft. From: 162.0 ft. to 163.0 ft. From: 163.0 ft. to 164.0 ft. From: 164.0 ft. to 165.0 ft. From: 165.0 ft. to 166.0 ft. From: 166.0

Intervals: From 0 ft. to 30.3 ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft.

Is the nearest source of possible contamination:

Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
			11 Fuel storage	15 Oil well/Gas well

1 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
2 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	

FROM		TO		LITHOLOGIC LOG	FROM		TO		PLUGGING INTERVALS
------	--	----	--	----------------	------	--	----	--	--------------------

[illegible]

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was
dated on (mo/day/year) 2-12-01 and this record is true to the best of my knowledge and belief. Kansas
Well Contractor's License No. 604 This Water Well Record was completed on (mo/day/year) 3-12-01

The business name of Environmental Priority Service, Inc by (signature) [Signature]

ATTENTION: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send two copies to: Water Well Owner, Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.