	•	WATER WEL	LL RECORD	Form W	VC-5 KSA 8	2a-1212		
OCATION OF W		Fraction	<del>-</del>		Section Number	1	-	Range Number
unty: 5 20 9	wick 1	SE WN1	Z 1/4	NW 1/4	9	T 27	_(S)	R BW
tance and direction	on from nearest town or	city street address	of well if loc	cated within c	ty?	1.7		
60 m	of Wabash	and 3	nor	19'	Wichit	, KS	rimu	v-08S
WATER WELL C	OWNER: City of	W, CKITA				·		
#, St. Address, E	30x # : 1900 E. 9	" SIKEE!				Board of A	griculture, [	Division of Water Resources
. State, ZIP Cod	e : wichita	KS 67214				Application	Number:	
OCATE WELL'S N "X" IN SECTI	LOCATION WITH	ÉPTH OF COMPL	ETED WELL	<i>18</i> 9.	ft. ELEV	ATION:		
N X 111 32011	N Dep							
ľ	WE							
~w _2	W NE							mping gpm
1	Est.							mping gpm
w   1	I Bore	Hole Diameter. 2	.'. <b>/ይ</b> in.	to 19.		and	in.	to
"   !	! WEI	LL WATER TO BE	USED AS:	5 Public	water supply	8 Air conditioning	11	Injection well
sw	- SE	1 Domestic	3 Feedlot					Other (Specify below)
1		2 Irrigation	4 Industrial	7 Lawn a	nd garden only	(10) Monitoring well	,	
	Was	a chemical/bacterio	ological samp	ole submitted	to Department?	YesNo <b>X</b> .	; If yes,	mo/day/yr sample was sub-
	S mitte	∌d			W	ater Well Disinfected	d? Yes	No X
YPE OF BLANK	CASING USED:	5 Wr	rought iron	8 C	oncrete tile	CASING JOI	NTS: Glued	1 Clamped
1 Steel	3 RMP (SR)	6 As	bestos-Ceme	ent 9 O	her (specify bel	ow)	Welde	ed ,
@PVC	A ABS	7 Fib	perglass				Threa	ıded 🗙
ik casing diamete	ar?. <i>!4</i> in. t	o ?\l	ft., Dia	ir	. to	ft., Dia		in. to
ing height above	land surface Flus	½in., w	eight		lbs	./ft. Wall thickness o	or gauge No	o. SCH BB
E OF SCREEN	OR PERFORATION MA	TERIAL:		$\boldsymbol{G}$	PVC	10 Asb	estos-ceme	ent
1 Steel	3 Stainless stee	el 5 Fib	perglass	8	RMP (SR)	11 Othe	er (specify)	
2 Brass	4 Galvanized st	eel 6 Co	ncrete tile	9	ABS	12 Non	e used (op	en hole)
EEN OR PERF	ORATION OPENINGS A	NRE:	5 G	auzed wrappe	d	8 Saw cut		11 None (open hole)
1 Continuous s	slot 3 Mill slo	it	6 W	ire wrapped		9 Drilled holes		
2 Louvered shu	utter 4 Key pu			erch cut		10 Other (specify	)	
REEN-PERFORA		From 9./ .	ft. to	5 <i>1.</i> 849		om	ft. to	o
	F	from	ft. to		ft., Fr	om	ft. to	o
GRAVEL P	ACK INTERVALS: F	rom	ft. tc				ft. to	o
	F	rom	ft. to	<u> </u>	ft., Fr			o ft.
BROUT MATERIA	AL: 1 Neat ceme	nt 2 Cerr	nent grout	<b>③</b> 8	entonite -	Other		
ut Intervals: Fr	om <b>O</b> ft. to	) <b></b> ft	t., From	· · · · · · · · · · · · ·	ft. to	ft., From		ft. to
	source of possible conta	amination:			10 Live	stock pens	14 At	pandoned water well
1 Septic tank	4 Lateral line		7 Pit privy		11 Fue	l storage	15 Oi	il well/Gas well
2 Sewer lines 5 Cess pool			8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)	
3 Watertight se	ewer lines 6 Seepage p	oit	9 Feedyard	1	13 Inse	cticide storage		
ction from well?	Υ					any feet?	~	
OM TO		THOLOGIC LOG		FROI	/ TO	PL	UGGING IN	NTERVALS
0 6	Silly Samo							
6 19'	SIMO							
CONTRACTORS	OR LANDOWNERS C	EDTICIOATION	sia		ateriated (2)			as any insignitation and the
		ERTIFICATION: TH		_				er my jurisdiction and was
	ly/year)					/ 1		wledge and belief. Kansas 9-01
	or's License No 60					on (morday/yr)	1/07	. (
	ame of Environ M					ature) wy	juy	
	typewriter or ball point pen. <u>P</u> nment, Bureau of Water. Topek							