	Water Well Record	Form WWC-5	KSA 82a-1212			
1 LOCATION OF WATER WELL: FRACT	ION		Section Number	Township Number	Range Number	
Sedgwick NE	1/4 NE 1/4 S	W 1/4	19	_T 27 _s	R 1E EW	
Distance and direction frem nearest town or city street address	of well if located within city?					
248 N. Charles Wichita, Kansas						
WATER WELL OWNER: MUTH, Jera						
RR#, ST. ADRESS, BOX#: 248 N. Cha	rles			Board of Agriculture, D	Divivsion of Water Resource	
CITY, STATE, ZIP CODE: Wichita, F				Application Numbe	r:	
LOCATE WELL'S LOCATION WITH 4 DEPTH	OF CONTROL WELL	38	n. ELI	EVATION:		
AN "X" IN SECTION BOX: N Depth(s)	groundwater Encountered	1	ſt.	2 ft.	3 ft.	
WELL'S ST	ATIC WATER LEVEL 18	FT.	BELOW LAND SU	RFACE MEASURED ON mo/day/yr	05/07/2001	
NE NE	'ump test data: Well w	ater was	ft.	after hours pum	ı ping g pm	
Est. Yield	gpm: Well w	ater was	ft.	after hours pum	nping gpm	
Bore Hole D		to	ft.	and in.	to ft.	
≤ " ×	ER LUSED AS: 5	Public water	supply	8 Air conditioning 11 l	njection well	
1 Domes	stic 3 Feedlot 6	Oil field wa	ter supply	9 Dewatering 12 0	Other (Specify below)	
2 Irriga	tion 4 Industrial 7	Lawn and g	arden only	10 Monitoring well		
	cal/bacteriological sample sub	mitted to De	partment? Yes	No X; If yes, n	no/day/yr sample was	
S submitted Water Well Disinfected? Yes X No						
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped						
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded						
2 PVC 4 ABS	7 Fiberglass	g	tyrene	T	Threaded	
Blank casing Diameter 5 in. to	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height Land surface 36	in., weight			Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement						
1 Steel 3 Stainless Steel	5 Fiberglass 6 Concrete tile		RMP (SR)	11 other (specify	N/A	
2 Brass 4 Galvanized steel	6 Concrete the	9	ABS	12 None used (o)		
SCREEN OR PERFORATION OPENING ARE:		5 Gauzed wrapped		8 Saw cut 11 None (open hole)		
1 Continous slot 3 Mill slot	6 Wire v	6 Wire wrapped		9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) N/A					/A	
SCREEN-PERFORATION INTERVALS: fr	rom ft. (to	ft., From	ft. to	ft.	
fr	om ft.	to	ft., From	ft. to	ſt.	
GRAVEL PACK INTERVALS: fr	om ft.	to	ft., Fron	ft. to	ſt.	
	om ft.	to	ft., Fron		ft.	
6 GROUT MATERIAL: 1 Neat cement	2 Cement grout	3 Ben	tonite	4 Other bentonite	hole plug	
Grout Intervals: From ft. to ft. From ft. to ft. From 3 ft. to 23 ft.						
What is the nearest source of possible contamination				stock pens 14 Abandon water well		
1 Septic tank 4 Lateral lines				l storage 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool	- 0	8 Sewage lagoon 12 Fertilizer stor 9 Feedward 13 Insecticide sto		cide storage	storage	
None Apparent						
Direction from well? How many feet? FROM TO PLUGGING INTERVALS						
Zimobodi		0		compacted soils		
		3		bentonite hole		
		23		chlorinated san		
				January Dan	u u graver	
·				AT AMILES		
				Market of Control of the Control of		
	7.			And the same of th		
					A.	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and						
was completed on (mo/day/year)						
Well Contractor's License No236						
Under the business name of Harp Well & Pump Service, Inc. by (signature)						
Todd S. Harp						