

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction		Section Number	Township Number	Range Number
County: SEDGWICK		SW 1/4 NW 1/4 SW 1/4		23	T 27 S	R 1 EW
Distance and direction from nearest town or city street address of well if located within city? 248 S. Hillside Wichita, Kansas 67214						MW#2
2 WATER WELL OWNER: DIAMOND SHAMROCK				Board of Agriculture, Division of Water Resources		
RR#, St. Address, Box #: 5590 HAVANA ST.				Application Number:		
City, State, ZIP Code: DENVER, CO 80329						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 32 ft. ELEVATION:				
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.				
		WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr				
		Pump test data: Well water was ft. after hours pumping gpm				
		Est. Yield gpm: Well water was ft. after hours pumping gpm				
		Bore Hole Diameter: 7 1/4 in. to 32 ft., and in. to ft.				
		WELL WATER TO BE USED AS:				
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 1X Monitoring well				
		Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted				
		Water Well Disinfected? Yes.....No				
5 TYPE OF BLANK CASING USED:						
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued.....Clamped..... X2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded..... 7 Fiberglass Threaded. X						
Blank casing diameter 2 in. to 17 ft., Dia in. to ft., Dia in. to ft.						
Casing height above land surface 0 in., weight sched 40 lbs./ft. Wall thickness or gauge No.						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel 3 Stainless steel 5 Fiberglass X PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot X8 Mill slot 010 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From 32 ft. to 17 ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From 32 ft. to 15 ft., From ft. to ft.						
6 GROUT MATERIAL: 12 1 Neat cement -03 2 Cement grout 15 X Bentonite 12 4 Other						
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.						
What is the nearest source of possible contamination:						
1 Septic tank 4 Lateral lines 7 Pit privy X1 Fuel storage 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below)						
Direction from well? NORTH How many feet? 13						
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	
0	1	TOPSOIL GRASS				
1	5	BRN SILTY CLAY				
5	10	BRN SILTY SANDY CLAY				
10	15	DARK BRN SILTY CLAY				
15	20	TAN CLAYEY SAND				
20	25	TAN MEDIUM SAND				
25	30	MEDIUM SAND SATURATED AT 27'				
30	32	MEDIUM TO COARSE GRAIN SAND				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (X) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-13-98 and this record is true to the best of my knowledge and belief. Kansas						
Water Well Contractor's License No. 575 This Water Well Record was completed on (mo/day/yr) 5-31-98						
under the business name of KURTZ ENVIRONMENTAL SERVICE by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.						

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4