


1 LOCATION OF WATER WELL: County: <u>Sedgwick</u>		Fraction <u>Lot 26 and 28</u> <u>Poplar Avenue</u>	Section Number <u>22</u>	Township Number T <u>27</u> S	Range Number R <u>1E</u> EW		
Distance and direction from nearest town or city street address of well if located within city? <u>McNair and Smith's Addition</u> <u>326 South Poplar Street</u> <u>City of Wichita</u>							
2 WATER WELL OWNER: RR#, St. Address, Box # City, State, ZIP Code		Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL: <u>16</u> ft. ELEVATION: Depth(s) Groundwater Encountered 1. <u>0 = dry</u> ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <u>0</u> ft. below land surface measured on mo/day/yr <u>11/25/2001</u> Pump test data: Well water was <u>NO PUMP</u> ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter in. to ft., and in. to ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well <u>Never used since lined here - 9 years</u> Was a chemical/bacteriological sample submitted to Department? Yes No <u>X</u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>X</u> No					
5 TYPE OF BLANK CASING USED: <u>1</u> Steel 3 RMP (SR) 2 PVC 4 ABS Blank casing diameter <u>1 1/2</u> in. to ft., Dia. in. to ft., Dia. in. to ft. Casing height above land surface <u>0</u> in., weight lbs./ft. Wall thickness or gauge No.		CASING JOINTS: Glued Clamped Welded Threaded					
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole)		SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From <u>16</u> ft. to ft., From ft. to ft., From ft. to ft.		What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines <u>1</u> 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage					
Direction from well? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS		How many feet? <u>22</u>					
16 0		Cement Grout - filled to cement slab that covers well - no pump - well was dry Legal description: Lot 26 and 28 McNair and Smith's Addition to City of Wichita				16 0 Cement Grout	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>11/25/2001</u> by <u>owner</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo/day/yr) <u>11/25/01</u> under the business name of by signature <u>James A. Shackelford</u>							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.							