1 LOCATION OF WATER WELL:	FRACTION	Water Well Recor	d Form WWC-	Section Number	Township Number	Range Number
	GW	NTM	CIVI 1/4	10	1	1172
Sedgwick	SW 1/4		SW 1/4	19	T 27 s	R 1E E/W
Distance and direction frem nearest town or city atreet address of well if located within city?						
131 N. Sedgwick Wichita, Kansas						
WATER WELL OWNER: EDENS'	ROM, Bar	bara				
RR#, ST. ADRESS, BOX #: 131 N. Sedgwick Board of Agriculture, Divivsion of Water Resource						
CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:						
LOCATE WELL'S LOCATION WITH 4 DEPTH OF CHARGES WELL 28 ft. ELEVATION:						
1 1	Depth(s) groundw		1	n.	2 ft.	3 ft.
! . [ATER LEVEL 1	_		RFACE MEASURED ON mo/day/yr	05/26/2001
NWNE	Pump test		water was		after hours pum	
	Yield	gpm: Well	water was	ft.	after hours pum	iping gpm
1 3 4 - 1 1 1 1 1 1	e Hole Diameter	in.	to	ft.	and in.	to ft.
=	LL WATER 😽	E USED AS:	5 Public water	er supply	8 Air conditioning 11 I	njection well
	1 Domestic	3 FeedIot	6 Oil field wa	ater supply	9 Dewatering 12 0	Other (Specify below)
\ \S₩SE	2 Irrigation	4 Industrial	7 Lawn and	garden only	0 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was						
5 TYPE OF CASING USED:		5 Wrought iron		Concrete tile		Glued Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded						
2 PVC 4 ABS		7 Fiberglass			Т	hreaded
Blank casing Diameter 6 in.	to	ft., Dia	in.	, to	ft., Dia in.	to ft.
Casing height above land surface 36	in. ,	weight		lbs. / ft.	Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORATIO				7 PVC	10 Asbestos-cem	ent
5 Fiboraloge 9 DMD (SD)						
2 Brass 4 Galvanized steel		6 Concrete tile		9 ABS	12 None used (or	M/ A
					8 Saw cut	·
SCREEN ON PERFORATION OF ENTING ARE.						11 None (open hole)
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes						
2 Louvered shutter 4 Key punch	ed	7 Toro	h cut		10 Other (specify) N	/A
						ft.
from						
· · · · · · · · · · · · · · · · · · ·		ft. to		ft., From		ft.
GRAVEL PACK INTERVALS: from			ft. to ft., Fro			ft.
from ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: 1 Neat cem	ent 2 C	Cement grout	3 Be	ntonite	4 Other bentonite	hole plug
Grout Intervals: From 2 ft. to 8 ft.		ft. From	ft.	to	ft. From 8 ft. to 16 ft.	
What is the nearest source of possible contamination:				10 Livestock pens 14 Abandon water wa		Abandon water well
1 Septic tank 4 Lateral lines		7 Pit privy 11 Fuel s		torage 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool		8 Sewage lagoon 12 Ferti		12 Fertili:	lizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent						
Direction from well? How many feet?						
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS						
TROM TO 212	NOLUGIC EGG		0		surface clay &	
					cement grout	U 4 4 U
			2			
			8		bentonite hole	
			16	28	chlorinated san	a & gravel
		17				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and						
was completed on (mo/day/year)						
Well Contractor's License No236						
Well Contractor's License No. 2	05/26/	01	and this re	cord is true to the	ne best of my knowledge and	l belief. Kansas Water 9/01
Well Contractor's License No	05/26/ 36	01 This Water Well I	Record was	completed on (m	no/day/yr)0.5./.2.	9/01
Well Contractor's License No	05/26/ 36	01 This Water Well I	Record was	completed on (m	no/day/yr)0.5./.2.	1 belief. Kansas Water 9/01 S. Harp