			т	Water Well Record	Form WWC-5	KSA 82a-1212			
1 LOCATION OF WATER WELL:			FRACTION			Section Number	Township Number	Range Number	
Sedgwick SE 1/4			SW 1/4 ST	W 1/4	35	T 27 s	R 1E E/W		
Distance	e and direction	frem nearest town or city sti	reet address of well if lo	cated within city?					
34	20 E.	Pawnee	W	chita, Kansa	as				
W/	ATER WELL	OWNER: NGUYEN	, Evan						
RR#.	, ST. ADRESS	, вох #: 3420 E	. Pawnee			Board of Agriculture, Divivsion of Water Resource			
CIT	Y, STATE, ZI	CODE: Wichita	a, Kansas		Application Number:				
		LOCATION WITH 4	DEPTH OF CO	MPLETED WELL	50	ft. ELE	EVATION:		
"X" YA	K" IN SECTIO	N BOX:	Depth(s) grounds	ater Encountered	1	ft.	2 ft.	3 ft.	
l †		W W	ELL'S STATIC V	ATER LEVEL 25	FT.	BELOW LAND SU	RFACE MEASURED ON mo/day/yr	7-24-2001	
	L_NW-	NE	Pump tes	t data: Well w	ater was	ft.	after hours pur	nping gpm	
			. Yield	gpm: Well w	vater was	ft.	after hours pur	nping gpm	
l ii v	v	Bor	e Hole Diameter	12 in.	to 50	ft.	and in.	to ft.	
= '	'		ELL WATER TO	BE USED AS: 5	Public wate	r supply	8 Air conditioning 11	Injection well	
١,			1 Domestic	3 Feedlot 6	Oil field wa	ter supply	9 Dewatering 12	Other (Specify below)	
1 1	sw-		2 Irrigation	4 Industrial 7	Lawn and g	arden only 1	0 Monitoring well		
	X	Wi	as a chemical/bact	eriological sample su	No X; If yes,	No X; If yes, mo/day/yr sample was			
		S su	ıbmitted			Wat	ter Well Disinfected? Yes	X No	
5 TY	PE OF CA	ASING USED:		5 Wrought iron	8	Concrete tile	CASING JOINTS:	Glued X Clamped	
1 Ste	el	3 RMP (SR)		6 Asbestos-Cemen	_	Other (Specify b		Welded	
2 PV	С	4 ABS		7 Fiberglass	SI	DR-26	•	Threaded	
	asing Diar	neter 5 in.	to 30	ft. , Dia	in.	to	ft., Dia in.	to ft.	
		ve land surface 12	in.,	weight 2.		lbs. / ft.	Wall thickness or gauge No.	.214	
		EN OR PERFORATIO		weight		PYC	10 Asbestos-cen	ient	
1 Ste	eel	3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (specif	y)	
2 Bra	ass	4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (o	pen hole)	
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed							8 Saw cut	11 None (open hole)	
i e	1 Continuous slot 3 Mill slot 6 Wire w						9 Drilled holes		
2 Louv	ered shutte		hed	7 Torch	• •		10 Other (specify)		
SCREE	N-PERFO	RATION INTERVAL		to 50	6 Enom		ft.		
,						ft., From			
GRAVEL PACK INTERVALS: from 24				ft. to ft. to 50		ft., From ft., Fron		ft.	
GRAVEL FACK INTERVALS: ITOM 24				ft. to		ft., Fron		ft.	
6 GR	OUT MAT	ERIAL: 1 Neat cem		Cement grout		itonite	4 Other bentonite		
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Grout Intervals: From ft. to ft. From									
What is the nearest source of possible contamination:				it. From			10 110111	Abandon water well	
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool				8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below			
3 Watertight sewer lines 6 Seepage pit				9 Feedyard		13 Insecticide storage None Apparent			
1	on from we	· · · · · · · · · · · · · · · · · ·	pπ	> 1 00u; u. u	How many feet?				
FROM	•		HOLOGIC LOG		FROM	то	PLUGGING INTE	ERVALS	
0	4	topsoil							
4	20	clay	,						
20	30	fine sand						•	
30	45	medium coars	se sand						
45	50	shale							
						1			
	1								
	1	,			1				
					1	 	10.000		
- T - 	1				<u> </u>				
⁷ CON	TRACTO	R'S or landowner's c	ERTIFICATION: Thi	s water well was (1) construct	ed, (2) reconstr	ucted, or (3) plugged unde	r my jurisdiction and	
was co	ompleted	on (mo/day/year)	72420.01	and this record	i is true to t	he best of my l	nowledge and belief. Kan	sas Water Well	
Contra	ctor's Lic	ense No236Th ess name of Ha	is Water Well Re	cord was complete	ed on (mo/d	lay/yr)			
Under	the busin	ess name of				by (signature)	7.3	d S. Harb	
1							1000	WS. TUMP	