	WATER WELL I		KSA 82a-1212	
1 LOCATION OF WATER WELL:				Number Range Number
County: SEDGWICK	SE ½ NE		19 T 2	7 S R 1 E
Distance and direction from nearest to	wn or city street address of v	1112 DOUGLAS		
2 WATER WELL OWNER: QUIK	TRIP #349			
RR#, St. Address, Box # : 1112			Board of A	griculture, Division of Water Resources
City, State, ZIP Code : WICH	ITA KS 67266		Application	Number:
LOCATE WELL'S LOCATON WITH	41.1			
AN "X" IN SECTION BOX:	DEPTH OF COMPLET	ED WELL 25	ft. ELEVATION:	
				ft. 3 Ft.
N	WELL'S STATIC WATER	LEVEL 15.99 ft	below land surface measur	ft. 3 Ft. sed on mo/day/yr 11/6/01
A	Pump test data	a: Well water was	Ft. after	hours pumping Gpm
NWNE	Est. Yield Gpm	n: Well water was	Ft. after	hours pumping Gpm Hours pumping Gpm in. to Ft.
	Bore Hole Diameter 8.	625 In. to 2	ft. and	in. to Ft.
₹ W	E WELL WATER TO BE US	ED AS: 5 Public waters	upply 8 Air cond	itioning 11 Injection well
7	1 Domestic 3 Fee	ed lot 6 Oil field water	supply 9 Dewater	in. to Ft. litioning 11 Injection well 12 Other (Specify below)
swse -X	2 Imgation 4 Indu	ustrial 7 Lawn and gar	den (domestic) 10 Monito	nng well IVIVV-5
1 1 7 1 7 1	Was a chemical/bacteriolo	gical sample submitted to	Department? Yes No	X If yes, mo/day/yr sample was
<u> </u>	Submitted		Water Well Disinfe	ected? Yes No X
5 TYPE OF BLANK CASING USED:	5 Wro	ought Iron 8 Conc	ete tile CASING J	OINTS: Glued Clamped
1 Steel 3 RMP	(SR) 6 Asb	estos-Cement 9 Other	(specify below)	Welded
2 PVC 4 ABS	7 Fibe	erglass		Threaded X
	Ft			
Blank casing diameter 2	in. to 10 Dia	aIn.	toft., Dia	in. to Ft.
Casing height above land surface	FLUSH in., weigh	t SCH 40	Lbs./ft. Wall thicknes	in. to Ft.
TYPE OF SCREEN OR PERFORATION	ON MATERIAL:	7	PVC 10 A	sbestos-cement
1 Steel 3 Stain	less steel 5 Fibe	erglass 8	RMP (SR) 11 C	other (specify)
2 Brass 4 Galva	anized steel 6 Con	crete tile 9	ABS 12 N	lone used (open hole) 11 None (open hole) les
SCREEN OR PERFORATION OPENI		5 Gauzed wrapped	8 Saw cut	11 None (open hole)
	Mill slot	6 Wire wrapped		•
2 Louvered shutter 4		7 Torch cut		pecify)
SCREEN-PERFORATED INTERVALS	: From 10	ft. to 25	ft. From	ft. toFt.
	From	ft. to	ft. From	ft. toFt.
SAND PACK INTERVALS:	From 9	ft. to 25	ft. From	ft. toFt.
		ft. to		ft. to Ft.
6 GROUT MATERIAL: 1 Neat	cement 2 Cement	grout 3 Ber	ntonite 4 Other	
	Ft	Ft		
Grout Intervals From 3 9	ft. to 6 From	2 6 to		nft. toFt.
What is the nearest source of possible	contamination:		10 Livestock pens	14 Abandoned water well
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/ Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	Contaminated Site
Direction from well?		-	How many feet?	
FROM TO CODE	LITHOLOGIC LO	G FROM	ТО	PLUGGING INTERVALS
	LTY CLAY			
	LTY SAND			
	LAYEY SILT			
	LTY SAND			
25 TD E	ND OF BOREHOLE			
			+	
			 	
			1	
				
7 CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATION: This	water well was (x) constru	cted, (2) reconstructed, or (3	B) plugged under my jurisdiction and w
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (x) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and w Completed on (mo/day/yr) And this record is true to the best of my knowledge and belief. Kansas				
	585	Thie \	Vater Well Record was com	pleted on (mo/day/yr) 11/20/01
Water Well Contractor's License No.	Associated Env			Darin R Duncan
under the business name of	ks and circle the correct answer	rs. Send three copies to Kan	as Department of Health and F	nvironment, Bureau of Water, Topeka,
Kansas 66620-0001. Telephone: 9	13-296-5545. Send one to WA	TER WELL OWNER and reta	n one for your records.	