1 LOCATION OF WATER WELL:	Fraction	WELL RECORD	FOITH VVVV	Section Num	nber To	wnship Number	Range Nur	mber
County: SEDGWICK	1	NE ¼	SE 1/4	19	т	<u>-</u>	R 1	Е
Distance and direction from nearest tow							1 1	
	-	111:	2 DOUGLA	Ś				
2 WATER WELL OWNER: QUIK								
RR#, St. Address, Box # : 1112 C	OUGLAS				Boar	d of Agriculture, ī	Division of Water Re	esources
City, State, ZIP Code : WICHI					Appi	ication Number:		
3 LOCATE WELL'S LOCATON WITH	4 DEPTH OF COM	4D) ETED \4/E		25 4 7	EL EXATION:			
AN "X" IN SECTION BOX:	TIDES IN OF COM	IPLE IED WEL	-L	. 20 π. ι	ELEVATION:			c
	Depth(s) Groundwar	er Encountere	a '					Ft. 7
N	WELL'S STATIC W							I
🛉							s pumping	Gpm ç
nwnE	Est. Yield	Gpm: Well	water was	<u></u>	Ft. after	Hou	s pumping	Gpm j
	Bore Hole Diameter	8.625 Ir	1. to	25	ft. and		in. to	Ft. Z
§ W −−− E	Bore Hole Diameter WELL WATER TO E 1 Domestic	BE USED AS:	5 Public wa	iter supply	8 Ai	r conditioning	11 Injection well	holow)
T	2 Intestic	4 hadaata'a	O On Held w	aler supply		ewatering	12 Other (Specify	Delow)
swseX					_		MW-3	
	Was a chemical/bac	teriological sar	nple submitte	d to Departme				
<u> </u>	Submitted					Disinfected? Yes		
5 TYPE OF BLANK CASING USED:		Wrought Iron				SING JOINTS: GI	ued Clamp	ed
1 Steel 3 RMP (SR) 6	Asbestos-Ce	ement 9 C	Other (specify	below)	W	elded	
2 PVC 4 ABS	7	Fiberglass				Th	readed X	
District in the second	4=	Ft.,						
Blank casing diameter 2				In. to	ft., Dia	l	in. to	Ft.
Casing height above land surface	FLUSH in.,	weight	SCH 40	<u>Lb</u>	s./ft. Wall thi	ckness or gauge I	No	
TYPE OF SCREEN OR PERFORATION				7 PVC		10 Asbestos-cer	ment	
1 Steel 3 Stainle		Fiberglass		8 RMP (S	R)	11 Other (specif	y)	
	nized steel 6	Concrete tile	•	9 ABS		12 None used (d	pen hole)	i
SCREEN OR PERFORATION OPENIN			Gauzed wrap				11 None (open	hole)
	Mill slot	6 '	Wire wrapped	i	9 Dril	led holes		
2 Louvered shutter 4	Key punched	-	Torch cut		10 Oth	er (specify)		
SCREEN-PERFORATED INTERVALS:	From 15	ft. to	2	.5	ft. From		t. to	Ft.
	From	ft. to			ft. From	f	t. to	Ft. 🛪
SAND PACK INTERVALS:	From 14	ft. to	2	5	ft. From	f	t. to	Ft.
	From						t. to	
6 GROUT MATERIAL: 1 Neat of	cement 2 Ce	ment grout	F3	Bentonite	4 Other			
	a contract of the contract of	-						1
Grout Intervals From3 14	ft. to 11	From2	11	to	_ 0 ft.	From	ft. to	Ft.
What is the nearest source of possible of					ivestock pens		bandoned water w	ell
1 Septic tank	4 Lateral lines	7 Pit	privy	11 F	uel storage	15 <u>C</u>	Dil well/ Gas well	
2 Sewer lines	5 Cess pool	8 Ser	wage lagoon	12 F	ertilizer stora	ge 16 C	Other (specify below	v)
3 Watertight sewer lines	6 Seepage pit	9 Fee	edyard	13 In	nsecticide sto	rage C	ontaminated	Site
Direction from well?				How m	nany feet?			
FROM TO CODE	LITHOLOG	IC LOG	FR	ом то		PLUGGING	INTERVALS	
	AY W SILT							
	AYEY SILT							
	TY SAND D OF BOREHO							
25 ID EN	D OF BUKERO	LE						

	·····							

7 CONTRACTOR'S OR LANDOWNER				nstructed, (2) i	reconstructed	l, or (3) plugged u	nder my jurisdiction	and w
Completed on (mo/day/yr)	11/5/01	1	ΑΑ	nd this record	I is true to the	best of my knowle	edge and belief. Ka	ansas
Water Well Contractor's License No.	5	85	TI				o/day/yr) 11/2	1
under the husiness name of	Associated	Environm	ental. Inc.	_	Rv (signati	re) Darin R	Duncan	
INSTRUCTIONS:. Please fill in blanks	s and circle the correct a	answers. Send t	hree copies to	Kansas Depart	tment of Health	and Environment,	Bureau of Water, Top	eka,
Kansas 66620-0001. Telephone: 913	3-296-5545. Send one t	O WATER WEL	L OWNER and	retain one for y	your records.`			