

| | | | | |
|---------------------------|------------------------|----------------|-----------------|--------------|
| 1 LOCATION OF WATER WELL: | Fraction | Section Number | Township Number | Range Number |
| County: <u>Seagwick</u> | <u>NW 1/4 SW NW NW</u> | <u>6</u> | T <u>27</u> S | R <u>1</u> E |


Distance and direction from nearest town or city street address of well if located within city?

2850 N. Meridian Wichita

| | |
|---------------------------|---|
| 2 WATER WELL OWNER: | Board of Agriculture, Division of Water Resources |
| RR#, St. Address, Box # : | Application Number: |
| City, State, ZIP Code : | |

Phyllis Kuhn
2850 N. Meridian
Wichita, KS 67204

| | | |
|--|---------------------------|------------|
| 3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: | 4 DEPTH OF COMPLETED WELL | ELEVATION: |
|--|---------------------------|------------|

Depth of completed well 24 ft. Elevation: 1-23-02Depth(s) Groundwater Encountered 13'4" ft. 2. ft. 3. ft.WELL'S STATIC WATER LEVEL 13'4" ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter in. to ft. and in. to ft.

WELL WATER TO BE USED AS:

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No

Water Well Disinfected? Yes No

| | | | |
|------------------------------|----------------|-----------------|------------------------------|
| 5 TYPE OF BLANK CASING USED: | 5 Wrought iron | 8 Concrete tile | CASING JOINTS: Glued Clamped |
|------------------------------|----------------|-----------------|------------------------------|

1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded

2 PVC 4 ABS 7 Fiberglass Threaded

Blank casing diameter 1 1/2 in. to ft. Dia in. to ft. Dia in. to ft.Casing height above land surface 3' below in. weight lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement

2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)

2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes

7 Torch cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From ft. to ft. From ft. to ft. From ft. to ft.

GRAVEL PACK INTERVALS: From ft. to ft. From ft. to ft. From ft. to ft.

From ft. to ft. From ft. to ft. From ft. to ft.

| | | | | |
|-------------------|---------------|----------------|-------------|---------|
| 6 GROUT MATERIAL: | 1 Neat cement | 2 Cement grout | 3 Bentonite | 4 Other |
|-------------------|---------------|----------------|-------------|---------|

Grout Intervals: From 24 ft. to 3 ft. From ft. to ft. From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well

2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well

3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)

13 Insecticide storage

Direction from well? South How many feet? 20

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

24 3 Neat cement3 0 Compacted soil

| |
|--|
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>1-23-02</u> and this record is true to the best of my knowledge and belief. Kansas |
|--|

Water Well Contractor's License No. This Water Well Record was completed on (mo/day/yr) 1-29-02under the business name of A Good Plumber, Inc. by (signature) Keith S. Ogas Pres.