

LOCATION OF WATER WELL:

County: Schick

Fraction

NW 1/4 SE 1/4 NE 1/4

Section Number

28

Township Number

T 27 S

Range Number

R 1 E/W

Distance and direction from nearest town or city street address of well if located within city?

200' E of Intersection of Gilbert and Lulu on N. Side in Wichita, Ks 5518

WATER WELL OWNER: City of Wichita

RR#, St. Address, Box # : 1900 E. 9th

City, State, ZIP Code : Wichita, Ks 67214

Board of Agriculture, Division of Water Resources

Application Number:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

DEPTH OF COMPLETED WELL: 21.96 ft. ELEVATION:

Depth(s) Groundwater Encountered 1. NA ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL . ft. below land surface measured on mo/day/yr

Pump test data: Well water was . ft. after . hours pumping . gpm

Est. Yield . gpm: Well water was . ft. after . hours pumping . gpm

Bore Hole Diameter 3.75 in. to 22.1 ft., and . in. to . ft.

WELL WATER TO BE USED AS:

5 Public water supply

8 Air conditioning

11 Injection well

1 Domestic

3 Feedlot

6 Oil field water supply

9 Dewatering

12 Other (Specify below)

2 Irrigation

4 Industrial

7 Lawn and garden only

☒ Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes . No ☒ .; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No ☒

TYPE OF BLANK CASING USED:

1 Steel

3 RMP (SR)

6 Asbestos-Cement

9 Other (specify below)

☒ PVC

4 ABS

7 Fiberglass

CASING JOINTS: Glued . Clamped .

Welded .

Threaded ☒

Blank casing diameter . in. to . ft., Dia . in. to . ft., Dia . in. to . ft.

Casing height above land surface . in., weight . lbs./ft. Wall thickness or gauge No. SC 80

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel

3 Stainless steel

5 Fiberglass

8 RMP (SR)

11 Other (specify)

2 Brass

4 Galvanized steel

6 Concrete tile

9 ABS

12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot

☒ Mill slot

5 Gauzed wrapped

8 Saw cut

11 None (open hole)

2 Louvered shutter

4 Key punched

6 Wire wrapped

9 Drilled holes

7 Torch cut

10 Other (specify)

SCREEN-PERFORATED INTERVALS:

From . 11.73 ft. to . 21.96 ft., From . ft. to . ft.

From . ft. to . ft., From . ft. to . ft.

GRAVEL PACK INTERVALS:

From . 9.9 ft. to . 22.1 ft., From . ft. to . ft.

From . ft. to . ft., From . ft. to . ft.

GROUT MATERIAL:

1 Neat cement

2 Cement grout

☒ Bentonite

4 Other

Grout Intervals: From . 0 ft. to . 9.9 ft., From . ft. to . ft., From . ft. to . ft.

What is the nearest source of possible contamination:

1 Septic tank

4 Lateral lines

7 Pit privy

10 Livestock pens

14 Abandoned water well

2 Sewer lines

5 Cess pool

8 Sewage lagoon

11 Fuel storage

15 Oil well/Gas well

3 Watertight sewer lines

6 Seepage pit

9 Feedyard

12 Fertilizer storage

16 Other (specify below)

13 Insecticide storage

Direction from well?

How many feet?

FROM

TO

LITHOLOGIC LOG

FROM

TO

PLUGGING INTERVALS

0

10

Silty Clay

10

22.1

Sand

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) . 2-27-02 . and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 604 . This Water Well Record was completed on (mo/day/yr) 3-3-02 . under the business name of Environmental Priority Services, Inc. by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-298-5545. Send one to WATER WELL OWNER and retain one for your records.