			₩AT	ER WELL REC	3D Fo	rm WWC-5	KSA 828	1212			
LOCATI	ION OF WAT	ER WELL:				Sect	on Number	Township Nu	mber	Range Nun	nber
	2 Contena in		111-	VA NF	IE	1/4	33	27	s	R /	(Św
Distance a	and direction	from nearest toy	vn or city street	address of we:	located v	vithin city?			1		
SE	Contr	& Tarta	IN CALL	A Harrow	Ct	Ellis	Streets	in Wich.	K. Ke	575 1	4
WATE	B WELL OW	NÉR: C. Ly 12	K. I.								
	Address Boy	* : (G/U) E	6.71					Board of A	ariculture. Di	ivision of Water	Resources
City Chat	AUGUIDES, DOX	IN LA	Ve 16: 1.7	2.14	. '	·		Application	-		
Diry, State	E WELLIG L	: Wichel				7.63		TION:			
	' IN SECTION	BOX:									
· · · · · ·	<u> </u>							2			
Ŧ		X I						riace measured on	•••		
	NW	NE	1	imp test data:				uter			
	1	1	Est. Yield	gpm:	ell water v	was	t. 1		hours pun	n ping	gpm
÷ w	I	I	Bore Hole Dia	imeter 3,25	.in. to	51,9.	· · · · · ·	and	in.	to	ft.
Σ"	1		WELL WATER	R TO BE USED	.S: 5	Public wate	supply	8 Air conditioning	11 I	njection well	
ī I	1		1 Domes	tic 3 Fee.				9 Dewatering	12 (Other (Specify b	elow)
	»		2 Irrigatio	on 4 Indu	riat 7	Lawn and	arden only ¿	10 Monitoring well	•••••		
	1		Was a chemic	al/bacteriologica				esNo. X			
L		······································	mitted				-	ater Well Disinfecte	-	No X	<
5 TYPE	OF BLANK	CASING USED:		5 Wrought	'n	8 Concre		CASING JOI			ed
	Steel	3 RMP (S	SR)	6 Asbestos			(specify belo			ed	
12 F		. 4 ABS		7 Fiberglas							
			in in 17.			in to		ft., Dia	(11) dd		· · · · · · · · · · · ·
-	-			-				/ft. Wall thickness (• • • • • • • • •
TYPE OF SCREEN OR PERFORATION MATERIAL:						(ŻÞV	-		estos-ceme		
-	Steel	3 Stainles		5 Fiberglas			IP (SR)				••••
	Brass			6 Concrete		9 AB	÷ .		e used (op	,	
SCREEN OR PERFORATION OPENINGS ARE:						wrapped		8 Saw cut		11 None (oper	n hole)
1 Continuous slot					3 Wire wrapped 9 Drilled holes						
21	ouvered shut	ter 4	Key punched		7 Torch c	ut		10 Other (specify	/)		•••••
SCREEN	N-PERFORAT	ED INTERVALS	: From	21.45	ít. to	51.45	, ::.tt., Fr		ft. to	D	ft.
			From		It. to		ft., Fn	om	ft. te	5	
	GRAVEL PA	CK INTERVALS	S: From	23.5	ft. to	511.9	ft., Fr	om	ft. t	5	
			From		ft. to		ft., Fr	om <u>**/</u>	ft. t	o	ft
	UT MATERIA		t cement	2 Cement g	ut	(3) Bento	nite	Other	• • • • • • • • • • •		
Grout In	tervals: Fro	m6	ft. to	55		ft.	to	tt., From		ft. to	
1		ource of possible								bandoned water	
1 5	Septic tank	4 Late	eral lines	7 P.	stivy		11 Fue	l storage	15 O	il well/Gas well	
				.uge lagoo			ilizer storage		ther (specify be	low)	
31	Watertight sev	werlines 6 See	•		jyard			cticide storage			
1	n from well?							any feet?			
FROM	·····	I	LITHOLOG	GIC LOG		FROM	ТО	P	LUGGING I	NTERVALS	
(7)	10	Silfor	k,	***************************************				V (H) (M)			
/ <i>U</i>	23.5	Send									
							·				
							1:				
						-					
						1	4				
1 COV	TRACTOR'S	OR LANDOWN	IER'S CERTIFIC	CATION: This wa	ir well wa	(1) constr	ucted, (2) re	constructed, or (3)	plugged un	der my jurisdicti	
I a a an al a t											
			1-6 6	· · · · · · · · · · · · · ·	· · · · · ·	· · · · · · · ·	and this re	cord is true to the b	est of my kr	nowledge and be	elief. Kansa
Water V	Well Contracto	r's License No.	40-1	······································	Water W	ell Record w	and this re as complete	cord is true to the b d on (morday/yr)	est of my kr	nowledge and be	elief. Kansa
Water V		r's License No.		Pricity S	Water W	ell Rocord w Fuc	and this re as complete	cord is true to the b	est of my kr	nowledge and be	elief. Kansa
Water V under th	Well Contractor he business r TRUCTIONS: Use	br's License No. hame of $\int f_{i} \varphi_{i}$ typewriter or ball point	UC-1 Viring Costal Inten. PLEASE PR		Hearly. Plea	Juc Ase fill in blanks	and this re as complete by (sign underline or cir	cord is true to the b d on (morday/yr)	est of my kr S-S-C	copies to Kansas D	