	T and cares	Water Well Record	Form WWC-5	KSA 82a-1212		
1 LOCATION OF WATER WELL:	FRACTION			Section Number	Township Number	Range Number
Sedgwick	SE 1/4	NW 1/4 SI	S 1/4	34	T 27 s	R 1E E/W
Distance and direction frem nearest town or city street address of well if located within city?						
2301 S. Estelle	Wid	chita, Kansas	3			
WATER WELLOWNER: FOX, PE	1111					
RR#, ST. ADRESS, BOX #: 2301 S. Estelle Board of Agriculture, Divivsion of Water Resource						
CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:						r:
		AND BOOK IVELI	27	e EI	EVATION:	
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF CON	vater Encountered		ft. EI ft.		3 ft.
			1		2 ft.	3 ft. 8-26-2002
		VATER LEVEL 16		BELOW LAND S	URFACE MEASURED ON mo/day/yr	
NW	Pump tes	t data: Well w	ater was	ft.	after hours pum	ping gpm
Est.	Yield	OI .	ater was	ft.	after hours pum	ping gpm
E Bor	e Hole Diameter	e in.	to	ft.	and in.	to ft.
~ "	LL WATER	USED AS: 5	Public wate	r supply	8 Air conditioning 11 I	njection well
	1 Domestic	3 Feedlot 6	Oil field wa	ter supply	9 Dewatering 12 O	ther (Specify below)
sw	2 Irrigation	4 Industrial 7	Lawn and g	arden only	10 Monitoring well	
		eriological sample su	hmitted to D	Dengriment? V	No X : If ves. m	o/day/yr sample was
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No						
5 TYPE OF CASING USED:	Difficeu					
		5 Wrought iron	_	Concrete tile		lued Clamped
1 Steel 3 RMP (SR)		6 Asbestos-Cemen	t 9	Other (Specify	•	/elded
2 PVC 4 ABS		7 Fiberglass			Т	hreaded
Blank casing Diameter 1 1/4 in.	to	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height Tand surface 36	in.,	weight		lbs. / ft.	Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement						ent
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify) N/A) N/A
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					en hole)	
SCREEN OR PERFORATION OPENI	5 Gauze	5 Gauzed wrapped		8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slot		6 Wire wrapped			9 Drilled holes	
2 Louvered shutter 4 Key punched		••				
,,	7 Torch	cut		10 Other (specify) N/	A	
SCREEN-PERFORATION INTERVALS: from		ft. (to	ft., Fro	m ft. to	ft.
from		ft.	to	ft., Fro	m ft. to	ft.
GRAVEL PACK INTERVALS: from		ft.	ft. to ft., Fro		om ft. to	ſt.
from		ft.	ft. to ft., From		om ft. to	ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug						
Grout Intervals: From ft. to		ft. From ft. to		to		
What is the nearest source of possible contamination:					ft. From 3 ft. to 27 ft. vestock pens 14 Abandon water well	
1 Septic tank 4 Lateral lines				11 Fuel	al stances	
		8 Sewage lagoon			12 Facility and a second secon	
2 CCSS poor		5 5			is other (specify selow)	
Total Seepage pit Teedyard						Apparent
Direction from well? How many feet? FROM TO PLUGGING INTERVALS						
FROM TO LITI	HOLOGIC LOG		FROM	3 TO	PLUGGING INTER	
			0			
			3	27	bentonite hole plu	<u>g</u>

		•				
-	· · · · · · · · · · · · · · · · · · ·					
				 		
				 -		
				1		
						The state of the s
7 CONTRACTOR'S OB LANDOWNER'S		is mater well	4\ 05=54	404 (0) =====	atminted on (0) whereast in the	n ii! !
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)						
Water Well Contractor's License No						
0.00.000						
(mo/day/yr)8-28-2002 Under the business name of Harp Well & Pump Service, Inc						
Under the business name of Harp Well & Pump Service, Inc. by (signature) Todd S. Harp						