				Water Well Record	Form WWC-5	KSA 82a-1212			
1 LOCA		ATER WELL:	FRACTION		_	Section Number	Township Number		Range Number
			NE 1/4	SE 1/4 SI	S 1/4	31	T 27 s	R	1E _{E/W}
Distance and direction frem nearest town or city street address of well if located within city?									
		Seneca		Vichita, Kans	as				
	TER WELL	GALLI	ON, Wes O.D.				Board of Agr	icultura Divivsion of	Water Resource
	ST. ADRESS		S. Seneca nita, Kansas	Board of Agriculture, Divivsion of Water Resource					
	, STATE, ZI				40			on Number:	
	TE WELL'S I " IN SECTIO	LOCATION WITH ON BOX:		MPLETED WELL		ft. ELE ft.	VATION: 2 ft.	. 3	ft.
1		N	Depth(s) groundw WELL'S STATIC W		1		L. RFACE MEASURED ON mo		-2002
	!	:	WELL'S STATIC W		ater was				
'	NW	NE -	Est. Yield		ater was ater was	_		rs pumping	gpm
≗		1	Bore Hole Diameter		to 40			rs pumping	gpm ft.
ii w	' 	E	WELL WATER TO	*	ro 20 Public water	ft.	and 8 Air conditioning	in. to 11 Injection	
			1 Domestic		Oil field water		9 Dewatering	•	pecify below)
	sw	se X	2 Irrigation		Lawn and g		0 Monitoring well	12 0 (5)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
			_	eriological sample su			ŭ	If yes, mo/day/y	r sample was
'		S	submitted	er fological sample su	Difficted to D	-	er Well Disinfected?	Yes X	No
5 TY	PE OF CA	ASING USED:		5 Wrought iron	8	Concrete tile	CASING JOINTS		Clamped
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASHG JOHATS. Glied A Clamped									p-u
2 PV	3	4 ABS		7 Fiberglass		R-26	•	Threaded	i
	 asing Diar	neter 5	in. to 30	ft., Dia	in.	to	ft., Dia	in. to	ft.
l .	•	ve land surface	L2 in.,	weight 2.			Wall thickness or gaug		.214
TYPE (OF SCREI	EN OR PERFORA	ATION MATERIAL:	· ·	7.	PVC	10 Asbest	tos-cement	
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)									
2 Brass 4 Galvanized steel 6 Concr					9	ABS		used (open hole)
SCREE	N OR PE	RFORATION OP	ENING ARE:	5 Gauze	ed wrapped		8 Saw cut 11 None (open hole)		
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louve	ered shutte	er 4 Key p	ounched	7 Torch	cut		10 Other (specify)		
SCREEN-PERFORATION INTERVALS: from 30 ft. to 40 ft., F								ft. to	ft.
1			from	ft.		ft., From		ft. to	ft.
GRAVEL PACK INTERVALS: from 24				ft.	to 40	ft., Fron		ft. to	ft.
from ft. to ft., From ft. to GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug									ft.
				Cement grout			4 Other bentonite hole plug		
Grout Intervals: From 4 ft. to 24 What is the nearest source of possible contamination			ft. to 24	ft. From ft. to		o 10 Livesto	ft. From	ft. to	
1 Septic tank 4 Lateral lines							1 1 1 1 Dandon Water West		
				8 Sewage Iagoon			er storage	15 Oil well/Gas well 16 Other (specify below)	
2 Sewer lines 5 Cess pool 8 Sewage 1agoon 12 Fertilizer storage 16 Ott 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							To other (sp	seeiny below,	
Direction from well? West How many feet? 15									
FROM	ТО		LITHOLOGIC LOG					GINTERVALS	
0	3	topsoil							
3	12	clay							
12	27	fine sand							
27	40	medium sa	nd		ļ				
	 							· · ·	
ļ	 								
				And the state of t					
	 				_			·	
<u> </u>	<u> </u>				-	+			
<u> </u>	1								
l						+ +			
\vdash									
									
	1				1				
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)									
was completed on (mo/day/year)									
		10-2002		inis wate	, vven reco	ia mas comple	tou on		
Under the business name of Harp Well & Pump Service, Inc by (signature) Jodd S. Harp									
1						, ,	· · ·	•	/