	Water Well Recor	d Form WWC-5	KSA 82a-1212		
1 LOCATION OF WATER WELL:	FRACTION	1	Section Number	Township Number	Range Number
Sedgwick	NE 1/4 SW 1/4 S	SE 1/4	35	T 27 s	R 1E E/W
Distance and direction frem nearest town or city street	t address of well if located within city?				
2201 S. Broadview	Wichita, Kar	nsas			
WATER WELL OWNER: HACKENBU	IRG. Bob				
	Broadview			Board of Agriculture, I	Divivsion of Water Resource
CITY, STATE, ZIP CODE: Wichita,	, Kansas			Application Numb	er:
LOCATE WELL'S LOCATION WITH 4 D	DEPTH OF COMPLETED WELL	68	ft. ELI	EVATION:	
AN IIVII IN CECTION POV.	epth(s) groundwater Encountered	1	ft.	2 ft.	3 ft.
WEL	LL'S STATIC WATER LEVEL 2	В гт.	BELOW LAND SU	URFACE MEASURED ON mo/day/yr	5-15-2002
		water was	ft.	after hours pun	nping gpm
NW NE Est.	-	water was	ft.	after hours pun	
E Bore	Hole Diameter in.	to	ft.	and in.	to ft.
WEL	LL WATER TO BE USED AS:	5 Public wate	r supply	8 Air conditioning 11 1	Injection well
1	Domestic 3 Feedlot	6 Oil field wa	ter supply	Ÿ	Other (Specify below)
SW XSE 2	! Irrigation 4 Industrial	7 Lawn and g	arden only	10 Monitoring well	
Was	a chemical/bacteriological sample	submitted to D	epartment? Yes	No X; If yes, n	no/day/yr sample was
e 1	mitted .		•	ter Well Disinfected? Yes	X No
5 TYPE OF CASING USED:	5 Wrought iron	8	Concrete tile	CASING JOINTS: (Glued Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Ceme	ent 9	Other (Specify b	oclow) V	Welded
2 PVC 4 ABS	7 Fiberglass			י די	Threaded
Blank casing Diameter 6 in.	to ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height above land surface 36	in., weight		lbs. / ft.	Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORATION	MATERIAL:	7	PVC	10 Asbestos-cem	ent
1 Steel 3 Stainless Steel	5 Fiberglass	8	RMP (SR)	11 other (specify	y) N/A
2 Brass 4 Galvanized steel 6 Concrete tile			ABS	12 None used (o	pen hole)
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wr				8 Saw cut	11 None (open hole)
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled hole				9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) N/A					
SCREEN-PERFORATION INTERVALS:	: from ft.	. to	ft., Fron	ı ft. to	ft.
	from ft	. to	ft., Fron	_	ft.
GRAVEL PACK INTERVALS		t. to	,		ft.
	from ft	. to	ft., Fron	n ft. to	ft.
6 GROUT MATERIAL: 1 Neat cemen	t 2 Cement grout	3 Ben	tonite	4 Other bentonite	hole plug
Grout Intervals: From ft. t	to ft. From	ft. 1	to	ft. From 2	ft. to 28 ft.
What is the nearest source of possible conta	amination:		10 Livestock pens 14 Abandon water well		
1 Septic tank 4 Lateral lines	s 7 Pit privy	Pit privy 11 Fuel storage 15 Oil well/Gas well		Oil well/Gas well	
2 Sewer lines 5 Cess pool 8 Se		oon	12 Fertilizer storage 16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit	t 9 Feedyard		13 Insecti	icide storage None	Apparent
Direction from well?				How many feet?	
FROM TO LITHO	OLOGIC LOG	FROM	ТО	PLUGGING INTE	
		0		surface clay and s	
		2	~ 	bentonite hole plu	NAMES OF TAXABLE PARTY OF TAXABLE PARTY OF TAXABLE PARTY.
		28	68	chlorinated sand a	nd gravel
			-		
	4-4-4				

			 		THE PARTY OF THE P
			-		

			-[Market 1984 - 1884 - 1884 - 1884 - 1884 - 1884 - 1884 - 1884 - 1884 - 1884 - 1884 - 1884 - 1884 - 1884 - 1884
			 -		
			- [
7					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and					
was completed on (mo/day/year)5-15-2002 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No					
(mo/day/yr)5-17-2002	trus wat	rei Mail Maco	iu mas comple	STON OII	
Under the business name of Harp Well & Pump Service, Inc by (signature) Jodd S. Harp					