				Water Well Re	cord Form WWC		1	
		ATER WELL:	FRACTION			Section Number	Township Number	Range Number
Sedgwick SW 1/4			NE 1/4	<b>NE</b> 1/4	30	<sub>т</sub> 27 <sub>s</sub>		
Distance and direction frem nearest town or city street address of well if located within city?								
1407 University Wichita, Kansas								
WATER WELL OWNER: THOME, Richard								
RR#, ST. ADRESS, BOX #: 1407 University Board of Agriculture, Division of Water Resource								
СІТУ	, STATE, ZU	CODE: Wichi	ta, Kansas		Application Number:			
		LOCATION WITH 4	DEPTH OF CO	MPLETED WEL	L 40	ft. ELE	VATION:	
AN "X	" IN SECTIO	N BOX:	Depth(s) ground	water Encountere	d 1	ft.	2 ft.	3 ft.
			WELL'S STATIC	WATER LEVEL	20 F	T. BELOW LAND SUR	FACE MEASURED ON mo/day/yr	3-7-2002
			Pump to	est data: We	ell water was	ft. a	after hours put	mping gpm
	1		Est. Yield	gpm: We	ell water was	ft.	after hours put	nping gpm
Mile	,		Bore Hole Diameter	· 12 in.	to 40	ft.	and in.	to ft.
=		-   _   <b> </b>	WELL WATER TO	) BE USED AS:	5 Public wat	er supply 8	Air conditioning 11	Injection well
		— <b>SE</b>	1 Domestic	3 Feedlot	6 Oil field w	ater supply	Dewatering 12	Other (Specify below)
			2 Irrigation	4 Industrial	7 Lawn and	garden only 1	0 Monitoring well	
11	Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was							
S submitted Water Well Disinfected? Yes X No								
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped								
1 Stee	el	3 RMP (SR)		6 Asbestos-Ce	ement	9 Other (Specify be	elow)	Welded
2 PV	С	4 ABS		7 Fiberglass	S	DR-26		Threaded
Blank c	asing Dian	neter 5	in. to 30	ft., Dia	in in	. to	ft., Dia in.	to ft.
Casing	height abo	ve land surface 12	in.		t2.35	lbs. / ft.	Wall thickness or gauge No.	.214
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement								
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)								
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)								
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)								
1 Conti	nous slot	3 Mill slo	t	6 W	/ire wrapped		9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREEN-PERFORATION INTERVALS: from 30 ft. to 40 ft., From ft. to ft.								
			from			ŕ		ft.
GRAVEL PACK INTERVALS: from 24			ft. to ft. to 40		ft., From ft., From			
from				-	ft. to			
from     ft. to     ft., From     ft. to     ft.       6     GROUT MATERIAL:     1 Neat cement     2 Cement grout     3 Bentonite     4 Other     bentonite     hole plug								
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to ft.								
1		st source of possible	contamination:	it. From	11.	10 Livestoo	ck pens 14	Abandon water well
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel sto	orage 15	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool			8 Sewage	8 Sewage lagoon			16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage								
Direction from well? South How many feet? 85								
FROM			ITHOLOGIC LOO	3	FROM	ТО	PLUGGING INT	ERVALS
0	4	topsoil						
4	10	clay						
10	20	fine sand						
20	37	medium coa	rse sand					
37	40	clay						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and								
was completed on (mo/day/year)								
Water Well Contractor's License No								
(molday/yr) 3-11-2002								
Under the business name of <u>Harp Well &amp; Pump Service</u> , Inc by (signature) Jodd S. Harp								
Under the business name of								