				Water Well Rec	ord Form WWC-5	KSA 82a-1212			
1 LOCA	ATION OF W	ATER WELL:	FRACTION			Section Number	Township Number	Range Number	
	Sedgw	ick	NE 1/	/4 SE 1/4	NW 1/4	6	T 27 s	R 1E E/W	
Distance and direction frem nearest town or city street address of well if located within city?									
2727 N. Amidon Wichita, Kansas									
WATER WELL OWNER: AMIDON PLACE									
Ш	RR#, ST. ADRESS, BOX #: 2727 N. Amidon  Board of Agriculture, Divivsion of Water Resource								
CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:								ar'	
1		LOCATION WITH	<del>i i                                  </del>	COMPLETED WELI	40	e FIF	VATION:		
	" IN SECTIO		<b>—</b>	ndwater Encountered	-	ft. ELE ft.	2 ft.	3 ft.	
<b>I</b> →		- N	,,				=	10-29-2002	
WELL'S STATIC WATER LEVEL 15 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr Pump test data: Well water was ft. after hours pun									
Pump test data: Well water was							after hours pun		
<u> </u>	1		Est. Yield	01	ll water was		after hours pun	0.	
M Mile	v <del> </del>	E	Bore Hole Diamet		to 40	ft.	and in.	to ft.	
_			1	TO BE USED AS:	5 Public water		6	Injection well	
1 1	-sw-		1 Domestic	3 Feedlot	6 Oil field wa		· ·	Other (Specify below)	
1	į		2 Irrigation	4 Industrial	7 Lawn and g	arden only 1	0 Monitoring well		
+			Was a chemical/b	bacteriological sample	e submitted to D	epartment? Yes	No X; If yes, n	no/day/yr sample was	
<b>—</b>		S	submitted			Wat	er Well Disinfected? Yes	X No	
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
1 Stee	el	3 RMP (SR)		6 Asbestos-Cen	nent 9	Other (Specify b	elow) V	Velded	
2 PV	<u>c_</u>	4 ABS		7 Fiberglass	SI	R-26	7	Threaded	
Blank casing Diameter 5 in. to 25 ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214									
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement									
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)								pen hole)	
SCREE	EN OR PE	RFORATION OP	ENING ARE:	5 Ga	uzed wrapped		8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
I amond shutton A Van marked									
SCREEN REPEAR THON NITEDWAY									
it. to									
	CD. II	E. D. C. C. D.	from		ft. to	ft., From		ft.	
	GRAV	EL PACK INTER			ft. to 40 ft., From			ft.	
from ft. to ft., From ft. to ft.									
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug  Grout Intervals: From 4 ft. to 24 ft. From ft. to 6 From ft. to 6									
			ft. to 24	ft. From	ft. From ft. to		ft. From	ft. to ft.	
What is the nearest source of possible contamination:  1 Septic tank  4 Lateral lines				7 Diai				Abandon water well	
					7 Pit privy			Oil well/Gas well	
		5 Cess	•		12 1		tilizer storage 16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent									
Direction from well? How many feet?									
FROM 0	TO 4	topsoil	<u>LITHOLOGIC LO</u>	<u>UG</u>	FROM	TO	PLUGGING INTE	RVALS	
4	10	clay				1		. A	
10	20		,						
		fine sand				<del>                                     </del>			
20	40	medium co	arse sand						
ļ						-			
						<del>                                     </del>			
<b></b>				7-7-1		<u> </u>			
L			W			1			
							WHO WITH THE TOTAL THE TOT		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Water Well Contractor's License No									
(mo/day/yr) 10-30-2002									
Unde	Under the business name of Harp Well & Pump Service, Inc by (signature)  Jodd S. Harp								
								,	