1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212		T
Sedgwick		NW 1/4 S'		Section Number	Township Number	Range Number
		274	W 1/4	8	T 27 S	R 1E E/W
Distance and direction frem nearest town or city street address of well if located within city?						
1022 W. 16th Wichita, Kansas WATER WELL OWNER: HET NEE Cathyr						
WATER WELL OWNER: HEINKE, Cathy RR#, ST. ADRESS, BOX #: 1022 W. 16th Board of Agriculture, Divivsion of Water Resource						
Wighite Venne						
		MARCON WELL	26	c Er	Application Number	<u>r:</u>
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		WELL water Encountered		ft. EL ft.	EVATION:	3 ft.
1 1 1 1	. ''	WATER LEVEL 17	1		2 ft. URFACE MEASURED ON mo/day/yr	3 ft. 7-29-2002
	Pump te		ater was			
NW - NE	Est. Yield		vater was	ft. ft.	after hours pum after hours pum	
₩ X	Down Wala Diameter		to	ft.	and in.	ping gpm to ft.
∑ W X	WELL WATER	USED AS: 5	Public wate			njection well
	1 Domestic		Oil field wa		· ·	ther (Specify below)
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well						the (openity see)
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was						
S submitted Water Well Disinfected? Yes X No						
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped						
1 Steel 3 RMP (S	(R)	6 Asbestos-Cemen	-	Other (Specify	0	/elded
2 PVC 4 ABS		7 Fiberglass			•	hreaded X
Blank casing Diameter 1 1/4	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height above land surfac	1 60 in	weight		lbs. / ft.	Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFO		7 PVC 10 Asbestos-cement				
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify) N/A) N/A
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)						en hole)
SCREEN OR PERFORATION	5 Gauze	5 Gauzed wrapped			11 None (open hole)	
1 Continous slot 3 M	6 Wire wrapped 9 1			9 Drilled holes		
2 Louvered shutter 4 Ke	7 Torch	7 Torch cut 10 Other (specify) N/A			A	
SCREEN-PERFORATION INT	ft.	to	ft., Froi	m ft. to	ft.	
	from	ŕt.	to	ft., Fro	m ft. to	ft.
GRAVEL PACK INTERVALS: from		ft.	ft. to ft., From			ft.
	from	ft.	to	ft., Fro		ft.
	eat cement 2	Cement grout	3 Ben	tonite	4 Other bentonite h	ole plug
Grout Intervals: From ft. to		ft. From ft. to			ft. From . 5 ft. to 26 ft.	
What is the nearest source of possible contamination:		10 Livestock per			bandon water well	
1 Septic tank 4 Lateral lines					el storage 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon 12 Fertilizer sto 9 Feedward 13 Insecticide st		100	To other (speerly below)	
5 vaccingmester into 0 seepage pit 7 recuyard						
Direction from well? West FROM TO	LITHOLOGIC LOG		FROM	то	How many feet? 5 PLUGGING INTER	WAYE
	ZITITO DO GIO DO G		0		cement grout	CYALS
			0.5		bentonite hole plus	T
						14.41
-						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and						
was completed on (mo/day/year)						
Water Well Contractor's License No						
(m-a/d-a-v/m) 8-2-2002						
Under the business name of Harp Well & Pump Service, Inc by (signature) Jodd S. Harp						