LOCATION OF WATER WELL:	FRACTION	Water Well Recor	d Form WWC-		T	· · · · · · · · · · · · · · · · · · ·		
				Section Number	Township Number	Range Num	nber	
Sedgwick SE 1/4			SE 1/4	7	T 27 s	R 1E	E/W_	
Distance and direction frem nearest town or city st	reet address of well if lo	cated within city?						
1632 Garland	Wichita,	Kansas						
	Richard							
RR#, ST. ADRESS, BOX #: 1632 G					Board of Agriculture	Divivsion of Water Res	source	
CITY, STATE, ZIP CODE: Wichit		Application Number:						
LOCATE WELL'S LOCATION WITH 4	DEPTH OF 🗪	uigged WELL	36	ft. ELE	VATION:			
AN "X" IN SECTION BOX:	Depth(s) groundw	ater Encountered	1	ft.	2 ft.	3	ft.	
l l l w	ELL'S STATIC W	ATER LEVEL 18	} FT.	BELOW LAND SUI	RFACE MEASURED ON mo/day/yr	1-11-03		
	Pump tes	t data: Well	water was	ft.	after hours pu	mping	gpm	
Fe	t. Yield	gpm: Well	water was		after hours pu		gpm	
E Bo	re Hole Diameter	0-	to	ft.	and in		ft.	
= "	ELL WATER	* ~	5 Public wate			Injection well	•••	
1. <u> </u>	1 Domestic	3 Feedlot	6 Oil field wa		•	Other (Specify be	elow)	
sw se	2 Irrigation	4 Industrial	7 Lawn and s		0 Monitoring well	omer (openity so	,	
1	-	eriological sample s			· ·	mo/day/yr sample	0.11/05	
	ubmitted	er lological sample s	abilitted to 1			X No	e was	
5 TYPE OF CASING USED:		5 Whan also incom			CASING JOINTS:			
1 Steel 3 RMP (SR)	5 Wrought iron 6 Asbestos-Ceme		Concrete tile Other (Specify be	orden cramped				
2 PVC 4 ABS		7 Fiberglass	,	Other (Specify b				
	4-	· ·					X	
Blank casing Diameter 1 1/4 in Casing height above basement 300	to .	ft., Dia	in.	to	ft., Dia in.	to	ft.	
TYPE OF SCREEN OR PERFORATION	in., ON MATERIAL	weight	-	lbs. / ft. PVC	Wall thickness or gauge No. 10 Asbestos-cei	nent		
1 Steel 3 Stainless Steel	5 Fiberglass	-	RMP (SR)	44 4 4				
2 Brass 4 Galvanized steel				· •	1 other (specify) N/A			
1	NO ADD			ABS	12 None used (
SCREEN OR PERFORATION OPENING ARE:		5 Gauzed wrapped			8 Saw cut 11 None (open hole)			
1 Continous slot 3 Mill slot		6 Wire wrapped			9 Drilled holes			
2 Louvered shutter 4 Key punched		7 Torch cut			10 Other (specify)	/A		
SCREEN-PERFORATION INTERVAL	LS: from	ft.	to	ft., From	ft. to	ı	ft.	
from		ft. to		ft., From	ft. to		ſt.	
GRAVEL PACK INTERVALS: from		ft. to		ft., From	ft. to	•	ft.	
from		ft. to		ft., From			ft.	
6 GROUT MATERIAL: 1 Neat cem	ment grout 3 Bentonite			4 Other bentonite	hole plug			
Grout Intervals: From 0 ft. to .5		ft. From ft. to			ft. From . 5	ft. to 36	ft.	
What is the nearest source of possible contamination:				10 Livesto	ck pens 14	Abandon water w	ell	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel sto	. 12	15 Oil well/Gas well		
2 Sewer lines 5 Cess pool		8 Sewage lagoon			12 Fertilizer storage 16 (Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage								
Direction from well? South					How many feet? 5			
FROM TO LITHOLOGIC LOG				ТО	PLUGGING INTERVALS			
			0		ement grout			
			, 5	36 b	entonite hole pl	ıg		
			ļ					
7 CONTRACTOR'S OR LANDOWNER'S	CERTIFICATION. Th	is water well was	(1) construe	ted (2) reconst	ructed or (3) plugged and	or my luricelietie	on cod	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)and this record is true to the best of my knowledge and belief. Kansas								
Water Well Contractor's License No	236	This Wate	ar Well Reco	rd was complet	ed on	e anu Denet. Ka	HSdS	
Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr)1-15-2003								
Under the business name of Harp Well & Pump Service, Inc by (signature) Jedd S. Harp								
Under the business name ofHa	rp Well &	Pump Servic	e, Inc		signature) Tad	15 Horn	,	