	ED CTION	Water Well Record	Form WWC-5	KSA 82a-1212		1	
LOCATION OF WATER WELL:	FRACTION		_	Section Number	Township Number	Range Number	
Sedgwick	NW 1/4	SW 1/4 N	Š 1/4	5	T 27 s	R 1E E/W	
Distance and direction frem nearest town or city street address of well if located within city?							
2708 N. Arkansas		Wichita, Kar	ısas				
WATER WELL OWNER: CARTER,	William						
RR#, ST. ADRESS, BOX #: 2708 N. Arkansas Board of Agriculture, Divivsion of Water Reso					Divivsion of Water Resource		
CITY, STATE, ZIP CODE: Wichita, Kansas			Application Number:			er:	
LOCATE WELL'S LOCATION WITH 4 1	рертн ог 🗪	HIG GOOVELL	24	ft. EL	EVATION:		
AN "X" IN SECTION BOX:	epth(s) groundw	ater Encountered	1	ft.	2 ft.	3 ft.	
) WE	LL'S STATIC W	ATER LEVEL 12	FT.	BELOW LAND S	URFACE MEASURED ON mo/day/yr	12-11-02	
NW NE -	Pump tes	t data: Well w	ater was	ft.	after hours pun	nping gpm	
l 1 DK I I s	Yield	gpm: Well w	ater was	ſt.	after hours pun	iping gpm	
E Bore	Hole Diameter	in.	to	ft.	and in.	to ft.	
= "	LL WATER	USED AS: 5	Public wate	r supply	8 Air conditioning 11 I	njection well	
	1 Domestic	3 Feedlot 6	Oil field wa	ter supply	9 Dewatering 12 C	Other (Specify below)	
SW SE	2 Irrigation	4 Industrial 7	Lawn and g	arden only	10 Monitoring well		
Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was							
S submitted Water Well Disinfected? Yes No							
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped							
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded							
2 PVC 4 ABS 7 Fiberglass Threaded							
Blank casing Diameter 1 1/4 in.	to	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height carried surface 60	in.,	weight	111.	lbs. / ft.	Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement						ent	
F Ethanders C DMD (CD)						y) N/A	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)						,	
9.5						11 None (open hole)	
1 Continous slot 3 Mill slot			5 Gauzed wrapped 8 Saw cut 11 6 Wire wrapped 9 Drilled holes			(,	
21						/%	
Landau and the state of the sta					\$4		
SCREEN-PERFORATION INTERVALS: from			to	ft., Fro	m ft. to	ft.	
from		ft. to ft., From			ft.		
GRAVEL PACK INTERVALS: from		ft.	ft. to ft., From		m ft. to	ft.	
from ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: 1 Neat ceme	nt 2 C	Cement grout	3 Ben	itonite	4 Other bentonite 1		
Grout Intervals: From ft. to		ft. From			ft. From 3 ft. to 24 ft.		
What is the nearest source of possible contamination:		7 Dia	10 Livestock pens			Abandon water well	
1 Septic tank 4 Lateral lines			7 Pit privy 11 Fuel st			Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoo	12 Impostinida		41-1-1	Is stored (speed) below)	
5 watertight sewer lines 6 Seepage pit 9 Feedyard None Apparent					Apparent		
Direction from well? How many feet?							
FROM TO LITH	OLOGIC LOG		FROM	3 TO	PLUGGING INTE surface clay and s	RVALS	
			0		bentonite hole plu		
			3	24	penconice note pro	<u>ıg</u>	
						1807-144	
				-			
				 			
			ļ	·			
			<u> </u>				
						A. W.	
			-	-			
			<u> </u>				
7 CONTRACTOR'S OR LANDOWNER'S CI	ERTIFICATION: TI	nis water well was (1) construc	ted, (2) recon	structed, or (3) plugged unde	er my jurisdiction and	
was completed on (mo/day/year)12-11-2002 and this record is true to the best of my knowledge and belief. Kansas							
Water Well Contractor's License No							
(mo/day/yr)12-13-2002 Under the business name of Harp Well & Pump Service, Inc							
	TAT - 1 7 C	Darmon - C	T			/ [//	