			Water Well Record	form WWC-5				
1,		FRACTION	GB .		Section Numbe		Range Number	
Sedgwick NW 1/4				₩ 1/4	33	T 27 s	R IB E/W	
Distance and direction frem nearest town or city street address of well if located within city?								
1826 S. St. Francis Wichita, Kansas								
WATER WELL OWNER: RR#, ST. ADRESS, BOX #:		, Phillip	a i a			Board of Agricultur	e, Divivsion of Water Resource	
RR#, ST. ADRESS, BOX #: 1826 S. St. Francis CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:								
LOCATE WELL'S LOCATION WITH DEPTH OF COUNTY WELL 38 ft. ELEVATION: AN "X" IN SECTION BOX: Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.								
1 1			VATER LEVEL 10			SURFACE MEASURED ON mo/day/y		
	' 11	Pump tes		water was	ft.	after hours p		
X	E Fet.	Yield		water was	ft.	after hours p		
w William	- Rore	Hole Diameter	in.	to	ft.		n. to ft.	
ΣW	E Bore	L WATER	ASUSED AS:	5 Public wate			1 Injection well	
		1 Domestic		6 Oil field wa			2 Other (Specify below)	
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well							(,	
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was								
S submitted Water Well Disinfected? Yes X No								
5 TYPE OF CASING USED: , 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped								
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded								
2 PVC 4 Al	BS		7 Fiberglass				Threaded	
Blank casing Diameter 5 in. to ft., Dia in. to ft., Dia in. to ft.								
Casing height above hand our face 12 in., weight					lbs. / ft.	Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement							ment	
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify) N/A								
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)							(open hole)	
SCREEN OR PERFORAT	G ARE:	5 Gauz	zed wrapped		8 Saw cut	11 None (open hole)		
1 Continous slot		6 Wire	wrapped 9 Drilled holes					
2 Louvered shutter	4 Key punche	d	7 Torch	ı cut		10 Other (specify)	N/A	
SCREEN-PERFORATION INTERVALS: from ft. to ft., From ft. to							o ft.	
from				to	to ft., From		o ft.	
GRAVEL PACK INTERVALS: from			ft. to ft., From			to ft.		
from ft. to ft., From ft. to								
6 GROUT MATERIAL:	ement grout 3 Bentonite		4 Other bentonite hole plug					
Grout Intervals: From 0 ft. to 1			ft. From ft. to			ft. From 1 ft. to 38 ft.		
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines			10 Livestock po			•	Abandon water well	
			7 Pit privy 11 Fuel			15 Oli Well/Gas Well		
2 Sewer lines	• •	Sewage lagoon 12 Fertilizer storage 16 Other (specify below 13 Insecticide storage						
3 water agree sever intes a Seepage pit 5 reedyard								
Direction from well? SO FROM TO		FDOM	How many feet? 5 FROM TO PLUGGING INTERVA					
	~~~~	OLOGIC LOG		0	11	cement grout	EKVALS	
				1	38	bentonite hole pl	uq	
						- N V 1		
	•							
				<u> </u>				
CONTRACTOR'S or Landowner's certification: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and								
was completed on (mo/day/year)1-31-2003 and this record is true to the best of my knowledge and belief. Kansas								
Water Well Contractor's License No								
(mo/day/yr)23-20	UJ	m Well f	Pump Service	e. Tha		w (alamatura)	11911.	
Under the business name of Harp Well & Pump Service, Inc by (signature) Todd S. Harp								