	WATER	WELL F	RECOR	RD F	orm WV	VC-5 K	SA 82a-1	212			
1 LOCATION OF WATER WELL:	FRACTION					TION NUMBER		HIP NUMBER	RAN	RANGE NUMBER	
Sedgwick	NW 1	1/4 <b>SE</b>	1/4	SE	1/4	7	Т	<b>27</b> s	R	1E E/W	
Distance and direction from nearest town or cit  1465 Woodrow	y street address of Wichita, Ka		l within cit	y?							
2 WATER WELL OWNER: BRI	MER, Albe	rt			-						
RR#,ST. ADDRESS,BOX #: 146	5 Woodrow							Board of A	griculture, Divisio	n of Water Resource	
	hita, Kansa					IP CODE:		Application N	umber:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF CO	MPLETED	WELL:	40	ft.		ELEVATION	l:			
	epth of groundw	ater Encour	itered:		ft.			ft.		ft.	
	VELL'S STATIC	WATER LE	VEL	15	FT. BELO	W LAND SU	RFACE MEA	SURED ON mo		3/22/03	
NW NE	F-4-3//-14	Pump test		Well wat			ft. after		rs of pumping		
W W E	Est. Yield: Bore Hole Diam	gpn etor	n 12 in	Well wat		<b>10</b> ft.	ft. after and	in.	irs of pumping	@ gpm o ft.	
	VELL WATER T		-		10	10 II.		9. <b>Dewate</b>	44	Injection well	
1 1 200 1 34 1 10	1. Domestic	3. Feedlot	5. <b>F</b>	Public wat	er supply	7. Lawn a	nd garden o	nly 9. Dewate	9	er (Specify below)	
	2. Irrigation	4. Industr	ial 6. (	Oil field w	ater supply	8. Air con		10. Monitor	•		
_	Was a chemical/baubmitted	acteriological:	sample su	bmitted to D	epartment?	YES Was W	(NO) ater Well Dis		YES YES	/yr was sample NO	
5 TYPE OF CASING USED:					0.0			ASING JOINTS:	$\geq$	Threaded	
1. Steel 3. RPM (S	SR) 5. Wrou	ight Iron	7. F	iberglass		ther (Specify	below) C	ASING JOINTS.	Welded	Clamped	
2. PVC 4. ABS	6. Asbe	stos-Cemer	t 8. C	Concrete til	e SD	R-26			***************************************	Ciampou	
Blank casing diameter 5	in. to	25	t.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.	
Casing height above land surface:	12 in.	1	We	eight:	2.35 II	bs. / ft.	Wall	thickness or ga	uge No.	214	
TYPE OF SCREEN OR PERFORATIO	N MATERIAL:			_							
1. Steel 3. Stainless Steel	5. Fibergla		7. P\		9. A			Other (specify)			
2. Brass 4. Galvanized	6. Concre	te Tile	8. RI	MP (SR)	10. A	sbestos-Cen	nent 12.	None used (ope	n hole)		
SCREEN OR PERFORATION OPENIN									44.44		
1. Continuous slot 3. Mill s	slot	5. Gauzed	wrapped	<b>d</b>	7. To	rch cut	9. <b>D</b> :	rilled holes	11. Non	ie ( open hole)	
2. Louvered shutter 4. Key p	punched	6. Wire wra	pped		8. Sa	w cut	10. O	ther (specify)			
SCREEN - PERFORATION INTERVAL	From	25	ft.	to	40	ft.,	From	ft.	to	ft.	
	From		ft.	to		ft.,	From	ft.	to	ft.	
GRAVEL PACK INTERVALS:	From	24	ft.	to	40	ft.,	From	ft.	to	ft.	
	From		ft.	to		ft.,	From	ft.	to	ft.	
6 GROUT MATERIALS: 1. Neat	t cement	(2. Ce	ment Gr	rout	3	3. Bentonite		Other ber	tonite hole	plug	
Grout Intervals: From 4	ft.	to 24	ft.,	From	ft.	to	ft.,	From	ft.		
What is the nearest source of possible of		7. Pit priv	w	1	0. Livestoc	k pens	13 inse	cticide storage	15 Oil w	rell/Gas well	
1. Septic tank 4. Latera		8. Sewag	-		1. Fuel sto	-		_	46 Otho	r (specify below)	
2. Sewer lines 5. Cess		9. Feed y	-		2. Fertilize	_	14. Abai	ndon water wel		,	
Oirection from well? West	age pit	s. reeu y	aiu		z. retunze	Storage	How	many feet? 50	)		
From To	LITHOLOG	GIC LOC	;		From	To			OGIC LOC	}	
0 4 topsoil											
4 10 clay											
10 20 fine sand											
20 40 medium coa	rse sand					-					
									*		
							· · · · · · · · · · · · · · · · · · ·				
		· · · · · · · · · · · · · · · · · · ·									

Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. under my jurisdiction and was completed on (mo/day/year) 3-22-2003 and this record is true to the best of my knowledge and belief. 236 This water well record was completed on (mo/day/year) 3-25-2003 Kansas Water Well Contractor's License No. Jodd S. Harp

by (signature)

under the business name of Harp Well & Pump Service Inc.