KSA 82a-1212 ID No. 00313577

		10 " ::		T 5
1 LOCATION OF WATER WEL		Section Number		Range Number
County: Sedgwick		½ 28	T 27 S	R 1 (E/)W
1327 S. Ida	est town or city street address of well if located w	nthin city?		
	Kenneth Stewart			
2 WATER WELL OWNER:				
RR#, St. Address, Box # :	3901 N. Harding		Board of Agriculture, Div	vision of Water Resources
City, State, ZIP Code :	Wichita, KS 67220		Application Number:	
3 LOCATE WELL'S LOCATON	WITH 4	22 2 5 5	4.70.4	10 76 TOC
AN "X" IN SECTION BOX:	PUDENTH OF COMPLETED MELL	23 ft. ELE\	/ATION: 129	10.76 TOC
N	Depth(s) Groundwater Encountered 1	15.7 ft	2 ft,	3 ft. //yr <b>3-17-03</b>
A	WELL'S STATIC WATER LEVEL 1	5.26 ft. below land s	urface measured on mo/day	<sub>//yr</sub> 3-17 <b>-03</b>
	Pump test data: Well water	was f	after hours	pumping gpm
	Est Viola		harm	pumping gpm pumping gpm
<u>u</u>	Est. Yield gpm: Well water  E Bore Hole Diameter 8.5 in. to	was	. alter nouis	pumpinggpm
₩ W	Bore Hole Diameter 8.5 in. to WELL WATER TO BE USED AS: 5 Pu  1 Domestic 3 Feed lot 6 Oi	23	tt. and	rr. to ft.
	1 Demostic 3 Food lot 6 Oi	Iblic water supply	9 Dewstering 1	12 Other (Specify below)
swX -se	Domestic 3 Feed tot 0 OF	i lielu water supply	9 Dewatering	2 Other (Specify below)
	2 Irrigation 4 Industrial 7 La	wn and garden (domestic	e) 10 Monitoring well	
V	Was a chemical/bacteriological sample so	ubmitted to Department?	Yes No 👗 If yes	, mo/day/yr sample was
S	submitted	Wat	ter Well Disinfected? Yes	No X
5 TYPE OF BLANK CASING US	SED: 5 Wrought Iron	8 Concrete tile	CASING JOINTS: Glue	ed Clamped
1 Steel 3	RMP (SR) 6 Ashestos-Cement	9 Other (specify help)	w) Weld	heh
(2 BVC)	ARS 7 Elbardon	Callot (Specify below	The	eded Flush
4	/ riberglass		ınre	aueu I Iusii
Blank casing diameter 2	in. to 12.3 ft., Dia	in. to	tt., Dia	in. to ft.
Casing height above land surface	ABS 7 Fiberglass  in. to 12.5 ft., Dia  Flush in., weight 0	.703 lbs./ft.	Wall thickness or gauge No.	Sch. 40
TYPE OF SCREEN OR PERFOR	ATION MATERIAL:	(7 PVC)	10 Asbestos-ceme	ent
	Stainless steel 5 Fiberglass	8 RMP (SR)	11 Other (specify)	
	Galvanized steel 6 Concrete tile	9 ABS	12 None used (op 8 Saw cut 9 Drilled holes	en hole)
SCREEN OR PERFORATION OF		d wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot		.appea	G. 2	
<ol><li>Louvered shutter</li></ol>	4 Key punched 7 Torch	cut	10 Other (specify)	
SCREEN-PERFORATED INTERV	VALS: From 12.5 ft. to	<b>22.5</b> ft. F	rom ft. 1	to ft.
	From ft. to		rom ft. f	to ft.
GRAVEL PACK INTERVA		23 ft F	rom ft i	to ft.
OTO (VEZT / OK II (VEXT)	From # to	A F		to ft.
6   0-0.1-1.1-1	From ft. to			
GROUT MATERIAL: 1	Neat cement 2 Cement grout	3 Bentonite	4 Other Concrete	
Grout Intervals From 0	Neat cement         2 Cement grout           ft. to         1           ft. From         1	ft. to 10	ft. From	ft. toft.
What is the nearest source of pos	sible contamination:	10 Livest	ock pens 14 Ab	andoned water well
1 Septic tank	4 Lateral lines 7 Pit privy		torage 15 Oil	well/ Gas well
2 Sewer lines	5 Cess pool 8 Sewage la	agoon 12 Fertiliz	er storage 16 Ott	her (specify below)
3 Watertight sewer lines			icide storage	
Direction from well?		How many		,
FROM TO CODE	LITHOLOGIC LOG	FROM TO	PLUGGING IN	VTERVALS
0 3	Sandy lean clay, light brown			
3 16	Sand, tan, fine grained			
	Sand, tan, fine to medium			
16 23	grained			
	<u> </u>			
	<del>                                     </del>			
7 CONTRACTOR'S OR LANDO	WNER'S CERTIFICATION: This water well was			
completed on (mo/day/yr)	3-12-03	and this record is tru	ue to the best of my knowled	
Water Well Contractor's License N	No. 531	This Water Well Red	pro was completed on (no/	(day/yr) / 4-9-03
	Geotechnical Services, Inc.	by (signature)	11/11- 7%	1-17-
under the business name of	blanks and circle the correct answers. Send three co	nies to Kansas Denartment	of Health and Environment Ru	ureau of Water. 1000 S W
Jackson St., Ste. 420, Topeka.	Kansas 66612-1367. Telephone: 913-296-5545. Se	nd one to WATER WELL O	WNER and retain one for your	records.