

1 LOCATION OF WATER WELL:		Fraction	Section Number		Township Number		Range Number	
County: <b>Sedgwick</b>		<b>SW</b> $\frac{1}{4}$ <b>NW</b> $\frac{1}{4}$ <b>SE</b> $\frac{1}{4}$	<b>28</b>		<b>T 27 S</b>		<b>R 1</b>	
Distance and direction from nearest town or city street address of well if located within city? <b>1318 S. Washington</b>								
2 WATER WELL OWNER:		<b>Kenneth Stewart</b>						
RR#, St. Address, Box #		<b>3901 N. Harding</b>						
City, State, ZIP Code		<b>Wichita, KS 67220</b>						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		Board of Agriculture, Division of Water Resources Application Number:						
4 DEPTH OF COMPLETED WELL		23 ft. ELEVATION: 1293.30 TOC						
Depth(s) Groundwater Encountered		1 16.9 ft. 2 ft. 3 ft.						
WELL'S STATIC WATER LEVEL		17.76 ft. below land surface measured on mo/day/yr 3-17-03						
Pump test data: Well water was		ft. after hours pumping gpm						
Est. Yield gpm: Well water was		ft. after hours pumping gpm						
Bore Hole Diameter		8.5 in. to 23 ft. and in. to ft.						
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well						
1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)		2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No X		If yes, mo/day/yr sample was submitted						
5 TYPE OF BLANK CASING USED:		5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped						
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded		2 PVC 4 ABS 7 Fiberglass Threaded Flush						
Blank casing diameter		2 in. to 12.5 ft. Dia in. to ft. Dia in. to ft.						
Casing height above land surface Flush		in., weight 0.703 lbs./ft. Wall thickness or gauge No. Sch. 40						
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement						
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)		2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)						
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 10 Other (specify)		2 Louvered shutter 4 Key punched 7 Torch cut						
SCREEN-PERFORATED INTERVALS:		From 12.5 ft. to 22.5 ft. From ft. to ft.						
GRAVEL PACK INTERVALS:		From 10 ft. to 23 ft. From ft. to ft.						
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete						
Grout Intervals From 0 ft. to 1 ft. From 1 ft. to 10 ft. From ft. to ft.		What is the nearest source of possible contamination:						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well		2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/ Gas well						
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)		13 Insecticide storage						
Direction from well?		How many feet?						
FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS								
0 2 Fat Clay, dark brown, w/crushed rock								
2 8 Lean Clay, tan								
8 13 Sand, tan, fine grained								
13 15 Lean Clay, light brown								
15 23 Sand, tan, fine to med. grained								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 3-12-03 and this record is true to the best of my knowledge and belief. Kansas		Water Well Contractor's License No. 531 This Water Well Record was completed on (mo/day/yr) 4-9-03						
under the business name of Geotechnical Services, Inc. by (signature)								
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.								