	WATER WELL	RECORD	Form W	WC-5	(SA 82a-12	212			
1 LOCATION OF WATER WELL: FRACTION		_		CTION NUMBE		HIP NUMBER	RANGE N		
- Sedgwick	NW 1/4 SI		E 1/4	33	T	27 S	R 1E	E E/W	
Distance and direction from nearest town or city			V						
1/4 m. S. of Harry on West	HITA, CITY OF	Wichita, 1	Kansas						
	N. Main					Board of Agr	riculture, Division of V	Vater Resource	
l control of the cont	nita, Kansas		7	ZIP CODE: 6	57202	Application Nur	mber: 2003	30011	
	DEPTH OF COLLEGES	WELL:	40 ft.		ELEVATION				
WITH AN "X" IN SECTION BOX:	pth of groundwater Enco		1	t.		ft.		ft.	
11 	ELL'S STATIC WATER L				URFACE MEAS	SURED ON mo/	day/yr: 4/16	5/03	
3 1 1 1	Pump tes		water was	O , , L	ft. after		s of pumping @	gpm	
		pm Well	water was		ft. after	hours	s of pumping @	gpm	
W Be	ore Hole Diameter	in.	to	fi	t. and	in.	to	ft.	
←	ELL WATER TO BE USE			7.1		9. Dewater	ing 11. Injer	ction well	
	. Domestic 3. Feedi		water supply		and garden or	10. Monitori		pecify below)	
	 !. irrigation 4. indus Vas a chemical/bacteriological 		d water suppl to Department?	y 8. Airco YES	nditioning		what mo/day/yr v	vas sample	
-	bmitted	ar sample submitted	to Department:		Water Well Dis	infected?	YES	NO	
5 TYPE OF CASING USED:	5. Wrought Iron	7. Fibergla	9. (Other (Specif	y below) CA	ASING JOINTS:	Glued	Threaded	
1. Steel . 3. RPM (SF	₹) .	•					Welded	Clamped	
2. PVC 4. ABS	6. Asbestos-Ceme		e tile						
	in. to	ft., Dia.	in.	to	ft.,	Dia.	in. to	ft.	
Casing height acce:	36 in.,	Weight:		lbs. / ft.	Wall	thickness or gaug	ge No.		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC				A D C	11 (Other (specify)	N/A		
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR)				9. ABS 11. Other (specify) IN/A 10. Asbestos-Cement 12. None used (open hole)					
1		o. ran (or	() 10.7	75065105-06	inent 12.1	tone used (open	noie)		
SCREEN OR PERFORATION OPENING 1. Continuous slot 3. Mill slo		d wrapped	7 7	orch cut	0 D *	illed holes	11. None (o	nen hole)	
		• •						ipen noie;	
2. Louvered shutter 4. Key pu	unched 6. Wire w	rapped	8. S	aw cut	10. Ot	her (specify) N	/A		
SCREEN - PERFORATION INTERVAL	From	ft.	to	ft.,	From	ft.	to	ft.	
	From	ft.	to	ft.,	From	ft.	to	ft.	
GRAVEL PACK INTERVALS:	From	ft.	to	ft.,	From	ft.	to	ft.	
	From	ft.	to	ft.,	From	ft.	to	ft.	
6 GROUT MATERIALS: 1. Neat of	cement 2. (Cement Grout		3. Bentonite	•	Other bent	onite hole plu	ıg	
Grout Intervals: From 3	ft. to 20	ft., From	n ft	. to	ft.,	From	ft. to	ft.	
What is the nearest source of possible co	7 Dia	rivv	10. Livesto	ck pens	13. Ins ec	ticide storage	15. Oil well/G	as well	
9 Causan Ianan 1				Fuel storage 14. Abandon water well 16. Other (specify below					
		•	12. Fertilize		TT. Abair	don water wen		•	
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12 Direction from well? West				utorugo	How r	many feet? 10			
	LITHOLOGIC LO	G	From	То	I		GIC LOG		
			0	3	surface cla				
			3	20	bentonite l				
				40	chlorinate	d sand & gra	ıvel		
				 					
					<u> </u>				
				 					
			<u> </u>		L				
7 Contractor's or Landowner's Certific	ation: This water well wa	as 1. construct	ted 2. re	constructed	d or 3. 🤇	plugged	under my jurisdicti	on and	
was completed on (mo/day/year)	4-16-2003	and this recor	rd is true to th	e best of my	knowledge and	belief.			
Kansas Water Well Contractor's Licens	se No. 236	This water	well record w	as completed	d on (mo/day/ye	ear) 4-18	-2003		
under the business name of Harn V	under the business name of Harp Well & Pump Service Inc. by (signature)								
. ILWI P						, , , , , , , , , , , , , , , , , , ,	LL		