		WATER W	ELL RECO	RD F	orm WV	VC-5 ł	KSA 82a-12	212			
1 LOCATION OF WA	TER WELL:	FRACTION			SEC	TION NUMBE	ER TOWNSH	IIP NUMBER	RANGE	NUMBER	
Sedgwick		NW 1/4	NE 1/4	SW	1/4	20	Т 2	27 s	R 1	E E/W	
	from nearest town or city			ty?							
711 W. Dou		Wichita, K									
2 WATER WEL		DIT UNION	OF AMERI	CA				Board of Agr	iculture Division of	Motor Doonuses	
	RR#,ST. ADDRESS,BOX #: 711 W. Douglas						Board of Agriculture, Division of Water Resource				
CIT		hita, Kansas		4.0		IP CODE:		Application Nur	nber:		
3 LOCATE WELL'S	LOCATION 4	DEPTH OF COMP	PLETED WELL:	40	ft.		ELEVATION:				
4		pth of groundwate	r Encountered:		ft.			ft.		ft.	
	ļ Wi	ELL'S STATIC WA	ATER LEVEL	15	FT. BELC	W LAND S	SURFACE MEAS	SURED ON mo/o	day/yr: 7 /1	9/03	
NW	NE	Pu	mp test data:	Well wate	r was		ft. after	hours	of pumping @	gpm	
w Z	,	Est. Yield:	gpm	Well water	r was		ft. after	hours	of pumping @	gpm	
≥ w	E B	ore Hole Diameter	r 1 2 ir	n.	to 4	10 f	t. and	in.	to	ft.	
-sw	1 1 - 1	ELL WATER TO B						9. Dewateri	ng 11. Inje	ection well	
Sw							and garden on			Specify below)	
	1			Oil field wa				10. Monitoria	ng well what mo/day/yr	was sample	
		Vas a chemical/bacte ibmitted	nological sample sc	romitted to De	pariment?	YES Was	Water Well Disi		YES	NO	
5 TYPE OF C	ASING USED:				0.0				=	-	
1. Steel	3. RPM (SF	R) 5. Wrought	Iron 7. F	Fiberglass		ther (Specif	ry below) CA	SING JOINTS: (Glued Welded	Threaded	
2. PVC	4. ABS	6. Asbestos	s-Cement 8. 0	Concrete tile	SD	R-26			weided	Clamped	
Blank casing diam	eter 5	in. to	23 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.	
Casing height abo	ove land surface:	12 in.,	w	eight: 2	2.35 II	os. / ft.	Wall t	hickness or gaug			
	NOR PERFORATION		•••	olgin. A		JS. / IC.	want	riickriess or gauç	ge No214	•	
1. Steel	3. Stainless Steel	5. Fiberglass	(7. P	VC>	9. A	BS	11. C	ther (specify)			
2. Brass	4. Galvanized	6. Concrete T	ile 8. R	MP (SR)	10. A	sbestos-Ce	ement 12. N	one used (open	hole)		
SCREEN OR DER	FORATION OPENING	29 ADE:		. ,				` '	/		
1. Continuous s			Gauzed wrappe	н	7 T o	rch cut	9 Dri	llad balas	11 None /	onon hole)	
								9. Drilled holes 11. None (open hole)			
2. Louvered shu	tter 4. Key pı	unched 6. V	Wire wrapped		8. Sa	w cut	10. Oti	ner (specify)			
SCREEN - PERFO	RATION INTERVAL	From	23 ft.	to	40	ft.,	From	ft.	to	ft.	
		From	ft.	to		ft.,	From	ft.	to	ft.	
GRAVEL F	PACK INTERVALS:	From	23 ft.	to	40	ft.,	From	ft.	to	ft.	
		From	ft.	to		ft.,	From	ft.	to		
6 GROUT MATE	RIALS: 1 None		(6.010			· · · · · · · · · · · · · · · · · · ·				ft.	
Crout Intervals: 5-and 2.2 Centering Group S. Bentonite								onite hole pl	U		
Grout Intervals: From 3 ft. to 23 ft., From ft. to ft., From ft. to What is the nearest source of possible contamination:							ft.				
1. Septic tank	l					k pens	13. insec i	ticide storage	15. Oil well/6	Gas well	
						Fuel storage 14. Abandon water well 16. Other (specify below)					
3. Watertight se	ver line 6. Seepag	ge pit 9.	. Feed yard	12	Fertilizer	storage					
Direction from well	TY .	0 - p	-			_	How m	any feet? 15			
From To		LITHOLOGIC	CLOG		From	То		LITHOLO	GIC LOG	· · · · · · · · · · · · · · · · · · ·	
0 3	topsoil									·····	
3 10	clay										
10 20	medium sand										
20 40	medium coars	se sand									
			· · · · · · · · · · · · · · · · · · ·				ļ		****		
							-	· · · · · · · · · · · · · · · · · · ·			
							ļ				
							<u> </u>				
7 Contractor's o	r Landowner's Certific	cation: This water	well was 1. co	nstructed) 2, red	constructed	d or 3.	plugged (ınder my jurisdic	tion and	
was completed of	n (mo/day/year)	7-19-2003	and th	is record is	true to the	best of my	knowledge and	belief.			
Kansas Water W	ell Contractor's Licens	se No. 23							2002		
under the hydrogeneous of TV VV II O D CO L V											
under the busines	ssname of Harp	well & Pump	Service Inc.	•	by (sig	nature)	7	<u>dd S.</u>	Harn		