WATER WELL RECORD	Form WWC-5	KSA 82a-1212	
1 LOCATION OF WATER WELL: FRACTION	SECTION NUMB		RANGE NUMBER
Sedgwick SE 1/4 NW 1/4 NE Distance and direction from nearest town or city street address of well if located within city?	1/4 30	T 27 S	R 1E E/W
525 S. Millwood Wichita, Kansas			
2 WATER WELL OWNER: STENHOLM ESTATE, Marjorie			
RR#,ST. ADDRESS,BOX #: 525 S. Millwood		Board of Ago	riculture, Division of Water Resource
CITY, STATE: Wichita, Kansas	ZIP CODE:	Application Nu	mber:
UCCATE WELL'S LOCATION WITH AN 'X' IN SECTION BOX:	29 ft.	ELEVATION:	
Depth of groundwater Encountered:	ft.	ft.	ft.
WELL'S STATIC WATER LEVEL 16		SURFACE MEASURED ON mo/	,,
	ater was ater was		s of pumping @ gpr
Est. Yield: gpm Well was Bore Hole Diameter in.		ft. and in.	s of pumping @ gpn to ft.
WELL WATER SE USED AS:		9 Dewater	44 Intention well
	ater supply 7. Lawn	and garden only	12. Other (Specify below
2. irrigation 4. Industrial 6. Oil field was a chemical/bacteriological sample submitted to	vater supply 8. Air co		ng well what mo/day/yr was sample
submitted	1.20	Water Well Disinfected?	YES NO
TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglass	9. Other (Speci	fy below) CASING JOINTS:	Glued Threaded
1. Steel 3. RPM (SR)			Welded Clamped
2. PVC 4. ABS 6. Asbestos-Cernent 8. Concrete Blank casing diameter 6 in to ft., Dia.		# D:-	
below 36	in. to	ft., Dia.	in. to ft.
Casing height above land surface: 30 in., Weight: TYPE OF SCREEN OR PERFORATION MATERIAL:	lbs. / ft.	Wall thickness or gauge	g e No.
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC	9. ABS	11. Other (specify)	N/A
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR)	10. Asbestos-Ce	ement 12. None used (open	hole)
SCREEN OR PERFORATION OPENINGS ARE:		•	
1. Continuous slot 3. Mill slot 5. Gauzed wrapped	7. Torch cut	9. Drilled holes	11. None (open hole)
Louvered shutter	8. Saw cut	10. Other (specify) N	/A
SCREEN - PERFORATION INTERVAL From ft. to	ft.,	From ft.	to ft.
From ft. to	ft.,	From ft.	to ft.
GRAVEL PACK INTERVALS: From ft. to	o ft.,	From ft.	to ft.
From ft. to	o ft.,	From ft.	to ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout	3. Bentonit	e Other bent	onite hole plug
Grout Intervals: From ft. to ft., From	ft. to	ft., From 3	
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy	0. Livestock pens	13. Insecticide storage	15. Oil well/Gas well
<u> </u>	11. Fuel storage	14. Abandon water well	18. Other (specify below)
3. Watertight sewer line 6. Seepage pit 9. Feed yard	12. Fertilizer storage		
Direction from well? North		How many feet? 8	
From To LITHOLOGIC LOG	From To		GIC LOG
	3 25	surface clay and silt	
	3 25 25 29	hentonite hole plug chlorinated sand & gra	vel
		CHANT HARCH SAINT LE ET A	
	ļ		
			
			W
,			
-	L		
Contractor's or Landowner's Certification: This water well was 1. constructed			under my jurisdiction and
was completed on (mo/day/year) 8-13-2003 and this record is true to the best of my knowledge and belief.			
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 8-14-2003			
under the business name of Harp Well & Pump Service Inc. by (signature)			