

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Sedgwick</u>		<u>SW 1/4 SW 1/4 SW 1/4</u>	<u>33</u>	<u>T 27 S</u>	<u>R 1 E</u>
Distance and direction from nearest town or city street address of well if located within city? <u>*100' Southeast of intersection of Blake/Broadway in alley</u>					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # : <u>455 N. Main</u>		Application Number: <u>MLW-18</u>			
City, State, ZIP Code : <u>Wichita, KS 67202</u>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>26</u> ft. ELEVATION: <u>18.40</u> ft.			
		Depth(s) Groundwater Encountered 1. <u>18</u> ft. 2. <u>18.40</u> ft. 3. <u>4/10/03</u> ft.			
		WELL'S STATIC WATER LEVEL <u>18.40</u> ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was <u>—</u> ft. after <u>—</u> hours pumping <u>—</u> gpm			
		Est. Yield <u>—</u> gpm; Well water was <u>—</u> ft. after <u>—</u> hours pumping <u>—</u> gpm			
		Bore Hole Diameter: <u>3.5</u> in. to <u>26</u> ft., and <u>—</u> in. to <u>—</u> ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes. <u>—</u> No. <u>X</u> ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes <u>—</u> No <u>X</u>			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued. <u>—</u> Clamped. <u>—</u>			
1 Steel 3 RMP (SR) 2 PVC 4 ABS		5 Wrought iron 8 Concrete tile 6 Asbestos-Cement 9 Other (specify below) 7 Fiberglass			
Blank casing diameter <u>—</u> in. to <u>26</u> ft., Dia <u>—</u> in. to <u>—</u> ft., Dia <u>—</u> in. to <u>—</u> ft.		Welded <u>—</u> Threaded <u>X</u>			
Casing height above land surface <u>—</u> in., weight <u>—</u> lbs./ft. Wall thickness or gauge No. <u>SCH 40</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) <u>—</u> 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) <u>—</u> ft.			
SCREEN-PERFORATED INTERVALS: From <u>1.6</u> ft. to <u>26</u> ft., From <u>—</u> ft. to <u>—</u> ft.					
GRAVEL PACK INTERVALS: From <u>13</u> ft. to <u>26</u> ft., From <u>—</u> ft. to <u>—</u> ft.					
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout 3 Bentonite 4 Other <u>—</u> Grout Intervals: From <u>2</u> ft. to <u>13</u> ft., From <u>—</u> ft. to <u>—</u> ft., From <u>—</u> ft. to <u>—</u> ft.			
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage			
Direction from well? <u>North</u>		How many feet? <u>2700</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	4	Silty Clay			
4	8	Clay			
8	15	Sand, fine, poorly sorted			
15	20	Sand, med to coarse, well sorted			
20	26	Sand, coarse w/ gravel well sorted			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>4/2/03</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. <u>710</u> This Water Well Record was completed on (mo/day/yr) <u>4/13/03</u> under the business name of <u>Below Ground Surface, Inc.</u> by (signature) <u>[Signature]</u>					