	WATER WELL REC	ORD Form WWC-5	KSA 82a-	1212 ID No	0031228	4	
1 LOCATION, OF WATER WELL	Fraction			tion Number	Township Numbe		
County: Deagwick		NE 1/4 NW		O	т 27	S R C	W
Distance and direction from neares	st town or city street a	address of well if located	within city?				
2 WATER WELL OWNER: DE	TAMO	, Wichita,	<u> </u>				
	17.10 12. E. 21st	street			Board of Agricult	ture, Division of Water Resour	rces
City, State, ZIP Code :	ichitz . Y c	1.7214			Application Num	ber:	
3 LOCATE WELL'S LOCATION W	ITH 4 DEPTH OF C	OMPLETED WELL	25	ft. ELEVAT	ION:OI	52	
AN "X" IN SECTION BOX:	Depth(s) Groun	ndwater Encountered	117	ft.	2	yr9/12/03	ft.
N						/yr <b>7././</b> ours pumping g	
						ours pumping g	
NW NE		TO BE USED AS: 5 I	Public water s	supply	8 Air conditioning	11 Injection well	
w - ! !	1 Domestic E 2 Irrigation	3 Feedlot 6 ( 4 Industrial 7 I	Oil field water Domestic (lav	r suppiy vn & garden) <b>(</b>	Monitoring well	12 Other (Specify below)	
				, ,	mw-B		
sw se	Was a chemica	l/bacteriological sample :	submitted to I	Department? Ye	es No <b>X</b> : If v	yes, mo/day/yrs sample was s	sub
1 1	mitted				ter Well Disinfected? Ye		
S							
5 TYPE OF BLANK CASING US	ED:	5 Wrought iron	8 Concre	ete tile	CASING JOINTS:	: Glued Clamped	
1 Steel 3 RMF 2 PVC 4 ABS	` '	6 Asbestos-Cement		(specify below)		Welded	
Blank casing diameter		7 Fiberglass		in to		Threadedin to	
Casing height above land surface .	Flushmount	in weight	***************************************	111. 10	bs./ft. Wall thickness or	r guage No. Sch 40	
TYPE OF SCREEN OR PERFORA	ATION MATERIAL:	, <b>g</b>	Øv		10 Asbestos		
1	nless Steel	5 Fiberglass		IP (SR)	, ,	pecify)	
	vanized Steel	6 Concrete tile	9 AB	S		ed (open hole)	
SCREEN OR PERFORATION OPI	Mill slot 0.0	5 Guaz	ed wrapped wrapped		8 Saw cut 9 Drilled holes	11 None (open hole)	
	4 Key punched	7 Torch					ft.
SCREEN-PERFORATED INTERV		ft. to	25	ft From		. ft. to	ft.
	From	ft. to		ft., From		. ft. to	ft.
GRAVEL PACK INTERV						. ft. to . ft. to	
				11., 7 10111			
⊢	Neat cement	2 Cement grout	<b>€</b> ent	onite 4	Other		
Grout Intervals: From	<b>J</b> ft. to	ft., From	ft. t			ft. to	ft.
What is the nearest source of possible contamination:  1 Septic tank 4 Lateral lines		7. Diá paire.		10 Livestock pens		14 Abandoned water well	
2 Sewer lines 5 Cess pool		7 Pit privy 8 Sewage lagoon		11 Fuel storage 12 Fertilizer storage		16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit		9 Feedyard		13 Insecticide storage		To Guilor (appearly bolow)	. <b>.</b>
Direction from well? North		,		How many	. — .		
FROM TO	LITHOLOGIC	LOG	FROM	TO	PLUGGII	NG INTERVALS	
0 .25 A spha	elt,						
	crata Rubb						
	i gray clau						
4.0 9 Bro		IClay					
9 13 Brow 13 San		•					
500	4						
CONTRACTOR'S OR LANDOV	VNER'S CERTIFICAT	TION: This water well wa	as(17) constru	icted, (2) recon	structed, or (3) plugge	d under my jurisdiction and v	was
completed on (mo/day/year)	114103	This Motor	Wall Booord	and this reco	ora is true to the best of	my knowledge and belief. Kan	ısas
under the business name of $\coprod$ ( $\triangle$	NOEX	mis vvater	**EII NECOIG		ignature)		
INSTRUCTIONS: Use typewriter or ball po	pint pen. PLEASE PRESS F	IRMLY and PRINT clearly. Please	fill in blanks, und	lerline or circle the co	orrect answers. Send top three	e copies to Kansas Department of Healt	th
and Environment, Bureau of Water, Geologrecords. Fee of \$5.00 for each constructed	gy Section, 1000 SW Jackso	on St., Suite 420, Topeka, Kansas	66612-1367. Tel	ephone 785-296-552	22. Send one to WATER WELI	_ OWNER and retain one for your	