			TER WELL REC	ORD F	om WWC-5	KSA 82a-		0319964	
1 LOCATION OF				× ,		ction Number	,	1	Range Number
	SEDGWIC			4 NE		23	т 27	s	R 01 (E)W
	E. CENTRAL	est town or city street	address of well	if located v	within city?				
2 WATER WELL	OWNER:	VALERO	ENERGY C	ORP					
RR#, St. Address,	Box # :	5590 HAV	'ANA ST. U	NIT B			Board of Agri	culture, Divis	ion of Water Resources
City, State, ZIP Co	de :	DENVER	DENVER CO 80239 Application Number:						
3 LOCATE WELI		WITH 4 DEPTH OF	COMPLETED	WELL	20) ft ELE			05 (TOC)
	N	Denth(s) Grou	ndwater Encoun	torad 1	1	5 6		# 3	
A		Depth(s) Grou	nowater Encoun	rered i		J	. 2	n. 3	05 (TOC) ft. 8-27-03
†	,x-	WELLSSIAI	IC WATER LEV	EL	ο.0 3 π	below land s	surface measured	on mo/day/y	
n'w	NE								mpinggpm g
		Est. Yield	gpm: \	Nell water	was		ft. after	hours pu	mpinggpm j
§ W		E Bore Hole Diar	meter 8.5	in. to	2	0	ft. and	in.	to ft. Injection well Other (Specify below)
7	1 1	WELL WATER	TO BE USED	AS: 5 Pi	ublic water s	upply	8 Air condition	ning 11	Injection well
sw	se	1 Domes	tic 3 Feed lot	6 Oi	il field water	supply	9 Dewatering	12	Other (Specify below)
		2 Irrigation	n 4 Industria	al 7 La	wn and gam	den (domesti	c) 10 Monitorin	g well	
▼	<u> </u>	Was a chemica	al/bacteriological	l sample s	ubmitted to i	Department?	Yes No X	lf yes, n	no/day/yr sample was
	s	submitted				Wa	ter Well Disinfecte	d? Yes	No X
5 TYPE OF BLAN	IK CASING US	ED:	5 Wrought	Iron	8 Concr	ete tile	CASING JOI	VTS: Glued	Clamped
1 Steel	3 F	RMP (SR)	6 Asbesto	s-Cement	9 Other	(specify belo	w)	Welded	
2 PVC	4 /	ABS	7 Fibergla						ed FLUSH
	tor 2	in to	, ribergia.	33	:		# Di-	Tillead	1 20011
Cosing training training	ilei 🚣	in. to	π., Δια		In. t		π., υια		1. toft.
Casing neight abov	e land surface	FLUSH	in., weight		1.703	lbs./ft.	Wall thickness or	gauge No.	5CH. 4U
0. 00/122									
1 Steel	3 8	Stainless steel	5 Fiberglas	SS	8	RMP (SR)	11 Othe	r (specify)	
2 Brass	4 (Jaivariizeu Steet	6 Concrete	tile	9	ADO	12 None	e usea (open	noie)
1 Continuou	e clot	2 Mill plot		S Gauze	mpned		0.0-11-4 5-1	1	1 None (open hole)
2 Louvered	shutter	4 Key punched		7 Torch	rapped		10 Other (spec	5 .\	
SCREEN-PERFOR	ATED INTERN	/AI S: From	5 #	* 101011	20		ro Oulei (spec	(y)	
00.12211727401	STILD HATERY	From							ft.
		rrom	π.	το	20	π	rom	π. το	ft.
GRAVELP	ACK INTERVA	LS: From	4 ft.	to	20	ft. F	rom	ft. to	ft.
		From	ft.	to		ft. F	rom	ft. to	ft.
GROUT MATER	RIAL: 1 N	Neat cement	2 Cement grout	:	3 Ben	tonite	4 Other		ft. to ft.
Grout Intervals F	rom 1	п. ю	ft. From		ft. t	o	ft. From		ft. to ft.
What is the nearest	addition of post	noic contamination.				IO LIVESI	ock pens	14 Aban	doned water well
 Septic tank 	•	4 Lateral lines							ell/ Gas well
2 Sewer line	S	5 Cess pool				12 Fertilizer storage 16 Other (specify below)			
3 Watertight	sewer lines	6 Seepage pit	9	Feedyard		13 Insect	icide storage		
Direction from well?						How many	feet?		
FROM TO			LOGIC LOG		FROM	TO	PLU	IGGING INT	RVALS
0 0.	5	ASPHALT							
0.5		LEAN CLAY, E	BROWN, SO	ME					
0.5 20	,	SAND, HARD							
						ļ			
						<u> </u>			
7 CONTRACTOR	SOBLANDO	VNED'S CEDITION	ION. This		(1)	20)			thude dieties and tree
		VNER'S CERTIFICAT		well was					
completed on (mo/d			4-03			,	L .		and belief. Kansas
Water Well Contrac			531			ater Well Re	ora was complete	ed on (mo/da)	//yr 10-10-03
under the business		GEOTECHNICA				nature) /	Music	W.	ton
INSTRUCTION	S:. Please fill in	blanks and circle the cor	rect answers. Se	nd three co	pies to Kansa	as Department	of Health and Envir	onment, Burea	u of Water, 1000 S W
Jackson St., Ste	. 420, Topeka, K	Cansas 66612-1367. Te	ephone: 913-296	5-5545. Se	nd one to WA	TER WELL O	WNER and retain o	ne for your rec	oras.