			TER WELL REC	ORD Form WW	C-5 KSA 82a	-1212 ID No	•		
1 LOCAT	CION OF WA		Fraction	SE 1/4 NO	$\mathcal{D}_{\frac{1}{4}}$ Se	ction Number	Township Number	Range Number	
Distance and direction from nearest town or city street address of well if located within city? 5530 E. Central Aue; Wichta Ks									
2 WATER WELL OWNER: LBJ Partnership									
P	ddress, Box	# : 60	6W. 47-	th.St.			Board of Agricultu Application Numb	ure, Division of Water Resources	
<u> </u>			A DEPTH OF C	OMPLETED WELL	1312'	ft FL F\/AT			
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 1 6   AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3   N WELL'S STATIC WATER LEVEL 1 ft. below land surface measured on mo/day/yr ft. 3									
	1		Pur	mp test data: Well v	water was	ft. al	ter ho	urs pumping gpm	
NW NE   Est. Yield									
	Image: Second state Image: Second state<								
W I I I Domestic 3 Feedlot 6 Oil field water supply Dewatering 12 Other (Specify below)   W I I I I Industrial 7 Domestic (lawn & garden) 10 Monitoring well 12 Other (Specify below)									
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No .X; If yes, mo/day/yrs sample was su mitted mitted									
	S								
5 TYPE		CASING USED: 3 RMP (S		5 Wrought iron 6 Asbestos-Cemer	8 Conci nt 9 Other	ete tile (specify below)		Glued Clamped	
2 PVC	T	4 ABS	,	.7 Fiberglass				Threaded X	
Blank casi	ng diameter	<i>a</i> .375	in. to <b>3</b> .	/ə ft., Di	a	in. to	ft., Dia	ft.	
Casing he	ight above la	and surfaceF.	ush ML.	in., weight		I	bs./ft. Wall thickness or	guage No Sch 42	
TYPE OF	SCREEN O	R PERFORATIO	N MATERIAL:		7 P		10 Asbestos		
1 Stee		3 Stainles		5 Fiberglass	•			ecify)	
2 Bras		4 Galvania		6 Concrete tile				ed (open hole)	
SCREEN OR PERFORATION OPENINGS ARE: 5 Guazed wrapped 8 Saw cut 11 None (open hole)   1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)ft.									
SCREEN-PERFORATED INTERVALS: From									
1		CK INTERVALS	From	3 1/2 ft. to	212	ft., From . ft From		ft. toft. ft. toft.	
	GRAVELFA	OK INTERVALS	From			ft., From .		ft. to	
						-			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other CUMUND. Grout Intervals: From									
	rvals: Fro		2	ft., From					
_		urce of possible		4 10 Livesto				14 Abandoned water well	
	otic tank		ral lines	•	7 Pit privy			15 Oil well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify beld								re Other (specily below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage   Direction from well? South weath How many feet? 60'									
FROM	TO	juin ur	LITHOLOGIC		FROM	TO		IG INTERVALS	
	76	Contin		200					
175	5.0	ning l	VONDAU	Want trac	Ainu	int			
5.0	120	It Doll	RIGALA	1 WICOM	bo Moi	nt tinh	カ		
13.D	13.6	1211 NI	BIOFICE	5 Asste	tore par	doi		the second se	
1	10.0	-	- Light	a many o	ag in				
							F.H. OKO	Dy D. Taylor	
-									
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed. (2) reconstructed, or (3) plugged under my jurisdiction and was									
	on (mo/day/							my knowledge and belief. Kansas	
1				This W	ater Well Record		l on (mo/day/yr)	Pro ha	
		ne OBS					ignature ame	soull	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.									