[4] LOOATION CETTOR		ATEN WELL INC	CORD Form WV		4 82a-1212	ID No.			
1 LOCATION OF WATER WELL:	Fraction SW	,, NE	AINA!	Section No.	ì	Township Ni 27		Range Nu	_
County: Sedgwick Distance and direction from nearest tow			1/4 NW 1/4		<u></u>	27	S	R 01	
Drainage R-O-W N of E					f Creek @	~ Piatt &	Hydraulic	Streets)	
2 WATER WELL OWNER:		acific Railro							
RR#, St. Address, Box #	1416 Doc	dge Street, l	Room 930		Во	ard of Agric	ulture, Divisi	on of Water R	esources
City, State, ZIP Code :	Omaha N	IE 68179			Ap	plication Nu	mber:		
3 LOCATE WELL'S LOCATON WITH	4			26.2 "	E: E: (A TIO)				
AN "X" IN SECTION BOX:		F COMPLETED	WELL .	20.3 π.	ELEVATIO	и:			
N	Depth(s) Grou	undwater Encou	intered 1		π. 2		π. 3		π.
			VEL						
P NE			Well water was		ft. after		hours pur	nping	gpm
<u></u>			Well water was	26 E	n. atter		nours pur	mping o	gpm
E E	Bore Hole Dia	meter 0.3	in. to	ZO.3	ft. and) Air condition	in. t	O Injection well	· ^{ft.}
	1 Dome	stic 3 Feed k	in. to AS: 5 Public wort 6 Oil field	ater supply water supply	9	Dewatering	12	Other (Specify	y below)
SW SE	2 Irrigati	ion 4 Industr	iał 7 Lawn an	d garden (do	mestic) 10	Monitoring	well	, ,	
♦ 	1								
S	i	:ai/bacteriologic	al sample submitte	ed to Departi					,
5 TYPE OF BLANK CASING USED:	submitted	E 141		0			d? Yes		
	CD)	_		Concrete tile		ASING JUIN	_	Clam	
(1,1,1,1)	5K)		os-Cement 9 (Other (specif	y below)	•	Welded		- L
2 PVC 4 ABS	_	7 Fibergla						d Flu	
Blank casing diameter 2 Casing height above land surface FI	in. to 1	6.1 ft., Dia	a	_ in. to	ft., C)ia	in	. to	ft.
Casing height above land surface FI	ushmount	in., weight	0.703	. 11	bs./ft. Wall th	nickness or g	gauge No.	Sch.	40
TYPE OF SCREEN OR PERFORATION	MATERIAL:			7 PVC		10 Asbe	stos-cement		
1 Steel 3 Stainle	ss steel	5 Fibergla	ass	8 RMP (SR)	11 Other	(specify)		
	nized steel	6 Concre		9 ABS		12 None	used (open	hole)	
SCREEN OR PERFORATION OPENIN			5 Gauzed wrap	•	8 S	aw cut	11	None (oper	n hole)
the state of the s	Mill slot		6 Wire wrappe	d	_	rilled holes			
	Key punched		7 Torch cut	• 4	10 C	ther (specif	ý)		
SCREEN-PERFORATED INTERVALS:			ft. to 20						
	From	f	ft. to ft. to 2 0	~- <u>-</u>	_ft. From _		ft. to		ft.
GRAVEL PACK INTERVALS:		14.8							
	From	f	ft. to		ft. From		ft. to		ft.
GROUT MATERIAL: 1 Neat c	ement	2 Cement grou	ut 3 E	Bentonite	4 Oth	er			
Grout Intervals From 1	ft. to 14.	.8 ft. From		_ ft. to		t. From		ft. to	ft.
What is the nearest source of possible c	ontamination:			10	Livestock pe	ns	14 Aband	doned water w	eil
1 Septic tank	4 Lateral line		Pit privy		Fuel storage			ell/ Gas well	
2 Sewer lines	5 Cess pool		Sewage lagoon		Fertilizer sto	-	16 Other	(specify below	v)
3 Watertight sewer lines Direction from well?	6 Seepage p	iit 9	Feedyard		Insecticide s	torage			
FROM TO CODE	LITH	OLOGIC LOG	FF	OM TO	many feet?	PLU	GGING INTE	RVALS	
	y and Silt				-				
				1					
							Adjusted when		
CONTRACTOR'S OR LANDOWNER	'S CERTIFICA	\TION: This wat	er well was (1) co	instructed (2	2) reconstruct	ed, or (3) plu	gged under n	ny jurisdyction	and was
			سيستنين ا		•				
ப completed on (mo/day/yr)		-14-03		and this recor	d is true to th	ne best of par	knowledge	and belief. K	ansas
7 CONTRACTOR'S OR LANDOWNER completed on (mo/day/yr) Water Well Contractor's License No. under the business name of	11.		a		rd is true to the	ne best of par	knowledge	and belief. K	