	WATER V	VELL RECORD	Form WV	VC-5 K	SA 82a-12	12			
1 LOCATION OF WATER W					TOWNSHIP NUMBER		RANGE NUMBER		
☐ Sedgwick	SW 1/4		SE 1/4	7	Т 2	7 s	R 1E	E/W	
1	earest town or city street address of w								
	IcLean Intersection, SW		corner						
2 WATER WELL OW	, -	YOF				Board of Agric	culture Division of Water	Resource	
RR#,ST. ADDRESS,BOX #: 455 N. Main Wishita Vancas				Board of Agriculture, Division of Water Resource					
CITY, ST			10	P CODE:		Application Num	ber:		
3 LOCATE WELL'S LOCA WITH AN "X" IN SECTION	TION 4 DEPTH OF COM	PLETED WELL:	40 ft.		ELEVATION:				
N N	Depth of groundwat	er Encountered:	ft.			ft.		ft.	
1	WELL'S STATIC W	ATER LEVEL 1	FT. BELO	W LAND SU	RFACE MEASI	JRED ON mo/d	ay/yr: 1/19/04	Į.	
NM	NE	ump test data: We	ell water was		ft. after	hours	of pumping @	gpn	
w ≥ w	Est. Yield:		ell water was		ft. after	hours	of pumping @	gpm	
	Bore Hole Diamete		to 4	5 ft.	and	in.	to	ft.	
sws	WELL WATER TO		ic water supply	7 Lawn ai	nd garden only	9. Dewaterir			
			eld water supply		_	10. Monitorin	12. Other (Speci	ty below	
		eriological sample submitt		YES	NO		vhat mo/day/yr was	sample	
	submitted	, , , , , , , , , , , , , , , , , , ,			ater Well Disin	fected?	YES NO		
5 TYPE OF CASING	G USED: 5. Wrough	nt Iron 7. Fiber	olass 9. O	ther (Specify	below) CAS	SING JOINTS: (Glued Th	readed	
1. Steel	3. RPM (SR)		SU)	R-26	,		Welded Cla	amped	
2. PVC	4. ADS	os-Cement 8. Conc	rete tile SD1	K-20					
Blank casing diameter	$oldsymbol{8}$ in. to	20 ft., Dia	a. in.	to	ft.,	Dia. i	n. to	ft.	
Casing height above lar	nd surface: 24 in.,	Weight	t: 5.52 It	os. / ft.	Wall th	ickness or gaug	e No332		
TYPE OF SCREEN OR	PERFORATION MATERIAL:								
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)									
2. Brass 4. G	alvanized 6. Concrete	Tile 8. RMP ((SR) 10. A	sbestos-Cem	ent 12. No	one used (open l	hole)		
SCREEN OR PERFORA	TION OPENINGS ARE:								
1. Continuous slot	 Mill slot 5. 	Gauzed wrapped	7. To	rch cut	9. Dril l	ed holes	11. None (open	hole)	
2. Louvered shutter	4. Key punched 6.	Wire wrapped	8. Sa	w cut	10. Oth	er (specify)			
SCREEN - PERFORATIO	ON INTERVAL From	20 ft.	40	ft.,	F				
OCKELIVATE IN OKATIC		£U It.		•	From	ft.	to	ft.	
000/51 040/	From		to	ft.,	From	ft.	to	ft.	
GRAVEL PACK	INTERVALS: From	20 ft.	to 40	ft.,	From	ft.	to	ft.	
	From	ft.	to	ft.,	From	ft.	to	ft.	
6 GROUT MATERIALS	S: 1. Neat cement	2. Cement Grout	3	B. Bentonite		Other bento	onite hole plug		
Grout Intervals: From $m{0}$ ft. to $m{20}$ ft., From			om ft.	ft. to		From	ft. to	ft.	
What is the nearest source of possible contamination: 1. Sentic tank 4. Lateral lines 7. Pit privy 1			10. Livestoc	0. Livestock pens		13. Insecticide storage 15		well	
1. Septic tank 4. Lateral lines				1. Fuel storage		•		 Oil well/Gas well Other (specify below) 	
2. Sewer lines	o. CCCC : CC	8. Sewage lagoon		•	14. Aband	on water well	None Appa	• ,	
3. Watertight sewer lin	ne 6. Seepage pit	9. Feed yard	12. Fertilizer	storage			rone rippu	·	
Direction from well? From To	LITHOLOGI	CLOC	From	T . T	How ma	any feet?	0101.00		
	av	CLOG	From	То		LITHOLO	GIC LOG		
	edium sand						1931		
	av								
	arse sand								
					** * 11				
 									
				-					
									
		** *** *****		<u> </u>					
		100.000			****				
7 Contractor's or Land	downer's Certification: This wate	r well was 1 Conet	ucted 2 re-	constructed	or 3.	plugged u	inder my jurisdiction a	and	
	4 /4 0 /0 0 0								
was completed on (mo	•• •		cord is true to the	•	-		2004		

by (signature)

under the business name of Harp Well & Pump Service Inc.

Jodd S. Harp