	V	VATER WEL	L RECORD	Form W	WC-5	(SA 82a-1	1212			
1 LOCATION OF WA	TER WELL:	RACTION		SEC	CTION NUMBE	R TOWN	SHIP NUMBER	RANGE	NUMBER	
Sedgwick			SW 1/4 NV	V 1/4	7	Т	27 s	R 1	E E/W	
1	from nearest town or city stre		•							
Between Meridian and Sedgwick on 17th St. North Wichita, Kansas										
2 WATER WEL		TA, CITY O	F							
RR#,ST. ADDRE							Board of Ag	riculture, Division of	Water Resource	
CIT	Y, STATE: Wichita	, Kansas		Z	ZIP CODE:		Application Nu	mber:		
3 LOCATE WELL'S	LOCATION 4 DEF	TH OF COMPLET	ED WELL:	40 ft.		ELEVATIO	N:			
WITH AN "X" IN S	ECTION BOX: Depth	of groundwater En	countered:	f	t.		ft.		ft.	
		'S STATIC WATER				I IDEACE ME	ASURED ON mo/	douber 2/	1/04	
					DW LAND 3					
NW	NE	st. Yield:		water was		ft. after		s of pumping @	gpn	
¥ X	1 1	Hole Diameter	gpm Well in.	water was	40 ft	ft. after		s of pumping @	gpm	
[= "	: 1 I	WATER TO BE U	****	10	40 II	. and	in.	to	ft.	
sw		mestic 3. Fee		water supply	7. Lawn	and garden o	9. Dewater		ection well	
	1			i water suppl		nditioning	10. Monitori		pecify below	
		•	gical sample submitted		YES	NO		what mo/day/yr	was sample	
	submit		, co. co., pio con miliou	o population.		Water Well Di	•		NO	
5 TYPE OF C	ASING USED:	E Manualita	7 55	9.0	Other (Specifi	v below) C	CASING JOINTS:	Glued	Threaded	
1. Steel	3. RPM (SR)	5. Wrought Iron	7. Fibergla			y below,	A0110 1011110.	Welded	Clamped	
2. PVC	A. ABS	Asbestos-Ce	ment 8. Concret	_{e tile} SD	R-26			Weided	Ciamped	
Blank casing diam	eter 8 in.	to 20	ft., Dia.	in.	to	ft.,	Dia.	in. to	ft.	
Casing height abo	ve land surface:	24 in.,	Waisht	5.52				_		
1	OR PERFORATION MA	"""	Weight:	3.32	lbs. / ft,	wai	I thickness or gau	ge No332	;	
1. Steel	3. Stainless Steel	5. Fiberglass	7. PVC	0 /	\De	. 11	Other (specify)			
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)										
1	FORATION OPENINGS A	ARE:								
1. Continuous s	ot 3. Mili slot	5. Gauz	red wrapped	7. T c	orch cut	9. D	rilled holes	11. None (open hole)	
2. Louvered shu	ter 4. Key punci	hed 6. Wire	wrapped	8. Sa	w cut	10. C	ther (specify)			
SCREEN - PERFO	RATION INTERVAL	From 2	20 ft.	to 40	ft.,	5				
	0 (11 O 11 11 11 E 17 V) (E				,	From	ft.	to	ft.	
0041451		From	ft.	to	ft.,	From	ft.	to	ft.	
GRAVEL F	ACK INTERVALS:	From	20 ft.	to 40	ft.,	From	ft.	to	ft.	
		From	ft.	to	ft.,	From	ft.	to	ft.	
6 GROUT MATE	RIALS: 1. Neat cem	ent 2	. Cement Grout		3. Bentonite		Other hent	onite hole pl	110	
Grout Intervals:	_	t. to 2						-	•	
What is the nearest	source of possible contar	mination:	, , , , , ,			ft.,	From	ft. to	ft.	
1. Septic tank	4. Lateral line	7. Pit	privy	10. Livestoc	k pens	13. Inse	cticide storage	15. Oil well/0	Gas well	
2. Sewer lines	5. Cess Pool	8. Sev	vage lagoon	11. Fuel sto	rage	14. Aba	ndon water well	16. Other (s	ecify below)	
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage None Apparent										
Direction from well		-	•			How	many feet?			
From To	LIT	HOLOGIC LO	OG	From	То			GIC LOG		
0 3	fill	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		110111	10		LITTIOLC	GIC LOG		
3 18	medium sand								"	
18 22	clay									
22 37	medium sand									
37 38	clay									
38 40	coarse sand								_	
										
 										
										
							- P			
										
 	 									
										
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and										
was completed on (mo/day/year) 2/4/2004 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 2/6/2004										
under the busines	under the business name of Harp Well & Pump Service Inc. by (signature)									