			WATER V	VELL RE	CORD	Form W\	NC-5 F	(SA 82a-12	212		
111	ON OF WATE	ER WELL:	FRACTION			SEC	TION NUMBE	R TOWNSH	IIP NUMBER	RANGE	NUMBER
☐ Sedg	wick		SW 1/4	, SE	1/4 SE	1/4	7	Т :	27 s	R 1	E E/W
Distance an	d direction fro	m nearest town or	city street address of w	ell if located with	hin city?			•			
S.E.	corner o	f 13th N. an	d Minisa	Wiel	hita, Kan	sas					
2 WAT	ER WELL	OWNER: W	ICHITA, CITY								
RR#,ST	. ADDRESS	S,BOX #: 45	5 N. Main						Board of Agn	iculture, Division of	Water Resource
	CITY,	STATE: W	ichita, Kansas			z	IP CODE:		Application Nur	nber:	
3 LOCA	TE WELL'S LO	CATION	4 DEPTH OF COM	PLETED WE	11:	40 ft.		ELEVATION:			
	AN "X" IN SE	CTION BOX:	_		·			ELEVATION.			
1 i -	N		Depth of groundwate			ff			ft.	40.0	ft.
		i	WELL'S STATIC W				OW LAND S		SURED ON mo/o		23/03
	- NM	NE		ump test data		ater was		ft. after		of pumping @	gpr
W Mile —	i	` L I	Est. Yield:	gpm		vater was	40	ft. after	hours	s of pumping @	gpn
=		<u> </u>	Bore Hole Diamete		in.	to 4	40 fi	t. and	in.	to	ft.
` -	-sw	SE	WELL WATER TO 1. Domestic 3	BE USED AS 3. Feedlot			7 1 awn	and garden on	9. Dewateri		ection well
	1					vater supply		-	10. Monitorii		Specify below
	I_		Irrigation 4 Was a chemical/bact			water supply	•	nditioning		wh <u>at</u> mo/day/yr	was sample
	3		submitted	enological samp	pie submitted ti	b Department?	YES Was	NO No Water Well Disi		YES	NO
5 TY	PE OF CAS	SING USED:				0.0				Glued	
	1. Steel	3. RPM	(SR) 5. Wrough	it Iron	7. Fiberglas		ther (Specif	y below) CA	SING JOINTS: (Threaded
	2. PVC	> 4. ABS	6. Asbesto	s-Cement	8. Concrete	tile SD	R-26			Welded	Clamped
Blank cas	sing diamete		in. to	20 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
1	Ū	_	10	20,				·			
1	-	land surface:			Weight:	5.52 I	bs. / ft.	Wall t	hickness or gaug	ge No332	2
1. Ste		JR PERFORATI 3. Stainless Stee	ON MATERIAL:		7. PVC	0.4	D.C.	11 0	ther (enesity)		
1			3	_		9. A			ther (specify)		
2. Bra	SS 4	I. Galvanized	6. Concrete	lile	8. RMP (SR)) 10. A	Asbestos-Ce	ment 12. N	one used (open	hole)	
SCREEN	OR PERFO	RATION OPEN	INGS ARE:								
1. Cont	inuous slot	3. Mill	slot 5.	Gauzed wra	pped	7. T o	rch cut	9. Dr i	lled holes	11. None (open hole)
2. Louv	ered shutte	r 4. Key	punched 6.	Wire wrappe	ed	(8. Sa	w cut	10. Oti	ner (specify)		
CODEEN	DEDEODA	•				40			(,		
SCREEN	- PERFORA	TION INTERVA	L From	20 ft		to 40	ft.,	From	ft.	to	ft.
			From	ff	t. 1	to	ft.,	From	ft.	to	ft.
G	RAVEL PA	CK INTERVALS	From	20 ft	i.	to 40	ft.,	From	ft.	to	ft.
			From	ft		to	ft.,	From	ft.	to	ft.
6 GRO	UT MATERI	ALS: 1 No	at cement	2. Cemer	-10: 1						
_	Intervals:	1. 140	0 ft. to	•••			3. Bentonite		20110	onite hole pl	•
1		ource of possible	•	20 ft.	, From	ft.	to	ft.,	From	ft. to	ft.
1. Septi				7. Pit privy		10. Livestoc	k pens	13. Insect	ticide storage	15. Oil well/	Gas well
2. Sewe		5. Ces	s Pool 8	B. Sewage la	goon	11. Fuel sto	rage	14 Abano	don water well	16. Other (s	pecify below)
	rtight sewe			e. Feed yard		12. Fertilize	r etorane			None A	pparent
1	from well?	rillie o. See,	page hit	,, oou yuru		12.10111120	. Storage	How m	any feet?	•	
From	То	l	LITHOLOGI	CLOG		From	То	I I I I I I		CICLOC	
0	3	sandy topso		0 100		FIOIII	10		LITHOLO	GIC LOG	
3	10	fine sand	<i>,</i>								***
10	15	coarse sand									
15	16	clav		-							
16	35	coarse sand		··········					*****		
35	36	clav					,		··-··		
36	40	coarse sand									
	ļ										
						<u> </u>					
									•		
7 Conf	ractor's or L	andowner's Cer	tification: This water	well was 1.C	constructe	d 2. re	constructed	d or 3.	plugged u	ınder my jurisdic	tion and
		(mo/day/year)	12/23/2003					knowledge and		* *	
				_			-	_		(0000	
l		Contractor's Lice		36		veil record wa	s completed	l on (mo/day/yea	ar) 12/26	/2003	
under th	e business	name of Har	p Well & Pum _l	Service 1	Inc.	by (sig	gnature)	7	dd S.	11	
									2 d.d).	Mrn	