


1 LOCATION OF WATER WELL: County: <u>Sedgwick</u>		Fraction <u>NW 1/4 NW 1/4 SE 1/4</u>	Section Number <u>24</u>	Township Number <u>T 27 S</u>	Range Number <u>R 1 E</u>
Distance and direction from nearest town or city street address of well if located within city? <u>5530 E. Central, Wichita, Ks.</u> <u>By Luther's Photo</u>					
2 WATER WELL OWNER: <u>UBT Partnership</u> RR#, St. Address, Box # : <u>605 West 47th St.</u> City, State, ZIP Code : <u>K.C. Mo. 64112</u> Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;">  </div>		4 DEPTH OF COMPLETED WELL <u>15'</u> ft. ELEVATION: ft. Depth(s) Groundwater Encountered 1 <u>9.10</u> ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL <u>9.60</u> below land surface measured on mo/day/yr <u>4-15-04</u> Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) <u>10 Monitoring well</u>			
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped <u>2 PVC</u> 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded <u>X</u> Blank casing diameter <u>2.375</u> in. to <u>5'</u> ft. Dia in. to ft. Dia in. to ft. Casing height above land surface <u>Furnish Mt.</u> in., weight lbs./ft. Wall thickness or gauge No. <u>Sch 40</u> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-Cement 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 11 Other (Specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) ft. SCREEN-PERFORATED INTERVALS: From <u>15'</u> ft. to <u>5'</u> ft. From ft. to ft. GRAVEL PACK INTERVALS: From <u>15'</u> ft. to <u>4'</u> ft. From ft. to ft. From ft. to ft. From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other <u>concrete</u> Grout Intervals: From <u>4'</u> ft. to <u>2'</u> ft. From <u>2'</u> ft. to <u>0'</u> ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage <u>Fourer</u> 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? <u>North West</u> How many feet? <u>200'</u>					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3.0	lt-Hard Ben Clay, firm, dry			
3.0	5.0	Black-Dk Ben Clay, moist, firm			
5.0	7.0	olive gray to green Mottled clay, moist, firm			
7.0	15.0	lt Pale Ben clay w/caliche stringers nodules moist, firm, no odor			
<u>F.M. OK'd by Don Taylor</u>					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>4-8-04</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No <u>132</u> This Water Well Record was completed on (mo/day/yr) <u>4-15-04</u> under the business name of <u>QB Services</u> by (signature) <u>James Becker</u>					