34/4	TED WELL DECO	RD Form WWC-	KSA 82	a-1212 ID N	u 55	-P23		
1 LOCATION OF WATER WELL:	TER WELL RECOF	RD FOITH WWWC-		on Number		Number	Range N	umber
County: Seds wick	1	VE 14 NW	) 1/4 /	8	₹ 28	s	в <b>/</b>	<b>D</b> W
Distance and direction from nearest to	own or city street ac	Idress of well if local	ted within city	?				
Wesz UR W. S.,	Park Da	w. W.	1 K	15 67	フィス			
2 WATER WELL OWNER :	Flate Later Later	Tes & Soula 1	2 or M	KE CAL	203			
2 WATER WELL OWNER : City of RR#, St. Address, Box # City of	4.11 82 Floor	c 455 Nace	LMain	Freeze	Board of	Agriculture, D	ivision of Wate	or Becourees
					Application	on Number:	IVISION OF TVA	er nesources
3 LOCATE WELL'S LOCATION WITH	11201K56	1202	430	6 FLEVA	• • •			
_ ,	4 DEPTH OF CO	MPLETED WELL ater Encountered _	13.7	π. ELEVA	11ON:			
AN "X" IN SECTION BOX: N		ATER LEVEL . ! ろ!						
A								
		est data: Well wate						
NW   NE		gpm: Well wate						
		r.3.2.5in. to						ft.
W		BE USED AS: 5 F			Air conditionin	_	jection well	
	1 Domestic	3 Feedlot 6 C	Dil field water	supply 9	Dewatering	120	ther (Specify I	below)
sw se	2 Irrigation	4 Industrial 7 D	omestic (lawn	& garden) 10	) Monitoring we	ell .PVA Sec.	جدفز فانع	2.2
	Was a chemical/bac	teriological sample sul	omitted to Depa	artment? Yes.	No	: If ves. m	o/dav/vrs sam	nole was sub-
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	mitted				Well Disinfect	-		NO S
5 TYPE OF BLANK CASING USED:	5 \	Wrought iron	8 Concret			JOINTS: Glue	d Clam	ped
1 Steel 3 RMP (S	R) 6	Asbestos-Cement	9 Other (s	specify below	v)	Weld	ed	
2 PVO 4 ABS	7	Fiberglass				Threa	adeg 🔀	
Blank casing diameter	in. to . 3.8	ft Dia	in.	to	ft Dia			
Casing height above land surface.	1/25h in	weight		lhs /	ft Wall thickne	ss or gauge N	Sch.	40
TYPE OF SCREEN OR PERFORAT		worgine	(PV)			Asbestos-cem		
1 Steel 3 Stainles		Fiberglass	8 BMF	(SR)		Other (specify)		
2 Brass 4 Galvania		Concrete tile	9 ABS			None used (op		
SCREEN OR PERFORATION OPE			ed wrapped		8 Saw cut		11 None (op	en hole)
•	ill slot		wrapped		9 Drilled hol		TT None (op	err riole)
	ey punched	7 Torch				ecify)		ft.
SCREEN-PERFORATED INTERVA	20	ft. to	4.3	ft., From		ft. to	)	ft.
	From	ft. to	. <u></u> <u>.</u>	ft., From		ft. to	) <i>.</i>	ft.
GRAVEL PACK INTERVAL								
	From	ft. to	· · · · · · · · · · · · ·	ft., From		ft. to	)	ft.
6 GROUT MATERIAL: 1 Neat c		Cement grout	3 Bentoni	te 4 (	Other			
Grout Intervals: From 1.3	ft. to	ft., From		to	ft., From		ft. to	
What is the nearest source of possil	ble contamination:			10 Livest	tock pens	14 Al	andoned water	er well
1 Septic tank 4 Lateral lines		7 Pit privy	7 Pit privy		11 Fuel storage		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool			8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit		-	9 Feedyard		icide storage		(,	,
Direction from well?	ago pit	0 1 000,000	-	How man	•			
	LITHOLOGIC LOG		FROM	TO	<u> </u>	PLUGGING IN	TEDVALS	
11			1110101			Lodding in	TERVALO	
O 6 Fine San								
6' 15' Medium								
	Sand & Grav	<u>u</u>						
	1 9 Gravel							
43' Gray Sha	12							
7								
	2011							
7 CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATION	N: This water well wa	as (1) constru	cted, (2) reco	onstructed, or (	3) plugged und	der my jurisdict	tion and was
completed on (mo/day/year)	-20-04		a	nd this record	d is true to the	best of my kno	wledge and b	elief. Kansas
Water Well Contractor's Licence No						.,	J	
		This Water We	II Record was	completed o	on (mo/dav/vr)			
lunder the huginess same of	606	This Water We	II Record was					
	& Environm	enzo/		by (siç	gnature)	2,4	1	
INSTRUCTIONS: Use typewriter or ball point pen Environment, Bureau of Water, Topeka, Kansas 6	606 ENVINOM D. PLEASE PRESS FIRMLY	and <u>PRINT</u> clearly. Please	fill in blanks, under	by (sig	gnature)			t of Health and