v	VATER WELL RECORD	Form WWC-5	KSA 82a-12	12 ID No	1	
LOCATION OF WATER WELL:	Fraction	Nind	Section	n Number	Township Number	/ ^
County: Sedwick	NW 14 NW	14 NW 14	ithin oit (2	3 .	T &'/ S	S R / SDW
Distance and direction from nearest				11 <		
WATER WELLOWNER KWINK	OL S. Broad	away, w	1011111			
Tim !	Roark box 1927				Board of Agricultu	re, Division of Water Resources
City, State, ZIP Code	XX 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Hutch)	ASON, 1CS	67501	Application Numb	per:
LOCATE WELL'S LOCATION WIT	H 4 DEPTH OF COMPLE	TED WELL	2.5	ft. ELEVATIO	DN:	75
AN "X" IN SECTION BOX:	Depth(s) Groundwater I	Encountered 1	AU ft helow	ft. 2	measured on moldayly	tt. 3 yr. 04/15+16/64 tt.
X	Pump test of	data: Well water	was	ft. afte	er ho	urs pumping apm
NW NE	Est. Yield g	pm: Well water	wasublic water sup	ft. afte	er ho	urs pumpinggpm
	1 Domestic 3 F	eedlot 6 O	il field water s	upply 9	Dewatering	11 Injection well Other (Specify below)
W ; E	2 Irrigation 4 I	ndustrial 7 D	omestic (lawn	& garden) 10	Monitoring well	apov Olostraction
SW SE	Maria a shandadhadhadad	alastaska vala v	la contra de la D		X	
1 1	Was a chemical/bacterion	ological sample si	ipmitted to De		r Well Disinfected? Ye	es, mo/day/yrs sample was sub-
TYPE OF BLANK CASING USE	D: 5 Wro	ught iron	8 Concrete	tile	CASING JOINTS:	Glued Clamped
1 Steel 3 RMP	` '	estos-Cement	9 Other (sp	ecify below)	1	Welded
Blank casing diameter	in to 25			in to	# Die	Threaded
Casing height above land surface	-3,24 in	weight		lo lbs	S./ft. Wall thickness or	guage No Sch 40 PVC
TYPE OF SCREEN OR PERFORAT	TON MATERIAL:		6 PVC	>	10 Asbestos-	
1 0.001	ess Steel 5 Fibe nized Steel 6 Cond	rglass crete tile	8 RMP 9 ABS	(SR)	· •	ecify)d (open hole)
2 Brass 4 Galva SCREEN OR PERFORATION OPEN			d wrapped		8 Saw cut	,
	Mill slot	6 Wire w			9 Drilled holes	11 None (open hole)
	Key punched	7 Torch o				ft.
SCREEN-PERFORATED INTERVAL	_					ft. toft.
GRAVEL PACK INTERVAL	LS: From5	it. io ft. to	<i>Q5</i>	π., From		ft. toft. ft. toft.
						ft. toft.
6 GROUT MATERIAL: 1 No	eat cement 2 Ce	ement grout	Benton Benton Benton Benton Benton	ite) 4 C	Other	
Grout Intervals: From		-	ft. to .			ft. toft.
What is the nearest source of possib				10 Livestocl	•	14 Abandoned water well
	teral lines	7 Pit privy	700n	11 Fuel stor	•	15 Oil well/Gas well
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit		8 Sewage lagoon 9 Feedyard		12 Fertilizer storage		16 Other (specify below)
Direction from well?	opago pit	o . oou, a. u		How many for	-	And Charles by the state of the
FROM TO	LITHOLOGIC LOG		FROM	ТО	PLUGGIN	IG INTERVALS
0 D.5 Aspha	H , ,					
	nedium M <i>oist</i> ur					
y cay,	noist, light ado					
	, clay, moist moist fire grain	and				
20 25 Sandiar	ave I, wet, medium ador	Gretogravel				
		J				
					VOBWA	
CONTRACTOR'S OR LANDOWN	VER'S CERTIFICATION: Th	nis water well was	Construct	ed; (2) reconst	tructed, or (3) plugged	under my jurisdiction and was
completed on (mo/day/year)Q	594	This Water W	Vell Record wa	and this records completed o	a is true to the best of r	ny knowledge and belief. Kansas
under the business name of Corar			. 5 1 100010 110		nature)	
INSTRUCTIONS: Use typewriter or ball point	pen. PLEASE PRESS FIRMLY and	PRINT clearly. Please f	II in blanks, underli	ne or circle the corr	ect answers Send top three	opies to Kansas Department of Health
and Environment, Bureau of Water, Geology records. Fee of \$5.00 for each constructed w		e 420, Topeka, Kansas 6	6612-1367. Teleph	none 785-296-5522.	. Send of to WATER WELL	OWMER and retain one for your