		W	ATER WELL REC	ORD Fo	rm WWC-5	KSA 82a-	1212 ID I	No	1W 4			
	ON OF WATE	R WELL:	Fraction			Sec	ction Number		wnship Number	Range I	Number	
County:	Sedan	idk	NEVA	NE 1/	NE	4	16	_ T	27 s	R	₫ /W	
	d direction fro 1469		wn or city street a									
_	WELL OWNE	D. ~~	7		•							
– RR#, St. Ad City, State, ∶	dress, Box # ZIP Code	559	L o Mavar	SOZ	: <i>Uni1</i> 239	E			eard of Agriculture	e, Division of Water:	er Resources	
LOCATE	WELL'S LOCA		4 DEPTH OF C	OMPLETED	WELL							
	SECTION BO		Depth(s) Groun	dwater Enc	ountered	1.4		ft. 2	ft	. 3	ft.	
	N	ı k								s pumping		
İ	.NW	NE								s pumpings		
	.INVV		WELL WATER				supply		nditioning 11	•	and and	
w	1	<u> </u> E	1 Domestic 2 Irrigation	3 Feed 4 Indus		Dil field wate Domestic (lav		9 Dewate Monito		Other (Specify b		
	sw	SE	Mr a shamin	1/1		b.maitta.ad ta	Danada anto	1 Vaa - 1	No. A 16 vos		طبيع مصيد مام	
	1	I I	mitted	ii/bacteriolog	jicai sampie s	submitted to			Disinfected? Yes	s, mo/day/yrs sam	No	
5 TYPE O	S F BLANK CA	SING USED:		5 Wrought	t iron	8 Concr	ete tile	CAS	SING JOINTS: G	lued Clam	ped	
1 Steel	1 Steel 3 RMP (SR)			6 Asbesto	s-Cement		(specify below		Welded Threaded			
₽ PVC	a diameter	4 ABS) in to	7 Fibergla	SS # Dia	•••••	in to		II	in. to		
Casing heig	g diameter iht above land	surface	Jush mt	in wei	16., Dia aht		Iri. 10	lbs./ft. Wa	II., Dia all thickness or gi	age No	II.	
		_	ON MATERIAL:		9	Ø PV			10 Asbestos-C			
1 Steel 3 Stainless Steel 2 Brass 4 Galvanized Steel			5 Fiberglass		8 RMP (SR)			11 Other (Specify)				
2 Brass	-			6 Concret		9 AE	35		12 None used			
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot Mill slot						d wrapped rapped			Saw cut 11 None (open hole Drilled holes		en hole)	
	ered shutter		VIIII SIOT Key punched		7 Torch						ft.	
SCREEN-P	ERFORATED			ص	ft. to	to	ft., Fror	m	ft	to	ft.	
0	DAVEL DACK	INTERVAL C								to		
G	RAVEL PACK	INTERVAL	From		ft. to	&	ft., Fror	n	ft.	to	ft.	
	MATERIAL:		at cement	2 Ceme	•	⊘ Ben				ft. to		
		_	contamination:	11., 1				stock pens		Abandoned wat		
1 Sept		•	eral lines		7 Pit privy				•	Oil well/Gas we		
2 Sewer lines 5 Cess pool						tilizer storage 16 Other (specify below)						
3 Watertight sewer lines 6 Seepage pit					,				ecticide storage			
Direction fro		Jorth	LITUOLOGIC	1100		EDOM.		any feet?		INITED ALC		
FROM	13.5'	4. 1-61	LITHOLOGIC	- 1	0 c ' c de .	FROM	то		PLUGGING	INTERVALS		
13.51	13:3	3W-5C	Saturat	ca loa		n, odor	-			-	-VA-5-1	
11.51	91	5 W 66	Sanduje	clay, h	et ado	~ 1000°						
91	6.51	5w-50	and w	clary, m	ist de	√						
10.51	51	Sw, m	ist.	٦١٠٠	(5.50							
5	4'	CH, di	m, moisi	· vid ,	vo ed	e v						
41	2	CH, a	mist	· PMI	~ 00	2.0						
2	0	CH										
7												
			ER'S CERTIFICA	TION: This 1						under my jurisdic		
•	n (mo/day/yea Contractor's Li	•	721		This Water					knowledge and b	ellei. Nansas	
	isiness name		Ocillia.	ETO	47			(signature)	Dule 1	2'le a		
			en. <i>PLEASE PRESS E</i>							pies to Kansas Departn		
and Environ	ment Rureau of V	Vater Geology S	action 1000 SW lacker	on St. Suite 420	Topoka Kancac	66612-1367 To	Jonhona 785-206	-5522 Send or	TO WATER WELL OF	WNED and retain one for	Or VOUR	

records. Fee of \$5.00 for each constructed well.