	WATER WELL RECORD Form WWC-5 KSA 82a-1212															
1 LOCATION OF WATER WELL:			FRACTION			ALL OF		SECTION NUMBER					RANGE NUMBER			
Sedgy				SW	1/4		1/4 S	E	1/4	7	T	27 S	丄	R	1E	E/W
ı		n nearest tow f 13th N.	•				nin city?									ļ
	R WELL C			IITA, C												
_	T. ADDRESS,BOX #: 455 N. Main Board of Agriculture, Division of Water Resour													er Resource		
	CITY,	STATE:		ta, Kan	sas				ZI	P CODE:		Application	Numbe	er:		
3 LOCATE	WELL'S LO	CATION	4 DI	EPTH OF	MAKE	163 WE	LL:	40	ft.		ELEVATION					
WITH A	N "X" IN SEC N	TION BOX:	Ь.	h of groun		ncountere	ed:		ft.			ft.				ft.
	!		WEL	L'S STAT	IC WATI	ER LEVEL	. 15		FT. BELO	W LAND S	URFACE MEAS	SURED ON	mo/day	//yr:	7/14/0)4
	NW	-NE			Pump	test data	: Well	wate	er was		ft. after	h	ours of	pumping (@	gpm
₩ <u>₩</u>	†	!		Est. Yield:		gpm	Wei	l wate	er was		ft. after	h	ours of	f pumping (@	gpm
≥ w		E		e Hole Dia			in.		to	ft	t. and	<u>i</u>	1.		0	ft.
T	- sw	-SE		L WATER				wate	er sunnly	7. Lawn	and garden or	9. Dewa	tering		-	on well
	7	1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 12. Other (Specify below) 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well														
' └─	Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample														s sample	
submitted Was Water Well Disinfected? YES NO																
TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) CASING JOINTS: Glued Threaded																
1. Steel 3. RPM (SR) Welded Clamped 2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete tile																
	ing diamete		8 in		to	ft.,	Dia.		in.	to	ft.,	Dia.	in.	to		ft.
l		M and surface		26	in.,	,	Weight:			os. / ft.					_	
	-	R PERFOR					weight.		")S. / II.	waii	thickness or	Jauge	NO.		
1. Steel		. Stainless S		5. Fiber			7. PVC		9. A	BS	11. 0	Other (specify	₁₎ N/A	A		ł
2. Bras	s 4	. Galvanized	j	6. Cond	rete Tile	1	8. RMP (S	R)	10. A	sbestos-Ce	ment 12. N	Npne used (o	pen ho	le)		
SCREEN C	OR PERFO	RATION OF	PENINGS	ARE:												İ
	nuous slot		Mill slot		5. Ga	uzed wra	pped		7. To	rch cut	9. Dr	illed holes		11. Non	e (ope	en hole)
2. Louve	red shutte	r 4.	Key pur	ched	6. Wi	re wrappe	ed		8. Sa	w cut	10. Ot	her (specify	N/A			
CODEEN	DEDEODA		• •			• • •		4-								
SCREEN -	PERFURA	HONINTER	TVAL	From		f		to		ft.,	From	ft.		to		ft.
GRAVEL PACK INTERVALS:			A1 C.	From		f		to		ft.,	From	ft.		to		ft.
Gr	KAVEL PAL	JK INTERV	ALS:	From		ft		to		ft.,	From	ft.	•	to		ft.
				From		ft		to		ft.,	From	ft.		to		ft.
<u> </u>	T MATERIA	•	Neat ce			2. Ceme			3	B. Bentonite	9	Other b		nite hole		´
What is the	ntervals: nearest so	From urce of poss	sible con	ft. tamination	to	ft.	, Fro	m	ft.	to	ft.,	From	3	ft.	to 2	4 ft.
1. Septic			Lateral li			it privy		10). Livestoc	k pens	13. Inse d	ticide stora	ge	15. Oil w	ell/Ga	s well
2. Sewer	lines	5. (Cess Po	ol	8. S	ewage la	goon	11	1. Fuel sto	rage	14. Abar	don water v	vell			ify below)
3. Watert	tight sewe	r line 6.	Seepage	pit	9. F	eed yard		12	2. Fertilize:	rstorage				None	App	arent
Direction fr	rom well?										How	nany feet?				
From	То		L	ITHOL	OGIC	LOG			From	То		LITHC	LOG	IC LOC	}	
									0	3	surface clay and silt					
								\dashv	3 24	40	bentonite			-1		
								\dashv		40	chlorinate	a sana &	gray	eı		
						•										
								_								
										<u> </u>					*****	
								_							~~-	
															W 4 W	
					-			_								
7 Contr			0- ""	<i></i>								-1	$\overline{}$			
		andowner's								constructe		plugged) und	der my juri	saictioi	and
was com	npleted on (mo/day/yea	r)	7/14/2						•	knowledge and					
Kansas V	Water Well	Contractor's	License	No.	236) .	This water	r wel	I record wa	s complete	d on (mo/day/ye	ear) 7	/16/2	004		
under the	e business	name of 🎛	Iarp V	Vell & P	ump S	Service	Inc.		by (si	gnature)	<	To dd .	5	4		
												v u u s	<u> </u>	vu i p		