		WATER W	VELL REC	ORD F	orm WV	VC-5 K	SA 82a-12	12			
1 ' 1	LOCATION OF WATER WELL: FRACTION					TION NUMBER				RANGE NUMBER	
Sedgwick Distance and direction fr		NE 1/4		/4 SW	1/4	12	T 2	7 s	R 1E	E/W	
5405 E. Cres		•	a, Kansas	in city?							
2 WATER WELL		ARO, Dave	u, ixuiisus		·						
RR#,ST. ADDRES	Poorel of Agriculture Division of Water Passaur									/ater Resource	
	, STATE: W	ichita, Kansas			ZI	P CODE:		Application Num	nber:		
3 LOCATE WELL'S I	LOCATION 4	4 DEPTH OF COM	PLETED WEL	.L: 11	.7 ft.		ELEVATION:				
N N		Depth of groundwate	er Encountered	d:	ft			ft.		ft.	
		WELL'S STATIC W	ATER LEVEL			W LAND SU	JRFACE MEAS	URED ON mo/d	lay/yr: 7/21	/04	
	NE		ump test data:				ft. after		of pumping @	gpm	
M Mile		Est. Yield: Bore Hole Diamete	gpm er 12	Well wa	ter was to 1	l <b>17</b> ft.	ft. after and	hours in.	of pumping @ to	gpm ft.	
<del>-</del> "		WELL WATER TO			10 1		anu	9. Dewateri	44 1.1.	ction well	
1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only											
		_		6. Oil field w				10. Monitorin	•	ion namala	
s		Was a chemical/bactor submitted	eriological sampl	le submitted to I	Department?	YES Was V	NO Vater Well Disin		what mo/day/yr w	vas sampie NO	
5 TYPE OF CA	SING USED:	5. Wrough	<b>4</b> Inc.	7. Fiberglass	9.0	ther (Specify		SING JOINTS: (	Glued	Threaded	
1. Steel	3. RPM	(SR)			SD.	R-26	20.0,		Welded	Clamped	
2. PVC	> 4. ABS		· · · · ·	8. Concrete t	ile		_				
Blank casing diame		in. to	32 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.	
Casing height abov		12 in.,		Weight:	2.35	bs. / ft.	Wall th	nickness or gaug	ge No214		
TYPE OF SCREEN OR PERFORATION MATERIAL:  1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)											
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)  2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)											
2. Louvered shutter 4. Key punched 6. Wire wrapped (8. Saw cut) 10. Other (specify)											
SCREEN - PERFOR	•		32 ft.								
JONEEN - I EN ON	CATION IN LINE	From	ft.			ft., ft.,	From From	ft.	to	ft.	
GRAVEL P	ACK INTERVALS		24 ft.			ft.,	From	ft. ft.	to to	ft.	
		From	ft.	_		ft.,	From			ft.	
6 GROUT MATER	RIALS: 1 No					B. Bentonite		ft. Other hent	onite hole plu	ft.	
Grout Intervals: 1. Neat cement 2. Cement Grout  Grout Intervals: From 4 ft. to 24 ft., From						to	ft.,	From	ft. to	<b>4g</b> ft.	
What is the nearest source of possible contamination:											
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens							13. Insecticide storage 15. Oil well/Gas well 14. Abandon water well 16. Other (specify below)				
2. Sewer lines			8. Sewage lag		11. Fuel sto	•	14. Aband	Ion water well	ro. Other (sp	ecity below)	
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Direction from well? South						r storage	How m	any feet? 35			
From To	T	LITHOLOGI	C LOG		From	То	71017111		GIC LOG		
0 4	topsoil										
4 12	clay						**************************************				
12 21 21 25	sand clay										
25 117	shale										
					1						
						,					
					<del>                                     </del>						
7 Contractor's or	Landowner's Cer	rtification: This water	r well was 1.	constructed	) 2, re	constructed	or 3.	plugged i	under my jurisdict	ion and	
was completed on (mo/day/year) 7/21/2004 and this record is true to the best of my knowledge and belief.											
Kansas Water We	ell Contractor's Lic	cense No. 2	236	This water we	ell record wa	s completed	on (mo/day/yea	er) 7/23	/2004		
under the business name of Harp Well & Pump Service Inc. by (signature)  Journal of Jour											
1	1141	r	P 201 1166 1		- ) (0.		1/2	dd $S$	Harn		