	WATER WELL RECOR	D Form WWC-5	KSA 82a-	-1212 ID N	lo. 06	3317)			
1 LOCATION OF WATER WELL:				ection Number		Township Number		Range Number		
County: Seagewick	SE 14 SE			\mathcal{Q}_{1}		27	s_l	R		ŒW
Distance and direction from neares										
		South wash								
2 WATER WELL OWNER: Sour	Lee Cokee 4 Tec	a food Servi	æ							
City, State, ZIP Code : Wic	farris) South Washingt Chita, KS 1076	2n2			Ap	pard of Agrice	mber:			
3 LOCATE WELL'S LOCATION WI	THI 4 DEPTH OF COM	IPLETED WELL	20	ft. ELEVA	TION:	1295	. 94			
AN "X" IN SECTION BOX:	Depth(s) Groundwa	ater Encountered	1 <i>15</i>	ft	t. 2		ft. 3		a	ft.
N	WELL'S STATIC W	ATER LEVEL 15.	?.8 ft. bel	ow land surfac	ce measur	ed on mo/da	y/yr D.	0.11.7.1	09	
	Fst Yield	test data: Well wate	er was er was	It.	after		nours pur	nping mpina		gpm
NW NE	WELL WATER TO		Public water			nditioning	11 Inie	ection we	ell	
	1 Domestic		Oil field wate		9 Dewa		1201	En (Spe	cify bel	ow)
W	E 2 Irrigation	4 Industrial 7	Domestic (la	wn & garden)	10 Monite	oring well	Vap	DY U. 62	57.1a	<i>CT7.0 K</i>
0,4						X				
SW SE	Was a chemical/ba	cteriological sample	submitted to			No / k; ! Disinfected?		/day/yrs		
×	mitted			vv	aler weil i	Disiniecteu?	ies		N	رو
S S										
5 TYPE OF BLANK CASING USE 1 Steel 3 RMP	: -	Wrought iron Asbestos-Cement	8 Concr	ete tile (specify below		SING JOINT				ed
2 PVC 4 ABS	(= · ·)	Fiberglass		(specify below	•					
Blank casing diameter	in. to	ft., Dia		in. to		ft., Dia		in	. to	ft.
Casing height above land surface	-5.1k	. in., weight			. lbs./ft. Wa	all thickness	or guage	No.	hЦ	OPIC
TYPE OF SCREEN OR PERFORA	TION MATERIAL:		(7 P\	100		10 Asbest	os-Ceme	nt	•	
		Fiberglass	8 RM 9 AE	MP (SR)		11 Other (
		Concrete tile		00		12 None (,		
SCREEN OR PERFORATION OPE			zed wrapped wrapped		8 Saw	cut ed holes		11 None	(open	hole)
	Mill slot 4 Key punched	7 Torc	. ''			er (specify)				ft.
SCREEN-PERFORATED INTERVA	•	D ft. to	20	ft From			ft to			ft
	From	ft. to		ft., From	1 1		ft. to	·····		ft.
GRAVEL PACK INTERVA		ft. to ft. to								
	From	ft. to		π., ⊢rom	۱	•••••	n. to			π.
6 GROUT MATERIAL: _ 1 N	Neat cement	2 Cement grout	3 Ben	tonite	4 Other					
Grout Intervals: From	ft. to8	ft., From	ft.	to	ft., F	rom		ft. to		ft.
What is the nearest source of poss	ible contamination:			10 Lives	tock pens		14 Ab	andoned	l water	well
1 Septic tank 4 Lateral lines 7 Pit pr				11 Fuel storage			15 Oil well/Gas well			
	Cess pool	8 Sewage	-	-			10 Other (specify below)			
-	Seepage pit	9 Feedyar	ď		ticide stor	age	Lus.	T., S., Y.	بع.	
Direction from well?	LITUOLOGIOLG		FDOM	How mar	ny feet?	BLUG		ED) (A) . O		
FROM TO	LITHOLOGIC LC		FROM	то		PLUGO	SING INT	EHVALS	<u>, </u>	
0.5 Aspho										
11 14 San	silt, moist	-1 4								
111 100 2	of very fine grain	1 '' 1	-							
14 ac Sana	1, coarse to pebl	or, wer								
					VOISU	13				
7										
CONTRACTOR'S OR LANDOW	NER'S CERTIFICATION									
completed on (mo/day/year) Ω	110 104			and this re			of my kno	wledge a	and beli	ef. Kansas
Water Well Contractor's Licence No under the business name of				was complete	ed on (mo/ (signature)		1	./		
	ranco Great f		<u>C.</u>			0000				4 -£11
INSTRUCTIONS: Use typewriter or ball poi and Environment, Bureau of Water, Geolog	gy Section, 1000 SW Jackson St.									
records. Fee of \$5.00 for each constructed										