

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Sedgwick		NW 1/4 NW 1/4 NW 1/4	7	T. 27 S	R. 1 E/W
Distance and direction from nearest town or city street address of well if located within city? 1925 W. 21st Street, Wichita, KS					
2 WATER WELL OWNER: Conoco Phillips					
RR#, St. Address, Box # : 1234 Phillips Bldg.				Board of Agriculture, Division of Water Resource	
City, State, ZIP Code : Bartlesville, OK 74004				Application Number:	
3 LOCATE WELL'S LOCATION WITH		4 DEPTH OF COMPLETED WELL 28' ft. ELEVATION: 1315.56			
AN "X" IN SECTION BOX:		Depth(s) Groundwater Encountered 22' ft. 2 ft. 3 ft.			
		WELL'S STATIC WATER LEVEL 17.96 ft. below land surface measured on mo/day/yr 01/20/04			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well MW17			
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes No (X)					
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
2 PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded Threaded (X)
Blank casing diameter in. to 13' ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface Push in., weight lbs./ft. Wall thickness or gauge No. Sch. 40					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless Steel	5 Fiberglass	7 PVC	10 Asbestos-Cement
2 Brass		4 Galvanized Steel	6 Concrete tile	8 RMP (SR)	11 Other (Specify)
				9 ABS	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
			7 Torch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From 28' ft. to 13' ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 11' ft. to 28' ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 11' 3 Bentonite 1' 4 Other concrete					
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? Northwest of well How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1.5	Asphalt			
1.5	3	Fill dirt & slag			
3	4.5	Sand, well sorted, clean			
4.5	5	Sandy clay, dark gray			
5	11	Clay, dark gray and tan			
11	14	Clay, dark blue gray & tan			
14	23	Sand, well sorted, medium-fine			
23	28	Sand, coarse downward			
RECEIVED SEP 10 2004 BUREAU OF WATER					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8/17/2004 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 705 This Water Well Record was completed on (mo/day/yr) 8/24/2004 under the business name of Handex by (signature) [Signature]					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.					