. WATER WELL RECORD : 1	orm WV	VC-5 K	SA 82a-12	212				
1 LOCATION OF WATER WELL: FRACTION								
Sedgwick SW NE 1/4 SE 1/4 SW	1/4	31	T	2 7 S	R	1E E/	W	
Distance and direction from nearest town or city street address of well if located within city?								
2255 Euclid Wichita, Kansas								
2 WATER WELL OWNER: PORTER, Randy & TAYLOR, Debo	rah			Board of Agr	iculture, Divisio	n of Water Re	source	
RR#,ST. ADDRESS,BOX #: 1137 Gidley	_			-				
CITY, STATE: Wichita, Kansas		IP CODE:		Application Nur	nber:			
3 LOCATE WELL'S LOCATION 4 DEPTH OF CAMPS WELL: 2	4 ft.		ELEVATION:	:				
Depth of groundwater Encountered:	ft			ft.			ft.	
WELL'S STATIC WATER LEVEL 11	FT. BELC	W LAND S	JRFACE MEAS	SURED ON mo/o	day/yr:	9/24/04		
Pump test data: Well wa	ter was		ft. after	hours	of pumping	@	gpn	
<u>⊕</u> ' Est. Yield: gpm Well wa	iter was		ft. after	hours	s of pumping	@	gpm	
Est. Yield: gpm Well wa	to	ft	and	in.	t	0	ft.	
WELL WATER WAS USED AS:				9. Dewateri	ng 11.	Injection w	ell	
	iter supply		and garden or			r (Specify b	elow	
2. Irrigation 4. Industrial 6. Oil field w			nditioning	10. Monitorii	-	hr was sam	an la	
S Was a chemical/bacteriological sample submitted to submitted	Department?	YES	NO Vater Well Disi		what mo/day YES	NO NO	ipie	
5 TYPE OF CASING USED: 5 Wrought Iron 7 Fiberglass								
1. Steel 3. RPM (SR) 5. Wrought Iron 7. Fiberglass	9. O	ther (Specify	below) CA	ASING JOINTS:	Glued	Thread		
2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete t	ile				Welded	Clamp	ea	
Blank casing diameter 4 in. to ft., Dia.	in.	to	ft.,	Dia.	in. to	•	ft.	
							•.	
Tolgin.	I	bs. / ft.	Wall '	thickness or gaug	ge No.	•		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1, Steel 3. Stainless Steel 5. Fiberglass 7. PVC	9. A	DC	11 (Other (specify)	N/A			
	10. A	sbestos-Ce	nent 12. r	None used (open	noie)			
SCREEN OR PERFORATION OPENINGS ARE:				,				
1. Continuous slot 3. Mill slot 5. Gauzed wrapped	7. To	rch cut	9. Dr	illed holes	11. Non	e (open ho	le)	
2. Louvered shutter 4. Key punched 6. Wire wrapped	8. Sa	w cut	10. Ot	her (specify) N	/A			
SCREEN - PERFORATION INTERVAL From ft. to		ft.,	From	ft.	to		"	
From ft. to		•	From				ft.	
		ft.,	_	ft.	to		ft.	
GRAVEL PACK INTERVALS: From ft. to	,	ft.,	From	ft.	• to		ft.	
From ft. to)	ft.,	From	ft.	to		ft.	
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout	. 3	B. Bentonite		Other bent	onite hole	plug		
Grout Intervals: From ft. to ft., From	ft.	to	ft.,	From 3	ft.	to 24	ft.	
What is the nearest source of possible contamination: 1. Sentic tank 4. Lateral times 7. Pit privy	0 Livestoc	k nens	12	eticido etorono	15 Oil w	ell/Gas well		
16 Other						r (specify be		
2. 56461 11165	11. Fuel sto	_	14. Aban	don water well		Apparen	-	
o. Waterlight Sower line	12. Fertilize	r storage		•	None	Apparei		
Direction from well?			How n	nany feet?				
From To LITHOLOGIC LOG	From	То		LITHOLO	GIC LOG	<u>}</u>		
	 0 -		surface cla					
	3	24	bentonite l	hole plug				
	-							
	 			55051	/FD			
	 			RECEN	√EU			
				OCT 0 7	2004			
			Bl	JREAU OF	WATER			
	ļ							
	<u> </u>	,						
	<u> </u>	L				· · · ·		
Contractor's or Landowner's Certification: This water well was 1. constructed	i 2. re	constructed	or 3. 🤇	plugged	under my juris	sdiction and		
was completed on (mo/day/year) 9/24/2004 and this record	is true to the	best of my	knowledge and	belief.				
Kansas Water Well Contractor's License No. 236 This water we	ell record wa	s completed	on (mo/dav/ve	ear) 9/27	/2004			
,,,,,								
under the business name of Harp Well & Pump Service Inc. by (signature) Jo d d S. Jarp								