WATER WELL RECO	RD Form WW	/C-5 K	SA 82a-1212	
1 LOCATION OF WATER WELL: FRACTION	1	ION NUMBER		RANGE NUMBER
Sedgwick NE 1/4 SW 1/4	NE 1/4	21	T 27 S	R 1E E/W
Distance and direction from nearest town or city street address of well if located within c	ity?			
256 Ohio Wichita, Kansas 2 WATER WELL OWNER: ST ANTHONY'S CHURCH				
Deard of Agriculture Division of Water December				
RR#,ST. ADDRESS,BOX #: 256 Ohio  CITY, STATE: Wichita, Kansas ZIP CODE: 67214 Application Number:				
		CODE: 0		imber:
UCCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	23 ft.		ELEVATION:	
N Depth of groundwater Encountered:	ft.	basem	ent-floor ".	ft.
WELL'S STATIC WATER LEVEL	12 FT BELO	W Ishind	INFACE MEASURED ON mo	
Pump test data: Well water was ft. after hours of pumping @ gpm				
Est. field. gpill	Well water was			rs of pumping @ gpm
Bore Hole Diameter i WELL WATER NOW SUSED AS:	n. to	ft.		to ft. ring 11. Injection well
WELL WATER NON-BOUSED AS:  9. Dewatering 11. Injection well 12. Other (Specify below)				
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well				
S Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample				
submitted		Was V	Vater Well Disinfected?	YES NO
5 TYPE OF CASING USED: 5. Wrought Iron 7.	Fiberglass 9. Of	her (Specify	below) CASING JOINTS:	Glued Threaded
1. Steel 3. RPM (SR) Welded Clamped				
2. PVC 4. ABS	Concrete tile			
Blank casing diameter 6 in to ft.,	Dia. in.	to	ft., Dia.	in, to ft.
Casing height above land surface:  8 in., W	/eight: It	s. / ft.	Wall thickness or gar	uge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:				
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) N/A				
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:				
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None ( open hole)				
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) N/A				
SCREEN - PERFORATION INTERVAL From ft.	to	ft.,	From ft.	to ft.
From ft.	to	ft.,	From ft.	-
	to			to ft.
Tioni		ft.,	From ft.	to ft.
From ft.	to	ft.,	From ft.	to ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug				
Grout Intervals: From 0 ft. to .5 ft.,  What is the nearest source of possible contamination:	From ft.	to	ft., From	.5 ft. to 23 ft.
1. Septic tank  4. Lateral lines  7. Pit privy	10. Livestoc	k pens	13. Insecticide storage	15. Oil well/Gas well
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)				
2. Sewel lines 0. Octob Foot				
Watertight sewer line 6. Seepage pit 9. Feed yard Direction from well?	12.7 0111120	otorago	How many feet? 12	
From To LITHOLOGIC LOG	From	To		OGIC LOG
	0	.5	cement grout	00.0200
	.5		bentonite hole plug	
			050	
			RECI	FIVED
			11011 0	4
			NUV ()	1 2004
			BUREAU	OF WATER
1				
		<u> </u>		
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2, reconstructed or 3, plugged under my jurisdiction and				
was completed on (mo/day/year) 10/18/2004 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 10/20/2004				
under the business name of Harp Well & Pump Service Inc. by (signature)				