	WATER WELL	RECORD F	orm WW	/C-5 K	SA 82a-12	12			
1 LOCATION OF WATER WELL:	FRACTION SE 1/4 SW 1/4 NE			SECTION NUMBER		TOWNSHIP NUMBER		RANGE NUMBER	
Sedgwick Distance and direction from nearest town or city:	<u> </u>		1/4	32	T 2	7 s	R	1E E	/W
1945 S. Wichita	Wichita, Kan	•							
2 WATER WELL OWNER: ADA	MS, Barbara					D		,,,,,,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,	
	S. Wichita				5 010	Board of Agri	culture, Division o	of Water Re	source
	ita, Kansas	1		P CODE: 6		Application Num	nber:		
── WITH AN "X" IN SECTION BOX: ──	(, m ,	WELL: 2			ELEVATION:	_			
	th of groundwater Enco		ft.		IDE 4 OF 44E 4 OL	ft.		17/05	ft.
	LL'S STATIC WATER L			W LAND SC	JRFACE MEASU ft. after		• •	17/05	
0NWNE	Pump tes Est. Yield: gr	om Well wa			ft. after		of pumping @ of pumping @		gpm gpm
₩ X E Bo	ore Hole Diameter	in.	to	ft.		in.	to		ft.
—	LL WATER MA SUSE					9. Dewateri	ng 11. In	jection v	vell
	Domestic 3. Feedle Irrigation 4. Indus				ind garden only	10. Monitorir	12. Other i	(Specify	below)
	as a chemical/bacteriologica			YES	NO		what mo/day/yi	r was sar	mple
sub	omitted			Was V	Vater Well Disin	fected?	YES	NO	
TYPE OF CASING USED: 1. Steel 3. RPM (SR	5. Wrought Iron	7. Fiberglass	9. Ot	her (Specify	below) CAS	ING JOINTS:	Glued	Threa	
2. PVC 4. ABS	6. Asbestos-Ceme	ent 8. Concrete t	ile				Welded	Clam	ped
	in. to	ft., Dia.	in.	to	ft.,	Dia.	in. to		ft.
Casing height suite and surface:	36 in.,	Weight:	It	os. / ft.	Wall th	ickness or gaud	ae No.		
TYPE OF SCREEN OR PERFORATION	MATERIAL:	-				, , , , , , , , , , , , , , , , , , ,	, .T / A		
1. Steel 3. Stainless Steel	5. Fiberglass	7. PVC	9. A			her (specify)			
2. Brass 4. Galvanized	6. Concrete Tile	8. RMP (SR)	10. A	sbestos-Cer	nent 12. No	ne used (open	hole)		
SCREEN OR PERFORATION OPENING 1. Continuous slot 3. Mill slo	•	dammad	7 To		0.0-411	ed holes	11. None	(onen b	(مام
		d wrapped		rch cut				(open n	ыеј
2. Louvered shutter 4. Key pu	inched 6. Wire w	•••	o. Sa	w cut	10. Otn	er (specify) N	A		
SCREEN - PERFORATION INTERVAL	From	ft. to		ft.,	From	ft.	to		ft.
CRAVEL DAGE NETERVALO	From	ft. to		ft.,	From	ft.	to		ft.
GRAVEL PACK INTERVALS:	From	ft. to		ft.,	From _	ft.	to		ft.
- Longuit Materials	From	ft. to	<u> </u>	ft.,	From	ft.	to		ft.
GROUT MATERIALS: 1. Neat of Grout Intervals: From	cement 2. C	Cement Grout		Bentonite		•	onite hole p		
Grout Intervals: From What is the nearest source of possible co	ntamination:	ft., From	ft.	to	ft.,	From 2		to 27	ft.
1. Septic tank 4. Lateral		•	0. Livestoc	•	13. Insecti	cide storage	15. Oil wel		
2. Sewer lines 5. Cess P	001	•	11. Fuel sto	•	14. Aband	on water well	16. Other (None A	•	•
3. Watertight sewer line 6. Seepag	ge pit 9. Feed	yard	12. Fertilize	storage	Hou m	any feet?	None 2	zpparc	
From To L	ITHOLOGIC LO	G	From	То	now ma		GIC LOG		
		<u> </u>	0	2	surface clay		, OIO EOO		
			2	27	bentonite h				
			 			·			
			 						
			-			····			
									
									
			 						
<u> </u>			<u></u>						
Contractor's or Landowner's Certific				constructed			under my jurisd	liction and	t
was completed on (mo/day/year)	1/17/2005	and this record	is true to the	best of my	knowledge and I	pelief.			
Kansas Water Well Contractor's Licens			ell record wa	s completed	on (mo/day/yea	r) 1/19	/2005		
under the business name of Harp	Well & Pump Serv	vice Inc.	by (sig	gnature)	7,	dd S.	Harn		
							~ · · · · · ·		